

Backup and DR Service: Management Console API Spec

This document defines the API for the Global Manager. All communication is done over HTTPS with UTF-8 encoding. JSON is the only supported format for both request and response payloads.

Please refer to section 3.7. Access Control of [Management Console API General concept](#) for the details on fetching bearer token and session id, which are used to invoke API listed in this document.

Methods

[[Jump to Models](#)]

Table of Contents

[AccessRight](#)

- [GET /right/{right_name}](#)
- [GET /right](#)
- [OPTIONS /right](#)

[AccessRole](#)

- [HEAD /role](#)
- [POST /role](#)
- [DELETE /role/{role_id}](#)
- [GET /role/{role_id}](#)
- [GET /role](#)
- [OPTIONS /role](#)
- [PUT /role/{role_id}](#)

[Appliance](#)

- [HEAD /cluster](#)
- [GET /cluster/{cluster_id}](#)
- [GET /cluster](#)
- [OPTIONS /cluster](#)

[ApplianceDelegation](#)

- [GET /appliancedelegation/{cluster_id}/config/download/log](#)
- [GET /appliancedelegation/{cluster_id}/connectorbinary/{connectorname}](#)
- [GET /appliancedelegation/{cluster_id}/config/download/ossnotice](#)
- [POST /appliancedelegation/{cluster_id}/cluster/uploadupdate](#)

[ApplianceUpdate](#)

- [HEAD /applianceupdate](#)
- [DELETE /applianceupdate/schedule](#)
- [POST /applianceupdate/discover](#)
- [GET /applianceupdate/{update_id}](#)
- [GET /applianceupdate/notification](#)
- [GET /applianceupdate/readme](#)
- [POST /applianceupdate/installnow](#)
- [GET /applianceupdate](#)
- [OPTIONS /applianceupdate](#)
- [PUT /applianceupdate/notification](#)
- [POST /applianceupdate/schedule](#)

[ApplianceUpdateInstallationJob](#)

- [HEAD /applianceupdateinstallationjob](#)
- [GET /applianceupdateinstallationjob/{update_id}](#)
- [GET /applianceupdateinstallationjob/readme](#)
- [GET /applianceupdateinstallationjob/log](#)
- [GET /applianceupdateinstallationjob](#)
- [OPTIONS /applianceupdateinstallationjob](#)
- [PUT /applianceupdateinstallationjob/notification](#)

[Application](#)

- [POST /application/{application_id}/backup](#)
- [HEAD /application](#)
- [POST /application/{application_id}/settableoption](#)
- [POST /application/{application_id}/workflow](#)
- [DELETE /application/{application_id}](#)
- [DELETE /application/{application_id}/settableoption/{option_id}](#)

- [DELETE /application/{application_id}/workflow/{workflow_id}](#)
- [POST /application/{application_id}/expirebackup](#)
- [GET /application/{application_id}/appclass](#)
- [GET /application/appclass/{appclass_name}](#)
- [GET /application/appclass](#)
- [GET /application/{application_id}](#)
- [GET /application/{application_id}/settableoption/{option_id}](#)
- [GET /application/{application_id}/workflow/{workflow_id}](#)
- [GET /application/{application_id}/activeimage](#)
- [GET /application/types](#)
- [GET /application](#)
- [GET /application/{application_id}/settableoption](#)
- [GET /application/{application_id}/workflow](#)
- [OPTIONS /application](#)
- [OPTIONS /application/{application_id}/settableoption](#)
- [OPTIONS /application/settableoption/{apptype}](#)
- [PUT /application/{application_id}](#)
- [PUT /application/{application_id}/settableoption/{option_id}](#)
- [PUT /application/{application_id}/workflow/{workflow_id}](#)

[AuditLog](#)

- [HEAD /localaudit](#)
- [GET /localaudit/{audit_id}](#)
- [GET /localaudit](#)
- [OPTIONS /localaudit](#)

[Backup](#)

- [POST /backup/{backup_id}/clone](#)
- [HEAD /backup](#)
- [DELETE /backup/{backup_id}](#)
- [POST /backup/{backup_id}/expire](#)
- [GET /backup/{backupid}/applicationOptions](#)
- [GET /backup/{backup_id}](#)
- [GET /backup/{backupid}/diskmapping](#)
- [GET /backup](#)
- [POST /backup/{backup_id}/liveclone](#)
- [POST /backup/{backupid}/restoremigrate](#)
- [POST /backup/{backup_id}/mount](#)
- [POST /backup/{backupid}/mountmigratepreflight](#)
- [OPTIONS /backup](#)
- [POST /backup/{backup_id}/prepmount](#)
- [POST /backup/{backup_id}/prepunmount](#)
- [POST /backup/{backup_id}/refresh](#)
- [POST /backup/{backup_id}/restore](#)
- [POST /backup/{backup_id}/unmount](#)
- [PUT /backup/{backup_id}](#)

[Configuration](#)

- [GET /config/version](#)
- [GET /config/versiondetail](#)
- [GET /config/mgmtconsoledetails](#)

[ConsistencyGroup](#)

- [HEAD /consistencygroup](#)
- [POST /consistencygroup](#)
- [DELETE /consistencygroup/{group_id}](#)
- [GET /consistencygroup/{group_id}](#)
- [GET /consistencygroup/{group_id}/member](#)
- [GET /consistencygroup](#)
- [POST /consistencygroup/{group_id}/member](#)
- [OPTIONS /consistencygroup](#)
- [PUT /consistencygroup/{group_id}](#)

[DiskPool](#)

- [HEAD /diskpool](#)
- [POST /diskpool](#)
- [DELETE /diskpool/{diskpool_id}](#)
- [GET /diskpool/{diskpool_id}](#)
- [GET /diskpool/vault/listdynamicfields/{pool_type}](#)
- [GET /diskpool/vault/listtype](#)
- [GET /diskpool](#)
- [GET /diskpool/listgcpvaultpool](#)

- [OPTIONS /diskpool](#)
- [PUT /diskpool/{diskpool_id}](#)

Host

- [POST /host/{host_id}/addapplication](#)
- [POST /host/{host_id}/appdiscovery](#)
- [HEAD /host](#)
- [POST /host](#)
- [DELETE /host/{host_id}](#)
- [POST /host/enableconnectorupgrade](#)
- [GET /host/{host_id}](#)
- [GET /host](#)
- [OPTIONS /host](#)
- [PUT /host/revokeCertificate](#)
- [POST /host/{hostid}/testconnectorconnection](#)
- [PUT /host/{host_id}](#)
- [POST /host/{host_id}/host/{cluster name}/addvms](#)
- [GET /host/{host_id}/discovervm](#)

Job

- [HEAD /jobstatus](#)
- [GET /jobstatus](#)
- [OPTIONS /jobstatus](#)

LogicalGroup

- [HEAD /logicalgroup](#)
- [POST /logicalgroup](#)
- [POST /logicalgroup/{group_id}/sla](#)
- [DELETE /logicalgroup/{group_id}](#)
- [DELETE /logicalgroup/{group_id}/sla](#)
- [GET /logicalgroup/{group_id}](#)
- [GET /logicalgroup](#)
- [GET /logicalgroup/{group_id}/member](#)
- [POST /logicalgroup/{group_id}/member](#)
- [OPTIONS /logicalgroup](#)
- [PUT /logicalgroup/{group_id}](#)
- [PUT /logicalgroup/{group_id}/sla](#)

ManageACL

- [POST /manageacl/migration/getdbdumpuploadurls](#)
- [GET /manageacl/migration/rmmigrationstatus](#)
- [GET /manageacl/migration/isinmigrationmode](#)
- [PUT /manageacl/promoteUser](#)
- [POST /manageacl/migration/savesecret](#)

Organization

- [POST /org/{org_id}/assignment/add](#)
- [HEAD /org](#)
- [POST /org](#)
- [DELETE /org/{org_id}](#)
- [GET /org/{org_id}](#)
- [GET /org](#)
- [OPTIONS /org](#)
- [POST /org/{org_id}/assignment/remove](#)
- [PUT /org/{org_id}](#)

SLA

- [HEAD /sla](#)
- [POST /sla/{sla_id}/settableoption](#)
- [POST /sla](#)
- [POST /sla/preflight](#)
- [DELETE /sla/{sla_id}/settableoption/{option_id}](#)
- [DELETE /sla/{sla_id}](#)
- [GET /sla/{sla_id}/settableoption/{option_id}](#)
- [GET /sla/{sla_id}](#)
- [GET /sla/{sla_id}/settableoption](#)
- [GET /sla](#)
- [OPTIONS /sla/{sla_id}/settableoption](#)
- [PUT /sla/{sla_id}/settableoption/{option_id}](#)
- [PUT /sla/{sla_id}](#)

SLAPProfile

- [HEAD /slp](#)
- [POST /slp](#)
- [DELETE /slp/{slp_id}](#)
- [GET /slp/{slp_id}](#)
- [GET /slp](#)
- [PUT /slp/{slp_id}](#)

SLATemplate

- [POST /slt/{slt_id}/clone](#)
- [HEAD /slt](#)
- [POST /slt/{slt_id}/policy/{policy_id}/settableoption](#)
- [POST /slt/{slt_id}/policy](#)
- [POST /slt](#)
- [DELETE /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}](#)
- [DELETE /slt/{slt_id}/policy/{policy_id}](#)
- [DELETE /slt/{slt_id}](#)
- [GET /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}](#)
- [GET /slt/{slt_id}/policy/{policy_id}](#)
- [GET /slt/{slt_id}](#)
- [GET /slt/{slt_id}/policy/{policy_id}/settableoption](#)
- [GET /slt/{slt_id}/policy](#)
- [GET /slt](#)
- [OPTIONS /slt](#)
- [OPTIONS /slt/{slt_id}/policy/{policy_id}/settableoption](#)
- [OPTIONS /slt/settableoption/{policytype}](#)
- [PUT /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}](#)
- [PUT /slt/{slt_id}/policy/{policy_id}](#)
- [PUT /slt/{slt_id}](#)

StorageArray

- [HEAD /array](#)
- [POST /array](#)
- [POST /array/pretest](#)
- [DELETE /array/{array_id}](#)
- [GET /array/{array_id}](#)
- [GET /array/type](#)
- [GET /array](#)
- [OPTIONS /array](#)
- [POST /array/{array_id}](#)
- [PUT /array/{array_id}](#)

User

- [HEAD /user](#)
- [POST /user](#)
- [DELETE /user/{user_id}](#)
- [GET /user/{user_id}](#)
- [GET /user](#)
- [OPTIONS /user](#)
- [PUT /user/{user_id}](#)

UserSession

- [GET /session/permissions](#)
- [GET /session/current](#)
- [POST /session](#)
- [DELETE /session/current](#)
- [PUT /session/current](#)

AccessRight

[GET /right/{right_name}](#)

[Up](#)

Get details for a specific right. It requires System View right. ([getRight](#))

Path parameters

right_name (required)
Path Parameter –

Return type

[RightRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [RightRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /right

[Up](#)

Get a list of rights in the system. Rights are predefined and cannot be changed. It requires System View right. ([listRights](#))

Return type

[ListRightRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "children" : [ null, null ],
    "name" : "name",
    "syncdate" : 2,
    "id" : "id",
    "href" : "http://example.com/aeiou",
    "parents" : [ null, null ]
  }, {
    "stale" : true,
    "children" : [ null, null ],
    "name" : "name",
    "syncdate" : 2,
    "id" : "id",
    "href" : "http://example.com/aeiou",
    "parents" : [ null, null ]
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRightRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /right

[Up](#)

Describes the fields available for filtering and sorting (`optionsForList1`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

AccessRole

HEAD /role

[Up](#)

Get a count of total roles matching the filters. It requires System View right. (`countRoles`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon.
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /role

[Up](#)

Create a new role. It requires System Manage right. (`createRole`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [RoleRest](#) (optional)

Body Parameter –

Return type

[RoleRest](#)

Example data

Content-Type: application/json

```
{
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [RoleRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /role/{role_id}

[Up](#)

Remove a specific role. It requires System Manage right. (`deleteRole`)

Path parameters

role_id (required)

Path Parameter – format: int64

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /role/{role_id}

[Up](#)

Get individual role details. It requires System View right. (**getRole**)

Path parameters

role_id (required)

Path Parameter – format: int64

Return type

[RoleRest](#)

Example data

Content-Type: application/json

```
{
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [RoleRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /role

[Up](#)

Get a list of users. It requires System View right. (**listRoles**)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

Operator	Meaning
<code>==</code>	equals
<code>= </code>	contains (case-insensitive)
<code>&gt;=</code>	greater than or equal to
<code>&lt;=</code>	less than or equal to
<code>=b</code>	bitwise and

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListRoleRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  }, {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRoleRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /role

[Up](#)

Describes the fields available for filtering and sorting (`optionsForList2`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ]
  }
}
```

```
}, {
  "field" : "field",
  "values" : [ "values", "values" ],
  "type" : "type"
} ],
"pageable" : true,
"sortable" : true,
"sortablefields" : [ "sortablefields", "sortablefields" ]
}
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /role/{role_id}

[Up](#)

Update a specific role. It requires System Manage right. ([updateRole](#))

Path parameters

role_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [RoleRest](#) (optional)

Body Parameter –

Return type

[RoleRest](#)

Example data

Content-Type: application/json

```
{
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [RoleRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Appliance

HEAD /cluster

[Up](#)

Get a count of total appliances matching the filters. It requires backupdr.managementServers.viewSystem IAM permission (countClusters)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
!=	not equal to
>	greater than or equal to
<	less than or equal to
=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cluster/{cluster_id}

[Up](#)

Get individual appliance. It requires backupdr.managementServers.viewSystem IAM permission (getCluster)

Path parameters

cluster_id (required)

Path Parameter – format: int64

Query parameters

show_all_paired_appliances (optional)

Query Parameter –

Return type

[ClusterRest](#)

Example data

Content-Type: application/json

```
{
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "supportstatus" : "supportstatus",
```

```

"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ClusterRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cluster

[Up](#)

Get a list of appliances. It requires backupdr.managementServers.viewSystem IAM permission ([listClusters](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append 'asc' or 'desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>equals</td></tr><tr><td>=|</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

fetchReportManagerInfo (optional)

Query Parameter –

Return type

[ListClusterRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  }, {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
```

```

"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListClusterRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /cluster

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListCluster)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",

```

```
    "values" : [ "values", "values" ],
    "type" : "type"
  } ],
  "pageable" : true,
  "sortable" : true,
  "sortablefields" : [ "sortablefields", "sortablefields" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ApplianceDelegation

GET /appliance delegation/{cluster_id}/config/download/log

[Up](#)

Download logs from backup/recovery appliance. It requires backupdr.managementServers.viewSystem IAM permission (delegateGetCallDownloadLog)

Path parameters

cluster_id (required)

Path Parameter – format: int64

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [Object](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /appliance delegation/{cluster_id}/connectorbinary/{connectorname}

[Up](#)

Download connectors from backup/recovery appliance. It requires backupdr.managementServers.manageSystem IAM permission (downloadConnector)

Path parameters

connectorname (required)

Path Parameter –

cluster_id (required)
Path Parameter – format: int64

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [Object](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /appliancedelegation/{cluster_id}/config/download/ossnotice

[Up](#)

Download zip file containing licenses and notices for open-source components from backup/recovery appliance. It requires backupdr.managementServers.viewSystem IAM permission ([downloadOssNotice](#))

Path parameters

cluster_id (required)
Path Parameter – format: int64

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [Object](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /appliancedelegation/{cluster_id}/cluster/uploadupdate

[Up](#)

Upload software upgrade packages. It requires backupdr.managementServers.manageSystem IAM permission ([uploadSoftwareUpgradeToAppliance](#))

Path parameters

cluster_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- multipart/form-data

Form parameters

file (optional)

Form Parameter –

Return type

String

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [String](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ApplianceUpdate

HEAD /applianceupdate

[Up](#)

Get a count of total applianceupdates matching the filters. It requires backupdr.managementServers.viewSystem IAM permission (countApplianceUpdates)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /applianceupdate/schedule

[Up](#)

Deletes the schedule for update. It requires backupdr.managementServers.manageSystem IAM permission (**deleteSchedule**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UpdateListRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /applianceupdate/discover

[Up](#)

Discover new updates for the managed appliances. It requires backupdr.managementServers.manageSystem IAM permission (**discoverUpdates**)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate/{update_id}

[Up](#)

Get update details. It requires backupdr.managementServers.viewSystem IAM permission (**getApplianceUpdate**)

Path parameters

update_id (required)
Path Parameter – format: int64

Return type

[ApplianceUpdateRest](#)

Example data

Content-Type: application/json

```
{
  "appliancename" : "appliancename",
  "updatestatus" : "updatestatus",
  "stale" : true,
  "syncdate" : 6,
```

```
"clusterid" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"appliancestatus" : "appliancestatus",
"rebootrequired" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate/notification

[Up](#)

Fetch the notifications that needs to be displayed to the user. It requires backupdr.managementServers.access IAM permission ([getNotifications](#))

Return type

[ListRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 6,
  "items" : [ {
    "stale" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate/readme

[Up](#)

Get readme with respect to the update id passed. It requires backupdr.managementServers.viewSystem IAM permission ([getReadMeForApplianceUpdate](#))

Query parameters

id (optional)

Query Parameter – format: int64

Return type

[ApplianceUpdateReadmeRest](#)

Example data

Content-Type: application/json

```
{
  "readmecontent" : [ "readmecontent", "readmecontent" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateReadmeRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /applianceupdate/installnow

[Up](#)

Install the updates now. It requires backupdr.managementServers.manageSystem IAM permission ([installApplianceUpdateNow](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UpdateListRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate

[Up](#)

Get the list of actionable updates. It requires backupdr.managementServers.viewSystem IAM permission ([listApplianceUpdates](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListConsolidatedApplianceUpdatesRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 5,
  "items" : [ {
    "stale" : true,
    "allowforce" : true,
    "appliancedetails" : [ {
      "appliancename" : "appliancename",
      "updatestatus" : "updatestatus",
      "stale" : true,
      "syncdate" : 6,
      "clusterid" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "appliancestatus" : "appliancestatus",
      "rebootrequired" : true
    }, {
      "appliancename" : "appliancename",
      "updatestatus" : "updatestatus",
      "stale" : true,
      "syncdate" : 6,
      "clusterid" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "appliancestatus" : "appliancestatus",
      "rebootrequired" : true
    } ],
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "updateinformation" : {
      "updateid" : "updateid",
      "expectedduration" : 2,
      "duedate" : 9,
      "componentname" : "componentname",
      "releasedate" : 7,
      "readmelink" : "readmelink"
    }
  }, {
    "stale" : true,
    "allowforce" : true,
    "appliancedetails" : [ {
      "appliancename" : "appliancename",
      "updatestatus" : "updatestatus",
      "stale" : true,
      "syncdate" : 6,
      "clusterid" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "appliancestatus" : "appliancestatus",
      "rebootrequired" : true
    }, {
      "appliancename" : "appliancename",
      "updatestatus" : "updatestatus",
      "stale" : true,
      "syncdate" : 6,
      "clusterid" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "appliancestatus" : "appliancestatus",
      "rebootrequired" : true
    } ],
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "updateinformation" : {
      "updateid" : "updateid",
      "expectedduration" : 2,
      "duedate" : 9,
      "componentname" : "componentname",
      "releasedate" : 7,
      "readmelink" : "readmelink"
    }
  } ]
}
```

```

    } ],
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "updateinformation" : {
      "updateid" : "updateid",
      "expectedduration" : 2,
      "duedate" : 9,
      "componentname" : "componentname",
      "releasedate" : 7,
      "readmelink" : "readmelink"
    }
  } ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListConsolidatedApplianceUpdatesRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /applianceupdate

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListApplianceUpdates)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /applianceupdate/notification

[Up](#)

Update the acknowledge status of the notification to true (`updateNotificationForApplianceUpdate`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ApplianceUpdateNotificationRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /applianceupdate/schedule

[Up](#)

Creates the schedule for update. It requires `backupdr.managementServers.manageSystem` IAM permission (`updateSchedule`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UpdateListRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ApplianceUpdateInstallationJob

HEAD /applianceupdateinstallationjob

Get the count of total appliance update installation jobs. It requires backupdr.managementServers.viewSystem IAM permission (`countApplianceUpdatesInstallationJobs`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>	greater than or equal to
:<	less than or equal to
:&b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdateinstallationjob/{update_id}

Get the appliance update job details. It requires backupdr.managementServers.viewSystem IAM permission (`getApplianceUpdateInstallationJob`)

Path parameters

update_id (required)

Path Parameter – format: int64

Return type

[ApplianceUpdateInstallationJobRest](#)

Example data

Content-Type: application/json

```
{
  "installduration" : 5,
  "clusterid" : 1,
  "updateprogress" : 5,
  "rebootrequired" : true,
  "applianceName" : "applianceName",
  "updatestatus" : "updatestatus",
  "stale" : true,
  "logslink" : "logslink",
  "syncdate" : 3,
  "startTime" : 0,
  "details" : "details",
  "endTime" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "updateinformation" : {
    "updateid" : "updateid",
    "expectedduration" : 2,
    "duedate" : 9,
    "componentname" : "componentname",
    "releasedate" : 7,
    "readmelink" : "readmelink"
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateInstallationJobRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdateinstallationjob/readme

[Up](#)

Get readme of the update id passed. It requires backupdr.managementServers.viewSystem IAM permission ([getReadMeForApplianceUpdateInstallationJob](#))

Query parameters

id (optional)

Query Parameter – format: int64

Return type

[ApplianceUpdateReadmeRest](#)

Example data

Content-Type: application/json

```
{
  "readmecontent" : [ "readmecontent", "readmecontent" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateReadmeRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdateinstallationjob/log

[Up](#)

Get logs of the update id passed. It requires backupdr.managementServers.viewSystem IAM permission ([getUpdateLogs](#))

Query parameters

id (optional)

Query Parameter – format: int64

Return type

[ListApplianceUpdateLogsRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 6,
  "items" : [ {
```

```

    "stale" : true,
    "syncdate" : 0,
    "logfilename" : "logfilename",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "logs" : [ "logs", "logs" ]
  }, {
    "stale" : true,
    "syncdate" : 0,
    "logfilename" : "logfilename",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "logs" : [ "logs", "logs" ]
  } ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplianceUpdateLogsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdateinstallationjob

[Up](#)

Get the list of update installation jobs. It requires backupdr.managementServers.viewSystem IAM permission ([listApplianceUpdatesInstallationjobs](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append 'asc' or 'desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>>equals</td></tr><tr><td>=|</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListRestApplianceUpdateInstallationJobRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 2,
  "items" : [ {
    "installduration" : 5,
    "clusterid" : 1,
    "updateprogress" : 5,
    "rebootrequired" : true,
    "appliancename" : "appliancename",
    "updatestatus" : "updatestatus",
    "stale" : true,
    "logslink" : "logslink",
    "syncdate" : 3,
    "startTime" : 0,
  } ]
}

```

```

"details" : "details",
"endTime" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"updateinformation" : {
  "updateid" : "updateid",
  "expectedduration" : 2,
  "duedate" : 9,
  "componentname" : "componentname",
  "releasedate" : 7,
  "readmlink" : "readmlink"
}
}, {
  "installduration" : 5,
  "clusterid" : 1,
  "updateprogress" : 5,
  "rebootrequired" : true,
  "appliancename" : "appliancename",
  "updatestatus" : "updatestatus",
  "stale" : true,
  "logslink" : "logslink",
  "syncdate" : 3,
  "startTime" : 0,
  "details" : "details",
  "endTime" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "updateinformation" : {
    "updateid" : "updateid",
    "expectedduration" : 2,
    "duedate" : 9,
    "componentname" : "componentname",
    "releasedate" : 7,
    "readmlink" : "readmlink"
  }
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRestApplianceUpdateInstallationJobRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /applianceupdateinstallationjob

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListApplianceUpdateInstallationJobs)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",

```

```
    "values" : [ "values", "values" ],
    "type" : "type"
  } ],
  "pageable" : true,
  "sortable" : true,
  "sortablefields" : [ "sortablefields", "sortablefields" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /applianceupdateinstallationjob/notification

[Up](#)

Update the acknowledge status of the notification to true ([updateNotificationForApplianceUpdateInstallationJob](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ApplianceUpdateNotificationRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Application

POST /application/{application_id}/backup

[Up](#)

Run a backup job. It requires backupdr.managementServers.manageBackups IAM permission ([backupNow](#))

Path parameters

[application_id](#) (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [BackupNowRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /application

[Up](#)

Get a count of total applications matching the filters. It requires backupdr.managementServers.access IAM permission ([countApplications](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /application/{application_id}/settableoption

[Up](#)

Create a settable option for the particular application. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createOptionForApp](#))

Available options can be retrieved from the OPTIONS API. Existing options can be retrieved from GET API.

Path parameters

application_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /application/{application_id}/workflow

[Up](#)

Create new workflow for the particular application. It requires backupdr.managementServers.manageWorkflows IAM permission ([createWorkflow](#))

Path parameters

application_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [WorkflowRest](#) (optional)
Body Parameter –

Return type

[WorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
  }
}
```

```
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
```

```
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
  },
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
```



```
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
```

```

    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ], {
  "stale" : true,

```

```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
```

```

"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",

```

```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
```

```
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
```



```
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
```

```

"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ]
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",

```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",

```

```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
```

```

"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",

```

```
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
```

```
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ], {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
```

```
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "pollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
```



```

    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"

```

```
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
```

```
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",

```

```

    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,

```

```

"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",

```

```
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
```



```
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
```

```
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsi_clusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
```

```

    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],

```

```
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
```

```

"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpm" : "rpm",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",

```

```
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
```

```

    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 7,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
} ],
"props" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,

```



```
"href" : "http://example.com/aeiou",
"id" : "id"
}
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [WorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /application/{application_id}

[Up](#)

Delete application. It requires backupdr.managementServers.manageApplications IAM permission ([deleteApplication](#))

Path parameters

application_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /application/{application_id}/settableoption/{option_id}

[Up](#)

Delete the particular option from the particular application. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteOptionForApp](#))

Path parameters

application_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
option {optionId} is invalid [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /application/{application_id}/workflow/{workflow_id}

[Up](#)

Delete existing workflow. It requires backupdr.managementServers.manageWorkflows IAM permission (`deleteWorkflow`)

Path parameters

application_id (required)

Path Parameter –

workflow_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /application/{application_id}/expirebackup

[Up](#)

Expires backups of the particular application. It requires backupdr.managementServers.manageExpiration IAM permission (`expireBackups`)

Default to all backups. Optionally the type of backups can be specified in the payload (`ExpireBackupRest`). Valid type includes snapshot, dedup, remote-dedup and vault.

Path parameters

application_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ExpireBackupRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

GET /application/{application_id}/appclass

Get the particular application's appclass metadata. It requires backupdr.managementServers.access IAM permission ([getAppClass](#))

Path parameters

application_id (required)
Path Parameter –

Query parameters

hostid (optional)
Query Parameter –

isasm (optional)
Query Parameter –

operation (optional)
Query Parameter –

backupid (optional)
Query Parameter – format: int64

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }, {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    } ],
    "validationRegex" : "validationRegex",
    "value" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
}, {
  "select" : true,
  "defaultValue" : "defaultValue",
  "description" : "description",
  "type" : "type",
  "required" : true,
  "stale" : true,
  "unique" : true,
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 6,
  "restoreimmutable" : true,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "choice" : [ {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "pathname" : "pathname"
}, {
```

```

    "ismv" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
} ],
"scriptId" : {
  "stale" : true,
  "name" : "name",
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
}

```

```
  },
  "friendlyName" : "friendlyName"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/appclass/{appclass_name}

[Up](#)

Get appclass metadata for the particular appclass name. It requires backupdr.managementServers.access IAM permission ([getAppClassByAppclassName](#))

Path parameters

appclass_name (required)

Path Parameter –

Query parameters

hostid (optional)

Query Parameter –

clusterid (optional)

Query Parameter –

isasm (optional)

Query Parameter –

operation (optional)

Query Parameter –

backupid (optional)

Query Parameter – format: int64

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
```

```
"stale" : true,
"isclustered" : true,
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"pathname" : "pathname"
}, {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
} ],
"validationRegex" : "validationRegex",
"value" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
}, {
```

```
"select" : true,
"defaultValue" : "defaultValue",
"description" : "description",
"type" : "type",
"required" : true,
"stale" : true,
"unique" : true,
"name" : "name",
"alias" : "alias",
"syncdate" : 6,
"restoreimmutable" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"choice" : [ {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
}, {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
} ],
"validationRegex" : "validationRegex",
"value" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
```



```

        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ]
"scriptId" : {
    "stale" : true,
    "name" : "name",
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "required" : true
},
"friendlyName" : "friendlyName"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

Query parameter clusterid or hostid is mandatory [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/appclass

[Up](#)

Get all available app classes from given cluster. It requires backupdr.managementServers.access IAM permission ([getAppClasses](#))

Query parameters

clusterid (optional)

Query Parameter – format: int64

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```

{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",

```

```
"syncdate" : 6,
"restoreimmutable" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"choice" : [ {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
}, {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
} ],
"validationRegex" : "validationRegex",
"value" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
}, {
  "select" : true,
  "defaultValue" : "defaultValue",
  "description" : "description",
  "type" : "type",
  "required" : true,
  "stale" : true,
  "unique" : true,
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 6,
  "restoreimmutable" : true,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "choice" : [ {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  }, {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
} ],
"scriptId" : {
  "stale" : true,
  "name" : "name",
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
},
"friendlyName" : "friendlyName"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

Query parameter clusterid is mandatory [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}

[Up](#)

Get details on the particular application. It requires backupdr.managementServers.access IAM permission ([getApplication](#))

Path parameters

application_id (required)

Path Parameter –

Return type

[ApplicationRest](#)

Example data

Content-Type: application/json

```

{
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,

```

```
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ]
  }
}
```

```

}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],

```

```
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
```



```

    "region" : "region"
  },
  "isSourceAppFromMountMigrateRestore" : true,
  "vmname" : "vmname",
  "characteristic" : "characteristic",
  "retainlogs" : true,
  "modifydate" : 4,
  "slpname" : "slpname",
  "apptype" : "apptype",
  "mountedvdisk" : "mountedvdisk",
  "snapshotlocation" : "snapshotlocation",
  "endpit" : 1,
  "srcid" : "srcid",
  "snapshottype" : "snapshottype",
  "hostisdst" : true,
  "incarnation" : "incarnation",
  "asmswitchcapable" : true,
  "mountmigrateflag" : true,
  "virtualsize" : "virtualsize",
  "mountedmountpoint" : "mountedmountpoint",
  "backedupdbnames" : "backedupdbnames",
  "eligiblestoragetypes" : "eligiblestoragetypes",
  "copies" : [ null, null ],
  "appname" : "appname",
  "zone" : "zone",
  "beginpit" : 8,
  "exportvolume" : [ {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    }, {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",

```



```

    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
]
} ],

```

```
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
```

```
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
```

```
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
```



```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodelist" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],

```

```
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
```

```
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
```

```
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```

    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "username" : "username"
    },
    "diskpools" : [ null, null ],
    "overallstatus" : "overallstatus",
    "sources" : [ null, null ],
    "clusterid" : 5,
    "storage" : [ {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    }, {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    } ],
    "hostcount" : 6,
    "modifydate" : 1,
    "arraytype" : "arraytype",
    "stale" : true,

```

```

"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {

```

```
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
```

```
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snashttype" : "snashttype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestorageetypes" : "eligiblestorageetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
```



```
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  }, {
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
```

```

    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,

```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],

```

```
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
}
```

```
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
```

```

    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",

```

```

    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",

```



```
"explist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migraemapping" : "migraemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ]
}
```

```
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemoverstarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
```

```

"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "repeatinterval" : "repeatinterval",
      "retention" : "retention",
      "verification" : true,
      "truncatelog" : "truncatelog",
      "op" : "op",
      "exclusiontype" : "exclusiontype",

```

```

    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",

```

```

    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/settableoption/{option_id}

[Up](#)

Get the particular option of the particular application. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getOptionForApp](#))

Path parameters

application_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/workflow/{workflow_id}

[Up](#)

Get individual workflow. It requires backupdr.managementServers.viewWorkflows IAM permission ([getWorkflow](#))

Note: Workflow_id is not unique on AGM (it's actually the id on the appliance). It's unique per application_id though

Path parameters

application_id (required)

Path Parameter –

workflow_id (required)

Path Parameter –

Return type

[WorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",

```

```
"vdiskcount" : 2,
"vdiskcolor" : "vdiskcolor",
"localsnapshotcolor" : "localsnapshotcolor",
"remoteProtectioncolor" : "remoteProtectioncolor",
"vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }, {
      "stale" : true,
      "beginlsn" : "beginlsn",
```

```
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ]
  },
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
```



```
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
```

```

    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsized" : 4,
  "accessid" : "accessid",

```

```
    "bucket" : "bucket",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],

```

```

        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "user" : [ {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 9,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        }, {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 9,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        } ]
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",

```

```
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
```

```
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
```

```

"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",

```



```
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
```

```
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
]
}

```

```
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
```

```

"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],

```

```

    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamllavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",

```

```
"clientid" : "clientid",
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 5,
"clusterid" : 7,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
```

```
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "pollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "pollist" : [ "pollist", "pollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
```



```

    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrue" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}
], {

```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",

```

```

"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
}, {
"haspassword" : true,
"stale" : true,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}

```

```

    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ] ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ], {

```

```

        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",

```



```
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
"clusterid" : "clusterid"
```

```

} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],

```

```

    } ],
    "stale" : true,
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "arrays" : [ null, null ],
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,

```

```

"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",

```

```
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
```

```
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
```

```
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
```

```

"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 7,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
} ],
"props" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [WorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/activeimage

[Up](#)

Get active images for an application. It requires backupdr.managementServers.access IAM permission ([listActiveImages](#))

Path parameters

application_id (required)

Path Parameter –

Return type

[ListBackupRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }, {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
  }
}
```

```
"cloudtype" : "cloudtype",
"vaultudsuid" : 5,
"clusterId" : 7,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      }
    }
  }
}
```

```

    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
    },
    "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
}, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {

```

```
"resourcecollection" : {
  "userlist" : [ "userlist", "userlist" ],
  "slplist" : [ "slplist", "slplist" ],
  "arraylistcount" : 9,
  "hostlist" : [ "hostlist", "hostlist" ],
  "sltlistcount" : 1,
  "applist" : [ "applist", "applist" ],
  "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
  "poollistcount" : 4,
  "arraylist" : [ "arraylist", "arraylist" ],
  "hostlistcount" : 6,
  "applistcount" : 5,
  "lglist" : [ "lglist", "lglist" ],
  "slplistcount" : 7,
  "stale" : true,
  "sltlist" : [ "sltlist", "sltlist" ],
  "userlistcount" : 1,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cloudcredentiallistcount" : 6,
  "lglistcount" : 9,
  "poollist" : [ "poollist", "poollist" ]
},
"modifydate" : 1,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 1,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsized" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
```

```
    },
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "warnpct" : 6,
    "pct" : 0.10263654006109402,
    "ext" : 7,
    "capacity_mb" : 6,
    "bvinfo" : {
      "stale" : true,
      "name" : "name",
      "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
      "lock" : true,
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "error" : {
        "err_code" : 10011,
        "err_message" : "err_message"
      }
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ],
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
```

```
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
```

```
"stale" : true,
"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {

```

```

        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }
    ]
} ],
"clusterid" : "clusterid"
}, {

```



```
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],

```

```
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
```

```
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"spls" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
```

```
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
```

```
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,

```

```
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
```

```
    "failedddb" : "failedddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterId" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 3,
```



```
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
```

```
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
```

```
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
```

```
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ], {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }
  ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",

```

```
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
```



```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
```

```
"exslist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WPN" : [ "WPN", "WPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
```

```

"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],

```

```
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
```

```
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
```

```
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListBackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/types

[Up](#)

Get list of application types that are currently in the system. It requires backupdr.managementServers.access IAM permission ([listApplicationTypes](#))

Return type

[ListStringRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ "items", "items" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListStringRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application

[Up](#)

List applications. It requires backupdr.managementServers.access IAM permission ([listApplications](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append 'asc' or 'desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 2,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "flags_text" : [ "flags_text", "flags_text" ],
      "mappedhost" : "mappedhost",
      "appclass" : "appclass",
      "backupdate" : 3,
      "jobclass" : "jobclass",
      "version" : "version",
      "uniquehostname" : "uniquehostname",
      "powerfactor" : 8,
      "hosttimezone" : "hosttimezone",
      "sensitivity" : 6,
      "status" : "status",
      "originatinguds" : "originatinguds",
      "migrationstate" : "migrationstate",
      "hasmountedmap" : true,
      "hananodelist" : [ "hananodelist", "hananodelist" ],
      "flags" : "flags",
      "logsequences" : [ {
        "stale" : true,
        "beginlsn" : "beginlsn",
        "syncdate" : 1,
        "endlsn" : "endlsn",
        "thread" : "thread",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      } ],
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    } ],
    "cloudcredential" : {
      "serviceaccount" : "serviceaccount",
      "clientid" : "clientid",
      "secretkey" : "secretkey",
      "sources" : [ null, null ],
      "cloudtype" : "cloudtype",
      "vaultudsuid" : 5,
      "clusterId" : 7,
    }
  } ]
}
```



```
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
```

```

    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "pollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "pollist" : [ "pollist", "pollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],

```

```
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
```

```
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ], {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",

```

```

"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,

```

```

        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        } ],
        "clusterid" : "clusterid"
    }, {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",

```

```

    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}

```



```

    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",

```

```
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
```

```

    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",

```

```
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
```

```
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
```

```
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterid" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
```



```

    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,

```

```
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
```

```
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
```

```

    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",

```

```

    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  } ],
  "syncdate" : 7,
  "yaml" : "yaml",
  "provisioningoptions" : [ null, null ],
  "catalogstate" : "catalogstate",
  "racodelist" : [ "racodelist", "racodelist" ],
  "immutabilitydate" : 0,
  "application_allocated_size" : 3,
  "backuplock" : "backuplock",
  "name" : "name",
  "volgroupname" : "volgroupname",
  "expiration" : 0,
  "policyname" : "policyname",
  "mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }
    ]
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",

```

```

    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"

```

```

}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,

```



```
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
```

```

"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",

```

```
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
```

```
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
```

```
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "schedulingtype" : "schedulingtype",
  "complianceSettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
},
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
```

```
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
```

```
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourcecuds" : "sourcecuds",
```



```
"mountcapacity" : 9,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "username" : "username"
    },
    "diskpools" : [ null, null ],
    "overallstatus" : "overallstatus",
    "sources" : [ null, null ],
    "clusterid" : 5,
    "storage" : [ {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    } ],
  }, {

```

```
"stale" : true,
"name" : "name",
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
```

```

    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "isSourceAppFromMountMigrateRestore" : true,
  "vmname" : "vmname",
  "characteristic" : "characteristic",
  "retainlogs" : true,
  "modifydate" : 4,
  "slpname" : "slpname",
  "apptype" : "apptype",
  "mountedvdisk" : "mountedvdisk",
  "snapshotlocation" : "snapshotlocation",
  "endpit" : 1,
  "srcid" : "srcid",
  "snapshotttype" : "snapshotttype",
  "hostisdst" : true,
  "incarnation" : "incarnation",
  "asmswitchcapable" : true,
  "mountmigrateflag" : true,
  "virtualseize" : "virtualseize",
  "mountedmountpoint" : "mountedmountpoint",
  "backedupdbnames" : "backedupdbnames",
  "eligiblestoragetypes" : "eligiblestoragetypes",
  "copies" : [ null, null ],
  "appname" : "appname",
  "zone" : "zone",
  "beginpit" : 8,
  "exportvolume" : [ {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    }, {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",

```

```
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```

    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",

```

```
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
```



```
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
```

```

},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
  ]
}

```

```

    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ] ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ], {

```

```

        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
```

```
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
"appState" : 4,
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
"jobclasscode" : 4,
"sltname" : "sltname",
"migrate-copythreadcount" : 8,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 9,
"backupname" : "backupname",
"stale" : true,
"sourcmountpoint" : "sourcmountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
```

```
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterId" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
    }
  ]
}
```



```

    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "username" : "username"
    },
    "diskpools" : [ null, null ],
    "overallstatus" : "overallstatus",
    "sources" : [ null, null ],
    "clusterid" : 5,
    "storage" : [ {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    }, {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    } ],
    "hostcount" : 6,

```

```

"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",

```

```
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
```

```

"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  } ]
} ]

```

```
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"polycyname" : "polycyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",

```

```

    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }

```

```

    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```



```
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
```

```

"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WPN" : [ "WPN", "WPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
}, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",

```

```

    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
} ],
"name" : "name",

```

```

    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",

```

```
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
```

```
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
```

```
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "repeatinterval" : "repeatinterval",
      "retention" : "retention",
      "verification" : true,
```

```

"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 7,
  "stale" : true,
  "error_threshold_custom" : 0,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",

```



```

    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/settableoption

[Up](#)

List all existing settable options of the application. It requires backupdr.managementServers.access IAM permission ([listOptionForApp](#))

Path parameters

application_id (required)
Path Parameter –

Return type

[ListAdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/workflow

[Up](#)

Get list of workflows for the particular application. It requires backupdr.managementServers.viewWorkflows IAM permission ([listWorkflowsPerApp](#))

Path parameters

application_id (required)

Path Parameter –

Return type

[ListWorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 9,
  "items" : [ {
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,

```

```
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
```

```
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }
  ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
```

```
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
```

```

    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ]

```

```
    },
    "username" : "username",
    "status" : "status"
  },
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 3,
  "vaultprops" : {
    "objectsize" : 4,
    "accessid" : "accessid",
    "bucket" : "bucket",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
```

```

"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,

```



```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
```

```
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
```

```
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
```

```
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WVPN" : [ "WVPN", "WVPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {

```

```

    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,

```

```
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxymhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
```



```

    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {

```

```
"AppState" : 4,
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
```

```
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
```

```
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,

```

```
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
```

```

"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,

```

```

        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "user" : [ {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 9,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        }, {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 9,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        } ]
    }, {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",

```



```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",

```

```

    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",

```

```

    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,

```

```
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
```

```

}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,

```

```
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
```

```
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsiclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataaip" : "dataaip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
```



```
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
```

```

    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
  },

```

```
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 7,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
} ],
"props" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}, {
  "cluster" : {

```

```
"serviceaccount" : "serviceaccount",
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
```

```

"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```
"errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
```

```

"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {

```



```
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsized" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
```

```

"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",

```

```

    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,

```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],

```

```
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  } ],
}
```

```
    "stale" : true,
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "arrays" : [ null, null ],
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
```

```

    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",

```



```

    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",

```

```
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  }
]
```

```
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appstate" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
```

```
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
  },
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
```

```
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
```

```

    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ], {
  "stale" : true,

```

```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
```



```
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiertype" : "profiertype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",

```

```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
```

```
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
```

```
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
```

```

"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",

```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",

```



```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
```

```
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
```

```
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
```

```
"name" : "name",
"env" : "env"
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
```

```

    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusioniontype" : "exclusioniontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",

```

```
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 7,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
} ],
"props" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
```

```

    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListWorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /application

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListApplication](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /application/{application_id}/settableoption

[Up](#)

Get settable option metadata of the particular application. It requires backupdr.managementServers.access IAM permission (settableOptionMetadataForApp)

Path parameters

application_id (required)

Path Parameter –

Return type

String

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [String](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /application/settableoption/{apptype}

[Up](#)

Settable option metadata for the particular application type. It requires backupdr.managementServers.access IAM permission (settableOptionMetadataForAppType)

Path parameters

apptype (required)

Path Parameter –

Return type

String

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [String](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

PUT /application/{application_id}

Update application data. It requires backupdr.managementServers.manageApplications and backupdr.managementServers.manageSensitiveData (for sensitive app) IAM permissions ([updateApplication](#))

Path parameters

application_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ApplicationRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

PUT /application/{application_id}/settableoption/{option_id}

Update the particular option of the particular application. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateOptionForApp](#))

Path parameters

application_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /application/{application_id}/workflow/{workflow_id}

[Up](#)

Update existing workflow. It requires backupdr.managementServers.manageWorkflows IAM permission ([updateWorkflow](#))

Path parameters

application_id (required)

Path Parameter –

workflow_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [WorkflowRest](#) (optional)

Body Parameter –

Return type

[WorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
    }
  }
}
```

```
"localdedupcolor" : "localdedupcolor",
"vdiskcount" : 2,
"vdiskcolor" : "vdiskcolor",
"localsnapshotcolor" : "localsnapshotcolor",
"remoteProtectioncolor" : "remoteProtectioncolor",
"vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  ], {
    "stale" : true,
```

```
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 7,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
```

```
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
```

```

    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,

```

```
    "accessid" : "accessid",
    "bucket" : "bucket",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
```

```

"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
  }

```



```

        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "user" : [ {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 9,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        }, {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 9,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,

```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
```

```
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ism" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",

```

```
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
```

```
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
```

```
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
```



```
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
```

```
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
```

```
"serviceaccount" : "serviceaccount",
"clientid" : "clientid",
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 5,
"clusterid" : 7,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
```

```
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}
]
}
]
```

```

}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  }, {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```



```

    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"polycyname" : "polycyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ]
}
```

```

    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
```

```
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
}
```

```
    "clusterid" : "clusterid"
  } ],
  "machinetype" : "machinetype",
  "ostype_special" : "ostype_special",
  "hostname" : "hostname",
  "stale" : true,
  "zone" : "zone",
  "autoupgrade" : "DISABLED",
  "syncdate" : 8,
  "sourcecluster" : "sourcecluster",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pki_errors" : [ "pki_errors", "pki_errors" ],
  "reconciliation_needed" : true,
  "isShadowHost" : true,
  "chapusername" : "chapusername",
  "is_auto_discovery_enabled" : true,
  "nfsoption" : {
    "server" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }
    ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
```

```
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
```

```

"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",

```



```
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "schedulingtype" : "schedulingtype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
```

```

    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",

```

```
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
```

```

"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 7,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ null, null ]
} ],
"props" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [WorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

AuditLog

HEAD /localaudit

[Up](#)

Get a count of total audit records matching the filters. It requires backupdr.managementServers.viewSystem IAM permission (`countAudits`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /localaudit/{audit_id}

[Up](#)

Get individual audit record details. It requires backupdr.managementServers.viewSystem IAM permission (`getAudit`)

Path parameters

audit_id (required)

Path Parameter –

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json

```
{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
  }
}
```

```

    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /localaudit

[Up](#)

Get a list of local audit records. It requires backupdr.managementServers.viewSystem IAM permission ([listAudits](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListAuditRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 5,
  "items" : [ {
    "ipaddress" : "ipaddress",
    "issuedate" : 6,
    "command" : "command",
    "privileged" : true,
    "proxy" : "proxy",
    "component" : "component",
    "stale" : true,

```

```

    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "jobname" : "jobname",
    "username" : "username",
    "status" : 0
  }, {
    "ipaddress" : "ipaddress",
    "issuedate" : 6,
    "command" : "command",
    "privileged" : true,
    "proxy" : "proxy",
    "component" : "component",
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "jobname" : "jobname",
    "username" : "username",
    "status" : 0
  } ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAuditRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /localaudit

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.viewSystem IAM permission ([optionsForListLocalAudit](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Backup

POST /backup/{backup_id}/clone

[Up](#)

Clone a specific backup. It requires backupdr.managementServers.manageClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([cloneBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [CloneRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /backup

[Up](#)

Get a count of total backups matching the filters. It requires backupdr.managementServers.access IAM permission ([countBackups](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /backup/{backup_id}

[Up](#)

Delete a specific backup. It requires backupdr.managementServers.manageExpiration and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([deleteBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/expire

[Up](#)

Expire a specific backup. It requires backupdr.managementServers.manageExpiration and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([expireBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Query parameters

force (optional)

Query Parameter – default: false

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup/{backupid}/applicationOptions

Gets the dynamic list of application options and corresponding default value (if any) for given backup image. It requires `backupdr.managementServers.manageBackups` and `backupdr.managementServers.accessSensitiveData` (for sensitive backup) IAM permissions (`fetchApplicationOptions`)

Path parameters

backupid (required)

Path Parameter – Id of the backup image whose application options are required.

backupid (required)

Path Parameter –

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }, {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }
  ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
}, {
  "select" : true,
  "defaultValue" : "defaultValue",
  "description" : "description",
  "type" : "type",
  "required" : true,
  "stale" : true,
  "unique" : true,
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 6,
  "restoreimmutable" : true,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "choice" : [ {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  }, {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",

```

```

    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
} ],
"scriptId" : {
  "stale" : true,
  "name" : "name",
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
},
"friendlyName" : "friendlyName"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup/{backup_id}

[Up](#)

Get individual backup details. It requires backupdr.managementServers.access and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([getBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Return type

[BackupRest](#)

Example data

Content-Type: application/json

```
{
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
```

```
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 5,
"clusterId" : 7,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
```

```
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

"version" : "version"
}, {
"resourcecollection" : {
"userlist" : [ "userlist", "userlist" ],
"slplist" : [ "slplist", "slplist" ],
"arraylistcount" : 9,
"hostlist" : [ "hostlist", "hostlist" ],
"sltlistcount" : 1,
"applist" : [ "applist", "applist" ],
"cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
"poollistcount" : 4,
"arraylist" : [ "arraylist", "arraylist" ],
"hostlistcount" : 6,
"applistcount" : 5,
"lglist" : [ "lglist", "lglist" ],
"slplistcount" : 7,
"stale" : true,
"sltlist" : [ "sltlist", "sltlist" ],
"userlistcount" : 1,
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"cloudcredentiallistcount" : 6,
"lglistcount" : 9,
"poollist" : [ "poollist", "poollist" ]
},
"modifydate" : 1,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 1,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
"stale" : true,
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"key" : "key"
}, {
"stale" : true,
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
"objectsized" : 4,
"accessid" : "accessid",
"bucket" : "bucket",
"baseurl" : "baseurl",
"stale" : true,
"accesskey" : "accesskey",
"vaulttype" : "vaulttype",
"syncdate" : 8,
"authversion" : "authversion",
"href" : "http://example.com/aeiou",
"id" : "id",

```



```
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ], {
    "exportprop" : [ null, null ],
```

```
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
```

```
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
```

```

    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ]
  } ]
} ] ],

```

```

"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,

```

```

        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,

```

```
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
```



```
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
```

```
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
```

```

    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],

```

```
    } ],
    "name" : "name",
    "failedddb" : "failedddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [BackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup/{backupid}/diskmapping

[Up](#)

Gets disk mapping options for restore (source disks, target disks, RAC node list etc). It requires backupdr.managementServers.manageBackups and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([getDiskMapping](#))

Path parameters

backupid (required)

Path Parameter – Id of the backup image to be restored

backupid (required)

Path Parameter –

Query parameters

hostid (optional)

Query Parameter – Restore target host

targetstoragetype (optional)

Query Parameter – Restore Target Storage Type (ASM or FS)

hostid (optional)

Query Parameter –

targetstoragetype (optional)

Query Parameter –

Return type

[DiskMappingRest](#)

Example data

Content-Type: application/json

```
{
  "sourceinfo" : [ {
    "eligible" : true,
    "name" : "name",
    "requiredsize" : 0.8008281904610115,
  } ]
}
```

```

    "freespace" : "freespace"
  }, {
    "eligible" : true,
    "name" : "name",
    "requiredsize" : 0.8008281904610115,
    "freespace" : "freespace"
  } ],
  "targetlist" : [ null, null ],
  "asmracodelist" : [ "asmracodelist", "asmracodelist" ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskMappingRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup

[Up](#)

Get a list of backups. It requires backupdr.managementServers.access IAM permission ([listBackups](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListBackupRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
  } ]
}

```

```
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```

    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "username" : "username"
    },
    "diskpools" : [ null, null ],
    "overallstatus" : "overallstatus",
    "sources" : [ null, null ],
    "clusterid" : 5,
    "storage" : [ {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    }, {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "capacity" : 6
    } ],
    "hostcount" : 6,
    "modifydate" : 1,
    "arraytype" : "arraytype",
    "stale" : true,

```

```

"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {

```



```
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
```

```
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snaphottype" : "snaphottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestorageetypes" : "eligiblestorageetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
```

```
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  }, {
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
```

```

    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,

```

```
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
```

```
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
}
```

```
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
```

```

    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",

```



```
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",

```

```
"explist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migraemapping" : "migraemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ]
}
```

```
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
```

```
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
```

```
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
```

```

    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ], {
  "stale" : true,

```

```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
```



```

"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ] ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",

```

```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
```

```
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
```

```
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
```

```

"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",

```

```
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
"server" : [ {
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
"stale" : true,
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
"stale" : true,
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ]
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
```



```

    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],

```

```
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
```

```

    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  } ], {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListBackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/liveclone

[Up](#)

Create live-clone of a specific backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([liveCloneBackup](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [LiveCloneRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backupid}/restoremigrate

[Up](#)

Submit restore-migrate for Oracle restore-mounted image. It requires backupdr.managementServers.manageMigrations and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([migrateRestoreMountBackup](#))

Path parameters

backupid (required)
Path Parameter – Id of the restore-mounted image to be migrated

backupid (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [RestoreMigrateRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/mount

[Up](#)

Mount a specific backup. It require backupdr.managementServers.manageMounts IAM permission for mounting any backup, backupdr.managementServers.manageRestores IAM permission for restoring GCE backup, and backupdr.managementServers.accessSensitiveData IAM permission to access sensitive backup ([mountBackup](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [MountRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backupid}/mountmigratepreflight

[Up](#)

Performs preflight check for Oracle restore-mount/restore-migrate operations. It requires backupdr.managementServers.manageMigrations and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([mountMigratePreflight](#))

Path parameters

backupid (required)
Path Parameter – Id of the backup image which will be restore-mounted or restore-migrated.

backupid (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [PreflightRest](#) (optional)
Body Parameter –

Return type

[RestorePreflightRest](#)

Example data

Content-Type: application/json

```
{
  "testlist" : [ {
    "stale" : true,
    "test" : "test",
    "hint" : "hint",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "extrainfo" : "extrainfo",
    "status" : "status"
  }, {
    "stale" : true,
    "test" : "test",
    "hint" : "hint",
    "syncdate" : 0,
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"extrainfo" : "extrainfo",
"status" : "status"
} ],
"stale" : true,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"status" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [RestorePreflightRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /backup

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListBackup)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

POST /backup/{backup_id}/prepmount

Prep-mount a specific backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([prepMountLiveCloneNew](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [PrepmountRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

POST /backup/{backup_id}/preunmount

Prep-unmount a specific backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([prepUnmountBackup](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [UnmountRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/refresh

[Up](#)

Refresh a live-clone backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([refreshLiveClone](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [RefreshRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/restore

[Up](#)

Restore an application from a specific backup. It requires backupdr.managementServers.manageRestores and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([restoreBackup](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [RestoreRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

POST /backup/{backup_id}/unmount

Unmount a specific backup. It requires backupdr.managementServers.manageMounts and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions (**unmountBackup**)

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [UnmountRest](#) (optional)
Body Parameter –

Query parameters

returnjob (optional)
Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204
Success without additional info in the response
400
The request is invalid. [Error](#)
401
Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

PUT /backup/{backup_id}

Update the specific backup. It requires backupdr.managementServers.manageExpiration IAM permission to update expiration, backupdr.managementServers.manageBackups IAM permission to update rest of the fields, backupdr.managementServers.accessSensitiveData IAM permission to update sensitive backup, and backupdr.managementServers.manageSensitiveData IAM permission to update sensitivity flag (**updateBackup**)

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [BackupRest](#) (optional)
Body Parameter –

Return type

Example data

Content-Type: application/json

```
{
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterId" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "vaultpool" : {
      "usage_mb" : 7,
      "grainsize" : 7,
      "free_mb" : 0,
    }
  }
}
```

```
"safepct" : 5,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 6,
"modifydate" : 6,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
```

```
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
}
```

```

    },
    "immutable" : true,
    "usedefaultsa" : true,
    "srcid" : "srcid",
    "orglist" : [ null, null ],
    "name" : "name",
    "location" : "location",
    "properties" : [ null, null ],
    "status" : "status",
    "pooltype" : "pooltype"
  },
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ],
  "haspassword" : true,
  "stale" : true,

```

```

        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",

```

```
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
```



```
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncline" : "dedupasyncline",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncline" : "dedupasyncline",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
```

```
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ], {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
```

```
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
```

```

    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,

```

```
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
"server" : [ {
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
```

```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],

```

```

"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"alloweddips" : [ "alloweddips", "alloweddips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [BackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Configuration

GET /config/version

[Up](#)

Get version. No special IAM permission requirement as long as there is valid session id. ([getVersion](#))

Return type

[VersionRest](#)

Example data

Content-Type: application/json

```
{
  "summary" : "summary",
  "product" : "product",
  "major" : "major",
  "minor" : "minor",
  "maintenance" : "maintenance",
  "revision" : "revision"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Version [VersionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /config/versiondetail

[Up](#)

Get version details. No special IAM permission requirement as long as there is valid session id. ([getVersionDetail](#))

Return type

[VersionDetailRest](#)

Example data

Content-Type: application/json

```
{
  "summary" : "summary",
  "installed" : 6,
  "components" : [ {
    "summary" : "summary",
    "installed" : 0,
    "component" : "component"
  } ]
}
```

```
  }, {
    "summary" : "summary",
    "installed" : 0,
    "component" : "component"
  } ],
  "product" : "product"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Version Details [VersionDetailRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /config/mgmtconsoledetails

[Up](#)

(getVmMetadataDetails)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ConsistencyGroup

HEAD /consistencygroup

[Up](#)

Get a count of total consistency groups matching the filters. It requires backupdr.managementServers.access IAM permission (countConsistencyGroups)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /consistencygroup

[Up](#)

Create a new consistency group. It requires backupdr.managementServers.manageApplications IAM permission (`createConsistencyGroup`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ConsistencyGroupRest](#) (optional)

Body Parameter –

Return type

[ConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  }
}
```

```
},
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }, {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  ]
},
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
  }
}
```

```

"free_mb" : 0,
"safepct" : 5,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 6,
"modifydate" : 6,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },

```

```

"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
```

```

    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
{
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
], {
  "haspassword" : true,

```



```

    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",

```

```
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"polycyname" : "polycyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ]
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ]
}
```

```
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
```

```
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
```

```

    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",

```

```
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
```

```

"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,

```



```
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
```

```

    } ],
    "consistencydate" : 2,
    "modifiedbytes" : "modifiedbytes",
    "consumedsized" : 6,
    "consistencymode" : "consistencymode",
    "expirytries" : "expirytries",
    "vmpath" : "vmpath",
    "hasdependency" : true,
    "allowedips" : [ "allowedips", "allowedips" ],
    "migratemapping" : "migratemapping",
    "restorableobjects" : [ {
        "appstate" : 4,
        "systemdb" : true,
        "appstate_text" : [ "appstate_text", "appstate_text" ],
        "skippeddb" : "skippeddb",
        "type" : "type",
        "pathname" : "pathname",
        "backedupdb" : "backedupdb",
        "fullpath" : "fullpath",
        "volumeinfo" : [ {
            "uniqueid" : "uniqueid"
        }, {
            "uniqueid" : "uniqueid"
        } ],
        "filename" : [ {
            "filename" : "filename",
            "filepath" : "filepath",
            "isrecursive" : true
        }, {
            "filename" : "filename",
            "filepath" : "filepath",
            "isrecursive" : true
        } ],
        "name" : "name",
        "faileddb" : "faileddb"
    }, {
        "appstate" : 4,
        "systemdb" : true,
        "appstate_text" : [ "appstate_text", "appstate_text" ],
        "skippeddb" : "skippeddb",
        "type" : "type",
        "pathname" : "pathname",
        "backedupdb" : "backedupdb",
        "fullpath" : "fullpath",
        "volumeinfo" : [ {
            "uniqueid" : "uniqueid"
        }, {
            "uniqueid" : "uniqueid"
        } ],
        "filename" : [ {
            "filename" : "filename",
            "filepath" : "filepath",
            "isrecursive" : true
        }, {
            "filename" : "filename",
            "filepath" : "filepath",
            "isrecursive" : true
        } ],
        "name" : "name",
        "faileddb" : "faileddb"
    } ],
    "vaultowner" : true,
    "yamlavailable" : true,
    "originalbackupid" : "originalbackupid",
    "migrate-configured" : true,
    "multiregion" : "multiregion",
    "label" : "label",
    "clusterid" : "clusterid",
    "transport" : "transport",
    "isasm" : true,
    "esxhost" : "esxhost",
    "clonemigrateeligible" : true,
    "targetuds" : "targetuds",
    "datafilemovestarted" : true,
    "releaselogs" : true,
    "migrate-frequency" : 5
}, {
    "jobclasscode" : 4,

```

```
"sltname" : "sltname",
"migrate-copythreadcount" : 8,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 9,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterId" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
```

```

    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "username" : "username"
    },
    "diskpools" : [ null, null ],
    "overallstatus" : "overallstatus",
    "sources" : [ null, null ],
    "clusterid" : 5,
    "storage" : [ {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",

```

```
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinform" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
```

```
    "properties" : [ null, null ],
    "status" : "status",
    "pooltype" : "pooltype"
  },
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
]
} ]
```

```

}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,

```



```

    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",

```

```
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
```

```
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {

```

```
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
```

```
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WVPN" : [ "WVPN", "WVPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",

```

```
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ismv" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
```



```
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
```

```
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
```

```

    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",

```

```
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
```

```
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
```

```
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
```

```
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
```

```
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WPN" : [ "WPN", "WPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
},
"description" : "description",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /consistencygroup/{group_id}

[Up](#)

Remove a consistency group. It requires backupdr.managementServers.manageApplications IAM permission ([deleteConsistencyGroup](#))

Path parameters

group_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /consistencygroup/{group_id}

[Up](#)

Get individual consistency group details. It requires backupdr.managementServers.access IAM permission ([getConsistencyGroup](#))

Path parameters

group_id (required)

Path Parameter –

Return type

[ConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "stale" : true,
  "application" : {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "flags_text" : [ "flags_text", "flags_text" ],
      "mappedhost" : "mappedhost",
      "appclass" : "appclass",
    }
  ]
}
```

```
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }
  ]
}
```

```

} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,

```

```

"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,

```

```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
```

```
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
```

```

        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ] ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],

```

```

    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",

```



```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
```

```
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
```

```
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "arrays" : [ null, null ],
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ismvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxypoint" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
```

```

    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,

```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],

```

```
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
} ],
```

```
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
```



```
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }
  ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
```

```
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
```

```

        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "spllistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "spllist" : [ "spllist", "spllist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "spllistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 1,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
```

```

"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],

```

```
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
```



```

"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,

```

```
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
```

```

"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WVPN" : [ "WVPN", "WVPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
```

```
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ]
} ]
```

```

    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appstate" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",

```

```
"env" : "env"
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
```



```

}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"

```

```
    },
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "expirationoff" : "expirationoff",
    "group" : {
        "membercount" : 4,
        "scheduleoff" : true,
        "description" : "description",
        "modifydate" : 0,
        "stale" : true,
        "srcid" : "srcid",
        "managed" : true,
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id"
    }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }
    ]
},
} ],
```

```

"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,

```

```

        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
    "stale" : true,
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
},
"description" : "description",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /consistencygroup/{group_id}/member

[Up](#)

Get consistency group's members. It requires backupdr.managementServers.access IAM permission ([getConsistencyGroupMember](#))

Path parameters

group_id (required)

Path Parameter –

Query parameters

limit (optional)

Query Parameter – format: int32

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 2,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "flags_text" : [ "flags_text", "flags_text" ],
      "mappedhost" : "mappedhost",
      "appclass" : "appclass",
      "backupdate" : 3,
      "jobclass" : "jobclass",
      "version" : "version",
      "uniquehostname" : "uniquehostname",
      "powerfactor" : 8,
      "hosttimezone" : "hosttimezone",
      "sensitivity" : 6,
      "status" : "status",
      "originatinguds" : "originatinguds",
      "migrationstate" : "migrationstate",
      "hasmountedmap" : true,
      "hananodelist" : [ "hananodelist", "hananodelist" ],
      "flags" : "flags",
      "logsequences" : [ {
        "stale" : true,
        "beginlsn" : "beginlsn",
        "syncdate" : 1,
        "endlsn" : "endlsn",
        "thread" : "thread",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      }
    ]
  }
]
```

```

}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ], {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 7,

```

```
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```



```

        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,

```

```
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualse" : "virtualse",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
```

```

"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,

```

```

        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
}, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
}, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
} ],

```

```

} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,

```

```
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
```

```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
```



```
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
```

```
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ]
}
```

```

} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 7,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "lastsync" : 3,
        "clusterstatus" : {
          "accessible" : true,
          "copydata" : 9,

```

```
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 2,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
```

```

    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",

```



```
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",

```

```

"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```

    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,

```

```

    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxycapable" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {

```

```
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ], {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
```



```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
```

```
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }
```

```
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "schedulingtype" : "schedulingtype",
      "complianceSettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,

```

```

    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",

```

```
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
```

```
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
"uniquename" : "uniquename",
"backup" : [ {
"jobclasscode" : 4,
"sltname" : "sltname",
"migrate-copythreadcount" : 8,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 9,
"backupname" : "backupname",
"stale" : true,
"sourcmountpoint" : "sourcmountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
"stale" : true,
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
"stale" : true,
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}
],
"cloudcredential" : {
"serviceaccount" : "serviceaccount",
"clientid" : "clientid",
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 5,
"clusterId" : 7,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
```

```
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,

```



```

        "href" : "http://example.com/aeiou",
        "id" : "id"
    },
    "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
}, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,

```

```
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ], {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```

    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {

```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",

```

```
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"polycyname" : "polycyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ], {
    "constant" : "constant",
    "select" : true,

```

```
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
```



```

"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
  ],
  "dedupasyncnode" : "dedupasyncnode",

```

```
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
```

```

"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",

```

```
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
```

```
    "WWPN" : [ "WWPN", "WWPN" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid"
  } ],
  "consistencydate" : 2,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 6,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmopath" : "vmopath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targettuds" : "targettuds",
```

```
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourcecuds" : "sourcecuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterid" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "vaultpool" : {
      "usage_mb" : 7,
      "grainsize" : 7,
      "free_mb" : 0,
      "safepct" : 5,
      "storage" : [ "storage", "storage" ],
```

```

"type" : "type",
"udsuid" : 6,
"modifydate" : 6,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],

```

```

"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,

```



```
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
```

```

    "usedefaultsa" : true,
    "srcid" : "srcid",
    "orglist" : [ null, null ],
    "name" : "name",
    "location" : "location",
    "properties" : [ null, null ],
    "status" : "status",
    "pooltype" : "pooltype"
  },
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",

```

```

        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 8,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
    } ],

```

```

"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],

```

```

"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",

```

```
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
```

```

    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",

```



```

    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",

```

```

"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxymhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",

```

```
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
```

```
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
},
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",

```

```

        "verification" : true,
        "truncatelog" : "truncatelog",
        "op" : "op",
        "exclusiontype" : "exclusiontype",
        "endtime" : "endtime",
        "rpom" : "rpom",
        "priority" : "priority",
        "rpo" : "rpo",
        "selection" : "selection",
        "policyType" : "policyType",
        "name" : "name",
        "remoteretention" : 5,
        "targetvault" : 3
    } ],
    "description" : "description",
    "managedbyagm" : true,
    "sourcename" : "sourcename",
    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /consistencygroup

Get a list of consistency groups. It requires backupdr.managementServers.access IAM permission ([listConsistencyGroups](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>equals</td></tr><tr><td>=|</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 6,
  "items" : [ {
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,

```



```
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }, {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  ]
},
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterId" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
```

```
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      }
    }
  }
}
```

```

    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],

```

```
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
```

```

    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"

```

```

} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncline" : "dedupasyncline",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",

```



```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",

```

```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
```

```

"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynchnode" : "dedupasynchnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasynchnode" : "dedupasynchnode",
  "profiletype" : "profiletype",
  "description" : "description",

```

```

    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {

```

```
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
```

```
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
```

```

    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid"
  } ],
  "consistencydate" : 2,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 6,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmpath" : "vmpath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,

```

```
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterid" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "vaultpool" : {
      "usage_mb" : 7,
      "grainsize" : 7,
      "free_mb" : 0,
      "safepct" : 5,
      "storage" : [ "storage", "storage" ],
      "type" : "type",
      "udsuid" : 6,
```



```

"modifydate" : 6,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {

```

```

    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
  },

```

```

        "modifydate" : 1,
        "stale" : true,
        "name" : "name",
        "description" : "description",
        "createdate" : 1,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "version" : "version"
    } ],
    "name" : "name",
    "reset" : true,
    "syncdate" : 2,
    "model" : "model",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "arraytypelabel" : "arraytypelabel",
    "properties" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "key" : "key"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "key" : "key"
    } ],
    "username" : "username",
    "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
    "objectsizedisplayname" : "objectsizedisplayname",
    "accessid" : "accessid",
    "bucket" : "bucket",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
        "err_code" : 10011,
        "err_message" : "err_message"
    }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",

```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "location" : "location",
    "properties" : [ null, null ],
    "status" : "status",
    "pooltype" : "pooltype"
  },
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,

```

```

"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",

```

```

    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```



```
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
```

```

    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataaip" : "dataaip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynchnode" : "dedupasynchnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasynchnode" : "dedupasynchnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",

```

```

        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
}, {
    "srcid" : "srcid",
    "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
    "server" : [ {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {

```

```

    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ]

```

```

}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",

```

```
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
```

```
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {

```

```
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
```



```

    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",

```

```
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
```

```
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
```

```
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
},
```

```
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
},
"description" : "description",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}, {
"cluster" : {
"serviceaccount" : "serviceaccount",
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
"accessible" : true,
"copydata" : 9,
"localdedupcolor" : "localdedupcolor",
"vdiskcount" : 2,
"vdiskcolor" : "vdiskcolor",
"localsnapshotcolor" : "localsnapshotcolor",
"remoteprotectioncolor" : "remoteprotectioncolor",
"vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
"mode" : "mode",
"stale" : true,
"disable" : true,
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"username" : "username"
},
"stale" : true,
"application" : {
"uniquename" : "uniquename",
"backup" : [ {
"jobclasscode" : 4,
"sltname" : "sltname",
"migrate-copythreadcount" : 8,
```

```
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 9,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,

```

```

    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "username" : "username"
    },
    "diskpools" : [ null, null ],
    "overallstatus" : "overallstatus",
    "sources" : [ null, null ],
    "clusterid" : 5,
    "storage" : [ {
      "stale" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```

    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "spllist" : [ "spllist", "spllist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "spllistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "spllist" : [ "spllist", "spllist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "spllistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,

```



```
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
```

```

    "pooltype" : "pooltype"
  },
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
  ]
}, {
  "exportedname" : "exportedname",

```

```
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",

```

```
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
```

```
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
```

```
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataaip" : "dataaip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasynnode" : "dedupasynnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",

```



```

        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
}, {
    "srcid" : "srcid",
    "slps" : [ {
        "dedupasynnode" : "dedupasynnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    }, {
        "dedupasynnode" : "dedupasynnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
    "server" : [ {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {
            "stale" : true,
            "syncdate" : 7,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",

```

```

    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,

```

```
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxycache" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
```

```

"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",

```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
```

```
"success" : true,
"syncdate" : 3,
"clusterid" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }
]
```

```

} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,

```

```
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
```



```
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,

```

```

        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
    "exportedpath" : "exportedpath",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
} ],
    "syncdate" : 7,
    "yaml" : "yaml",
    "provisioningoptions" : [ null, null ],
    "catalogstate" : "catalogstate",
    "racodelist" : [ "racodelist", "racodelist" ],
    "immutabilitydate" : 0,
    "application_allocated_size" : 3,
    "backuplock" : "backuplock",
    "name" : "name",
    "volgroupname" : "volgroupname",
    "expiration" : 0,
    "policyname" : "policyname",
    "mountedhost" : [ {
        "node_logged_in_count" : "node_logged_in_count",
        "uniquename" : "uniquename",
        "svcname" : "svcname",
        "iogrp" : "iogrp",
        "chappassword" : "chappassword",
        "source" : [ {
            "srcid" : "srcid",

```

```
"slps" : [ {
  "dedupasynnode" : "dedupasynnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasynnode" : "dedupasynnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,

```

```

"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WVPN" : [ "WVPN", "WVPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynnode" : "dedupasynnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
}, {
  "dedupasynnode" : "dedupasynnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}
],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
  "dedupasynnode" : "dedupasynnode",

```

```

    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
}

```



```

    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",

```

```
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
```

```
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
```

```

"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "repeatinterval" : "repeatinterval",

```

```

    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "schedulescheduletype" : "schedulescheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",

```

```

    "managedbyagm" : true,
    "sourcename" : "sourcename",
    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",

```

```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
```

```
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
```



```
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
"stale" : true,
"name" : "name",
"rdmSupported" : true,
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
"shared_secret" : "shared_secret",
"agent_version" : "agent_version",
"haspassword" : true,
"password" : "password",
"stale" : true,
"agenttype" : "agenttype",
"port" : 1,
"alternatekey" : "alternatekey",
"hasalternatekey" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
"connectionstatus" : "connectionstatus",
"stale" : true,
"pkistate" : "pkistate",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
```

```
    "originalhostid" : "originalhostid"
  },
  "description" : "description",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "groupname" : "groupname"
} ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /consistencygroup/{group_id}/member

[Up](#)

Incrementally add/delete consistency group members. It requires backupdr.managementServers.manageApplications IAM permission ([modifyConsistencyGroupMember](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [MembershipChangeRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /consistencygroup

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListConsistencyGroup](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /consistencygroup/{group_id}

[Up](#)

Update a consistency group. It requires backupdr.managementServers.manageApplications IAM permission ([updateConsistencyGroup](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [ConsistencyGroupRest](#) (optional)

Body Parameter –

Return type

[ConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
```

```
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
```

```
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,

```

```
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "pollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
```

```

    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,

```

```
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
```



```
"stale" : true,
"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
} ], {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
```

```
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
"server" : [ {
"constant" : "constant",
```

```
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
```

```
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
```

```

"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",

```

```
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {

```



```
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
```

```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",

```

```
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
```

```
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
```

```
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
```

```

    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",

```

```
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```



```

    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",

```

```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
```

```

        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {

```

```
"stale" : true,
"name" : "name",
"rdmSupported" : true,
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
```

```
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
```

```
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
```



```

"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {

```

```

        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
    "dedupasyncoff" : "dedupasyncoff",
    "metadata" : {
        "name" : "name",
        "env" : "env"
    },
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
    "metadata" : {
        "backupPlan" : "backupPlan",
        "env" : "env"
    },
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
    "schedulingtype" : "schedulingtype",

```

```
"compliancesettings" : {
  "warn_threshold_custom" : 7,
  "stale" : true,
  "error_threshold_custom" : 0,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
```

```

"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}

```

```
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}
] ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
```

```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
```

```

"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
},
"description" : "description",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DiskPool

HEAD /diskpool

Get a count of total diskpools matching the filters. It requires backupdr.managementServers.viewStorage IAM permission (`countDiskPools`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:&b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /diskpool

Create a new diskpool. It requires backupdr.managementServers.manageStorage IAM permission (`createDiskPool`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)

Body Parameter –

Return type

[DiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
  }
]
```

```

"syncdate" : 3,
"clusterid" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
} ],

```

```

"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "arraytypelabel" : "arraytypelabel",
    "properties" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    } ],
    "username" : "username",
    "status" : "status"
  },
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 3,
  "vaultprops" : {
    "objectsize" : 4,
    "accessid" : "accessid",
    "bucket" : "bucket",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /diskpool/{diskpool_id}

[Up](#)

Remove the specific diskpool. It requires backupdr.managementServers.manageStorage IAM permission (`deleteDiskPool`)

Path parameters

`diskpool_id` (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/{diskpool_id}

[Up](#)

Get individual diskpool details. It requires backupdr.managementServers.viewStorage IAM permission (`getDiskPool`)

Path parameters

`diskpool_id` (required)

Path Parameter –

Return type

[DiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ], {
    "stale" : true,
```

```
"clustername" : "clustername",
"success" : true,
"syncdate" : 3,
"clusterid" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
"capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
```

```

"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/vault/listdynamicfields/{pool_type}

[Up](#)

List dynamic UI properties based on type of vault pool. It requires backupdr.managementServers.manageStorage IAM permission ([getDynamicJsonForPoolManage](#))

Path parameters

pool_type (required)

Path Parameter – The vault type for which dynamic json will be rendered

pool_type (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/vault/listtype

[Up](#)

List types of vault pool. Requires Storage Manage right. ([getVaultList](#))

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool

[Up](#)

Get a list of diskpools. It requires backupdr.managementServers.viewStorage IAM permission ([listDiskPools](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

fetchExtraInfo (optional)

Query Parameter –

Return type

[ListDiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 7,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
```

```
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}
```

```
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "pollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "pollist" : [ "pollist", "pollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
```

```
"bucket" : "bucket",
"baseurl" : "baseurl",
"stale" : true,
"accesskey" : "accesskey",
"vaulttype" : "vaulttype",
"syncdate" : 8,
"authversion" : "authversion",
"href" : "http://example.com/aeiou",
"id" : "id",
"compression" : true,
"region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
}, {
"usage_mb" : 7,
"grainsize" : 7,
"free_mb" : 0,
"safepct" : 5,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 6,
"modifydate" : 6,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
```

```
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
```

```

    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListDiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/listgcpvaultpool

Get a list of GCP vault pools. This operation is network costly and UI needs to cache the result. It requires `backupdr.managementServers.viewStorage` IAM permission (`listGcpVaultPool`)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields. Then append `:asc` or `:desc` for ascending or descending sort. Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
<code>==</code>	equals
<code>!=</code>	not equals
<code>></code>	greater than
<code>>=</code>	greater than or equal to
<code><</code>	less than
<code><=</code>	less than or equal to
<code>&b</code>	bitwise and

limit (optional)

Query Parameter – Limit on the number of results to return format: `int64`

offset (optional)

Query Parameter – Used with limit to support pagination format: `int64`

Return type

[ListDiskPoolRest](#)

Example data

Content-Type: `application/json`

```
{
  "count" : 0,
  "items" : [ {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkibootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
```

```
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",

```

```
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
}, {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
```

```
"serviceaccount" : "serviceaccount",
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,

```

```

    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ]

```

```

    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    } ],
    "username" : "username",
    "status" : "status"
  },
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 3,
  "vaultprops" : {
    "objectsize" : 4,
    "accessid" : "accessid",
    "bucket" : "bucket",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListDiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /diskpool

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.viewStorage IAM permission (`optionsForListDiskPool`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /diskpool/{diskpool_id}

[Up](#)

Update the specific diskpool. It requires backupdr.managementServers.manageStorage IAM permission (`updateDiskPool`)

Path parameters

`diskpool_id` (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)

Body Parameter –

Return type

[DiskPoolRest](#)

Example data

Content-Type: application/json


```
{
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      }
    }
  }
}
```

```
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
```

```
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Host

POST /host/{host_id}/addapplication

[Up](#)

Create a new application on the specific host. It requires backupdr.managementServers.manageApplications IAM permission (addApplication)

Path parameters

host_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AppCreationRest](#) (optional)

Body Parameter –

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 2,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
```

```
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
```

```
"stale" : true,
"clustername" : "clustername",
"success" : true,
"syncdate" : 3,
"clusterid" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",

```

```
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
```



```

},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",

```

```
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
```

```

        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",

```

```
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ]
}, {
  "name" : "name",
```

```
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
```

```

"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",

```

```

"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```



```

        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
    "stale" : true,
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],

```

```
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
```

```

"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",

```

```
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }
  ]
}
```

```

} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,

```

```

"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,

```

```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
```

```
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
```



```

    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ] ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",

```

```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
```

```
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
```

```
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "arrays" : [ null, null ],
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ismvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxypoint" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
```

```

    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,

```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],

```



```
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
} ],
```

```

"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",

```

```
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "repeatinterval" : "repeatinterval",
      "retention" : "retention",
      "verification" : true,
      "truncatelog" : "truncatelog",
      "op" : "op",
      "exclusiontype" : "exclusiontype",
      "endtime" : "endtime",
```

```
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
```

```
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourcecuds" : "sourcecuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetyp" : "targetstoragetyp",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
```

```
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }
  ]
},
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
```

```
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,

```



```
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrue" : [ {
```

```
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
```

```

    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",

```

```
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
```

```
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
```

```
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
```

```

}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,

```



```
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
```

```
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsi_clusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
```

```
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
```

```
"id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 7,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "lastsync" : 3,
        "clusterstatus" : {
          "accessible" : true,
```

```
"copydata" : 9,
"localdedupcolor" : "localdedupcolor",
"vdiskcount" : 2,
"vdiskcolor" : "vdiskcolor",
"localsnapshotcolor" : "localsnapshotcolor",
"remoteprotectioncolor" : "remoteprotectioncolor",
"vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
```

```

    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",

```

```
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
```



```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],

```

```

"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
}, {
"haspassword" : true,
"stale" : true,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,

```

```

    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",

```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",

```

```
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
```

```
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
```



```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
```

```

"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",

```

```
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,

```

```

    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,

```

```
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
```

```
    "isrestoring" : true,
    "pathname" : "pathname",
    "failoverstate" : "failoverstate",
    "srcid" : "srcid",
    "orglist" : [ null, null ],
    "name" : "name",
    "sensitivity" : 0,
    "frommount" : true,
    "friendlytype" : "friendlytype",
    "username" : "username"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/{host_id}/appdiscovery

[Up](#)

Discover applications on the specific host. It requires backupdr.managementServers.manageApplications IAM permission ([appDiscovery](#))

Path parameters

host_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AppDiscoveryRest](#) (optional)

Body Parameter –

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 2,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcamountpoint" : "sourcamountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "flags_text" : [ "flags_text", "flags_text" ],
    } ]
  } ]
}
```

```
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
```



```

"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",

```

```
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
```

```
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",

```

```
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
"clusterid" : "clusterid"
```

```
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}
```

```

    } ],
    "stale" : true,
    "client" : [ null, null ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "arrays" : [ null, null ],
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,

```



```

"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",

```

```

    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",

```

```
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
```

```

    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",

```

```
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
```

```
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
```

```

    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ], {

```



```
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
```

```

"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,

```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",

```

```
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
```

```
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
```

```
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
}
```

```

"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],

```



```

    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",

```

```
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
```

```
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
```

```
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
```

```
"metadata" : {
  "name" : "name",
  "env" : "env"
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
```

```

    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "schedulescheduletype" : "schedulescheduletype",
    "compliancecompliancesettings" : {
      "warnwarn_threshold_custom" : 7,
      "stale" : true,
      "errorerror_threshold_custom" : 0,
      "errorerror_threshold_type" : "errorerror_threshold_type",
      "syncsyncdate" : 3,
      "warnwarn_threshold_type" : "warnwarn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retention" : "retention",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncsyncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncsyncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncsyncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncsyncdate" : 8,
  "override" : "override",

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourcecuds" : "sourcecuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  ]
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
  }

```

```
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 7,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "lastsync" : 3,
```



```

"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,

```

```

    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",

```

```
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",

```

```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
```

```

        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {

```



```

    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",

```

```
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
```

```

        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
    "server" : [ {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {
            "stale" : true,
            "syncdate" : 7,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }, {
            "stale" : true,
            "syncdate" : 7,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }
    ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }
    ],
    "name" : "name",

```

```
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
```

```

"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {

```

```
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
```

```
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 5,
"clusterid" : 7,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcid" : 3,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
```

```
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
```



```

}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,

```

```
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
```

```

    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"

```

```

}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
} ]

```

```

    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ]
  } ]
} ],
"clusterid" : "clusterid"

```

```

}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,

```

```

        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",

```

```
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
```



```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
```

```
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
```

```
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
```

```

    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
} ],

```

```
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "schedulingtype" : "schedulingtype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
```

```

    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",

```

```
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /host

[Up](#)

Get a count of total hosts matching the filters. It requires backupdr.managementServers.access IAM permission ([countHosts](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host

[Up](#)

Create a new host. It requires backupdr.managementServers.manageHosts IAM permission ([createHost](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [HostRest](#) (optional)

Body Parameter –

Return type

[HostRest](#)

Example data

Content-Type: application/json

```
{
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
```

```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
```

```

    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",

```

```

    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [HostRest](#)

206

Partial Success [HostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /host/{host_id}

[Up](#)

Delete a host completely or remove the host from selective appliances. It requires backupdr.managementServers.manageHosts IAM permission ([deleteHost](#))

Path parameters

host_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/enableconnectorupgrade

[Up](#)

(enableConnectorUpgrade)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [HostRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /host/{host_id}

[Up](#)

Get individual host details. It requires backupdr.managementServers.access IAM permission ([getHost](#))

Path parameters

host_id (required)

Path Parameter –

Query parameters

fetchExtraInfo (optional)

Query Parameter –

fetchConnectorConnectionStatus (optional)

Query Parameter –

Return type

[HostRest](#)

Example data

Content-Type: application/json

```
{
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
```

```
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ]
}
```

```
    } ],
    "clusterid" : "clusterid"
  } ],
  "machinetype" : "machinetype",
  "ostype_special" : "ostype_special",
  "hostname" : "hostname",
  "stale" : true,
  "zone" : "zone",
  "autoupgrade" : "DISABLED",
  "syncdate" : 8,
  "sourcecluster" : "sourcecluster",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pki_errors" : [ "pki_errors", "pki_errors" ],
  "reconciliation_needed" : true,
  "isShadowHost" : true,
  "chapusername" : "chapusername",
  "is_auto_discovery_enabled" : true,
  "nfsoption" : {
    "server" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }, {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }
    ] ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"iproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
```



```

"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WVPN" : [ "WVPN", "WVPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [HostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /host

[Up](#)

Get a list of host. It requires backupdr.managementServers.access IAM permission ([listHosts](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListHostRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "node_logged_in_count" : "node_logged_in_count",

```

```
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
```

```
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
```

```

},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}

```

```

    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  } ],
  "machinetype" : "machinetype",
  "ostype_special" : "ostype_special",
  "hostname" : "hostname",
  "stale" : true,
  "zone" : "zone",
  "autoupgrade" : "DISABLED",
  "syncdate" : 8,
  "sourcecluster" : "sourcecluster",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pki_errors" : [ "pki_errors", "pki_errors" ],
  "reconciliation_needed" : true,
  "isShadowHost" : true,
  "chapusername" : "chapusername",
  "is_auto_discovery_enabled" : true,
  "nfsoption" : {
    "server" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      } ],
    } ],
  }, {

```

```

        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ], {
        "stale" : true,
        "syncdate" : 7,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ], {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListHostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /host

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (`optionsForListHost`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /host/revokeCertificate

[Up](#)

Revokes existing certificates of passed in host and blocks them from creating any new certificates. It requires backupdr.managementServers.manageHosts IAM permission (`revokeCertificate`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [string](#) (optional)

Body Parameter –

Return type

[CertificateRevocationRest](#)

Example data

Content-Type: application/json

```
{
  "errorMessage" : "errorMessage",
  "hostId" : "hostId",
  "certRevoked" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [CertificateRevocationRest](#)

206

Partial Success [CertificateRevocationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/{hostid}/testconnectorconnection

[Up](#)

(testConnectorConnection)

Path parameters

hostid (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /host/{host_id}

[Up](#)

Update a host. It requires backupdr.managementServers.manageHosts IAM permission ([updateHost](#))

Path parameters

host_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [HostRest](#) (optional)
Body Parameter –

Query parameters


```
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
```

```
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
```

```

    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [HostRest](#)

206

Partial Success [HostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/{host_id}/host/{cluster_name}/advms

[Up](#)

Add discovered VMs to appliances asynchronously. It requires backupdr.managementServers.manageHosts IAM permission (vmAddNew)

Path parameters

host_id (required)

Path Parameter –

cluster_name (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [VmDiscoveryRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /host/{host_id}/discovervm

[Up](#)

Discover VMS on the specific host. It requires backupdr.managementServers.manageHosts IAM permission ([vmDiscoveryWithoutCluster](#))

Path parameters

host_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Job

HEAD /jobstatus

[Up](#)

Get a count of total jobs (including running jobs and finished jobs) matching the filters. It requires backupdr.managementServers.access IAM permission ([countCombinedJob](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td>

<td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr>

<tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /jobstatus

[Up](#)

Get a list of jobs (including running jobs and finished jobs). It requires backupdr.managementServers.access IAM permission (`listCombinedJobs`)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append 'asc' or 'desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:=</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[List.JobRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 3,
  "items" : [ {
    "jobclasscode" : 0,
    "jobcount" : 1,
    "backup" : {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "flags_text" : [ "flags_text", "flags_text" ],
      "mappedhost" : "mappedhost",
      "appclass" : "appclass",
      "backupdate" : 3,
      "jobclass" : "jobclass",
```



```
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
  },
  "stale" : true,
```

```
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
```

```

    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
```

```

"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
  } ]
} ]

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  },
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {

```

```
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",

```



```
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "arrays" : [ null, null ],
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatenamekey" : "alternatenamekey",
    "hasalternatenamekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternatenameip" : [ "alternatenameip", "alternatenameip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
```

```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",

```

```

    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}

```

```

}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,

```

```
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
```

```
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
},
"retrycount" : 4,
"slnname" : "slnname",
"hostid" : 3,
"pid" : 1,
"startdate" : 1,
"sourceuds" : 2,
"jobtag" : "jobtag",
"hostname" : "hostname",
"stale" : true,
"appname" : "appname",
"isexpired" : true,
"syncdate" : 6,
"relativesize" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"logsmarttype" : "logsmarttype",
"jobname" : "jobname",
"yaml" : "yaml",
"flags_text" : [ "flags_text", "flags_text" ],
"diskpools" : [ null, null ],
"jobclass" : "jobclass",
"priority" : "priority",
"immutabilitydate" : 2,
"task" : { },
"enddate" : 1,
"targethost" : "targethost",
"expiration" : 5,
```

```
"policyname" : "policyname",
"consistencydate" : 7,
"consistency-mode" : "consistency-mode",
"status" : "status",
"originatinguds" : 4,
"changerequesttext" : "changerequesttext",
"flags" : 6,
"description" : "description",
"sourcediskpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
```



```
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
```

```
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
```

```
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"parentid" : "parentid",
"extrainfo" : "extrainfo",
"duration" : 5,
"event" : {
  "errormessage" : "errormessage",
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
}
```

```
"eventid" : 6,
"apptype" : "apptype",
"sourceeventdate" : "sourceeventdate",
"sequenceid" : 8,
"eventdate" : 9,
"notification" : { },
"component" : { },
"stale" : true,
"appname" : "appname",
"srcid" : "srcid",
"messagetext" : "messagetext",
"requiresclearing" : true,
"syncdate" : 9,
"eventstatus" : "eventstatus",
"href" : "http://example.com/aeiou",
"id" : "id",
"errorcode" : "errorcode",
"jobname" : "jobname",
"errormessages" : [ "errormessages", "errormessages" ],
"object" : { }
},
"errorcode" : "errorcode",
"sourceid" : "sourceid",
"changerequest" : 6,
"queuedate" : 5,
"apptype" : "apptype",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"expirationdate" : 9,
"message" : "message",
"targetuds" : 7,
"isscheduled" : true,
"srcid" : "srcid",
"id2" : "id2",
"appid" : "appid",
"progress" : 7,
"virtualseize" : 9
}, {
"jobclasscode" : 0,
"jobcount" : 1,
"backup" : {
"jobclasscode" : 4,
"sltname" : "sltname",
"migrate-copythreadcount" : 8,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 9,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"flags_text" : [ "flags_text", "flags_text" ],
"mappedhost" : "mappedhost",
"appclass" : "appclass",
"backupdate" : 3,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 8,
"hosttimezone" : "hosttimezone",
"sensitivity" : 6,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
"stale" : true,
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterid" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "vaultpool" : {
      "usage_mb" : 7,
      "grainsize" : 7,
      "free_mb" : 0,
      "safepct" : 5,
      "storage" : [ "storage", "storage" ],
      "type" : "type",
      "udsuid" : 6,
      "modifydate" : 6,
      "copies" : [ {
        "stale" : true,
        "clustername" : "clustername",
        "success" : true,
        "syncdate" : 3,
        "clusterid" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "errmsg" : "errmsg"
      } ], {
        "stale" : true,
        "clustername" : "clustername",
        "success" : true,
        "syncdate" : 3,
        "clusterid" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "errmsg" : "errmsg"
      } ],
      "stale" : true,
      "array" : {
        "ipaddress" : "ipaddress",
        "appliance" : {
          "serviceaccount" : "serviceaccount",
          "ipaddress" : "ipaddress",
          "pkiBootstrapped" : true,
          "timezone" : "timezone",
          "shared_secret" : "shared_secret",
          "description" : "description",
          "publicip" : "publicip",
          "type" : "type",
          "supportstatus" : "supportstatus",
          "masterid" : "masterid",
          "password" : "password",
          "protocol" : 4,
          "stale" : true,
          "zone" : "zone",

```

```
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",

```

```
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
```



```

"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,

```

```

    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
```

```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
```

```

"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,

```

```
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
"stale" : true,
"name" : "name",
"rdmSupported" : true,
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
"shared_secret" : "shared_secret",
"agent_version" : "agent_version",
"haspassword" : true,
"password" : "password",
"stale" : true,
"agenttype" : "agenttype",
"port" : 1,
"alternatekey" : "alternatekey",
"hasalternatekey" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
"connectionstatus" : "connectionstatus",
"stale" : true,
"pkistate" : "pkistate",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
```

```
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,

```



```
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ] ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",

```

```
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
},
"retrycount" : 4,
"sltname" : "sltname",
"hostid" : 3,
"pid" : 1,
"startdate" : 1,
"sourceuds" : 2,
"jobtag" : "jobtag",
"hostname" : "hostname",
"stale" : true,
"appname" : "appname",
"isexpired" : true,
"syncdate" : 6,
"relativesize" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"logsmarttype" : "logsmarttype",
"jobname" : "jobname",
"yaml" : "yaml",
"flags_text" : [ "flags_text", "flags_text" ],
"diskpools" : [ null, null ],
"jobclass" : "jobclass",
"priority" : "priority",
"immutabilitydate" : 2,
"task" : { },
"enddate" : 1,
"targethost" : "targethost",
"expiration" : 5,
"policyname" : "policyname",
"consistencydate" : 7,
"consistency-mode" : "consistency-mode",
"status" : "status",
"originatinguds" : 4,
"changerequesttext" : "changerequesttext",
"flags" : 6,
"description" : "description",
"sourcediskpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
```

```

"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "diskpools" : [ null, null ],
  "overallstatus" : "overallstatus",
  "sources" : [ null, null ],
  "clusterid" : 5,
  "storage" : [ {
    "stale" : true,

```

```

    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "capacity" : 6
  } ],
  "hostcount" : 6,
  "modifydate" : 1,
  "arraytype" : "arraytype",
  "stale" : true,
  "srcid" : 5,
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,

```

```
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
```

```
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"parentid" : "parentid",
"extrainfo" : "extrainfo",
"duration" : 5,
"event" : {
  "errormessage" : "errormessage",
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
  "eventid" : 6,
  "apptype" : "apptype",
  "sourceeventdate" : "sourceeventdate",
  "sequenceid" : 8,
  "eventdate" : 9,
  "notification" : { },
  "component" : { },
  "stale" : true,
  "appname" : "appname",
  "srcid" : "srcid",
  "messagetext" : "messagetext",
  "requiresclearing" : true,
  "syncdate" : 9,
  "eventstatus" : "eventstatus",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errorcode" : "errorcode",
```

```

    "jobname" : "jobname",
    "errormessages" : [ "errormessages", "errormessages" ],
    "object" : { }
  },
  "errorcode" : "errorcode",
  "sourceid" : "sourceid",
  "changerequest" : 6,
  "queuedate" : 5,
  "apptype" : "apptype",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "expirationdate" : 9,
  "message" : "message",
  "targetuds" : 7,
  "isscheduled" : true,
  "srcid" : "srcid",
  "id2" : "id2",
  "appid" : "appid",
  "progress" : 7,
  "virtualseize" : 9
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListJobRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /jobstatus

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListCombinedJob)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

LogicalGroup

HEAD /logicalgroup

[Up](#)

Get a count of total logical groups matching the filters. It requires backupdr.managementServers.access IAM permission (`countLogicalGroups`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
!=	not equal to
contains (case-insensitive)	contains
>	greater than
>=	greater than or equal to
<	less than
<=	less than or equal to
=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /logicalgroup

[Up](#)

Create a new logical group. It requires backupdr.managementServers.manageApplications IAM permission (`createLogicalGroup`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [LogicalGroupRest](#) (optional)

Body Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
```

```
"srcid" : "srcid",
"managed" : true,
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /logicalgroup/{group_id}/sla

[Up](#)

Protect a logical group. It creates individual SLAs for all members. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createLogicalGroupSla](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /logicalgroup/{group_id}

[Up](#)

Remove a logical group. It requires backupdr.managementServers.manageApplications IAM permission ([deleteLogicalGroup](#))

Path parameters

group_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /logicalgroup/{group_id}/sla

[Up](#)

Unprotect a logical group. It removes SLAs for all members. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteLogicalGroupSla](#))

Path parameters

group_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /logicalgroup/{group_id}

[Up](#)

Get individual logical group details. It requires backupdr.managementServers.access IAM permission ([getLogicalGroup](#))

Path parameters

group_id (required)

Path Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
```

```
"id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /logicalgroup

[Up](#)

Get a list of logical groups. It requires backupdr.managementServers.access IAM permission ([listLogicalGroup](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon.
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListLogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListLogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /logicalgroup/{group_id}/member

[Up](#)

Get logical group's members. It requires backupdr.managementServers.access IAM permission ([listLogicalGroupMembers](#))

Path parameters

group_id (required)

Path Parameter –

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 2,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 4,
      "sltname" : "sltname",
      "migrate-copythreadcount" : 8,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 9,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "flags_text" : [ "flags_text", "flags_text" ],
      "mappedhost" : "mappedhost",
      "appclass" : "appclass",
      "backupdate" : 3,
      "jobclass" : "jobclass",
      "version" : "version",
      "uniquehostname" : "uniquehostname",
      "powerfactor" : 8,
      "hosttimezone" : "hosttimezone",
      "sensitivity" : 6,
      "status" : "status",
      "originatinguds" : "originatinguds",
      "migrationstate" : "migrationstate",
      "hasmountedmap" : true,
      "hananodelist" : [ "hananodelist", "hananodelist" ],
      "flags" : "flags",
      "logsequences" : [ {
        "stale" : true,
        "beginlsn" : "beginlsn",
        "syncdate" : 1,

```

```
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "array" : {
      "ipaddress" : "ipaddress",
      "appliance" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "supportstatus" : "supportstatus",
        "masterid" : "masterid",
        "password" : "password",
        "protocol" : 4,

```

```
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
```

```

        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 9,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 4,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 6,
        "applistcount" : 5,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 7,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 1,
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",

```



```
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
```

```

"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
} ]

```

```

    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",

```

```

        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 9,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 9,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 7,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",

```

```
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
```

```
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
```

```
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 6,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 9,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxymhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 1,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
```

```

"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 7,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 9,
"clusterid" : "clusterid",

```



```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ]
}
```

```
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
```

```

    "hasalternatekey" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 0,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",

```

```

    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,

```

```
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 5,
  "clusterid" : 7,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcId" : 3,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "vaultpool" : {
    "usage_mb" : 7,
    "grainsize" : 7,
    "free_mb" : 0,
    "safepct" : 5,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 6,
    "modifydate" : 6,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 3,
      "clusterid" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    } ],
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
```

```

"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },

```

```

    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "splist" : [ "splist", "splist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "splistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",

```

```
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 8,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 6,
  "pct" : 0.10263654006109402,
  "ext" : 7,
  "capacity_mb" : 6,
  "bvinfo" : {
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
```



```
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
```

```

    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 7,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"polycyname" : "polycyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",

```

```

    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {

```

```
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}
```

```

}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",

```

```
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
```

```

    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
]
} ],

```



```
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
```

```

"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],

```

```
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncloff" : "dedupasyncloff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"option_href" : "http://example.com/aeiou",
"policies" : [ {
```

```
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 7,
  "stale" : true,
  "error_threshold_custom" : 0,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
```

```
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
```

```

    }
  },
  "appversion" : "appversion",
  "isrestoring" : true,
  "pathname" : "pathname",
  "failoverstate" : "failoverstate",
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "sensitivity" : 0,
  "frommount" : true,
  "friendlytype" : "friendlytype",
  "username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 4,
    "sltname" : "sltname",
    "migrate-copythreadcount" : 8,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 9,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "flags_text" : [ "flags_text", "flags_text" ],
    "mappedhost" : "mappedhost",
    "appclass" : "appclass",
    "backupdate" : 3,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 8,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 6,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
    "logsequences" : [ {
      "stale" : true,
      "beginlsn" : "beginlsn",
      "syncdate" : 1,
      "endlsn" : "endlsn",
      "thread" : "thread",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  ], {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
  ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterId" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",

```

```
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"vaultpool" : {
  "usage_mb" : 7,
  "grainsize" : 7,
  "free_mb" : 0,
  "safepct" : 5,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 6,
  "modifydate" : 6,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 3,
    "clusterid" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "array" : {
    "ipaddress" : "ipaddress",
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
```

```

    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],

```



```
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "simplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsize" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
```

```
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "location" : "location",
  "properties" : [ null, null ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snaphottype" : "snaphottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exporttrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "stale" : true,
  "exporttrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
} ],
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
```

```

    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],

```

```

    "exportedpath" : "exportedpath",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  } ],
  "syncdate" : 7,
  "yaml" : "yaml",
  "provisioningoptions" : [ null, null ],
  "catalogstate" : "catalogstate",
  "racodelist" : [ "racodelist", "racodelist" ],
  "immutabilitydate" : 0,
  "application_allocated_size" : 3,
  "backuplock" : "backuplock",
  "name" : "name",
  "volgroupname" : "volgroupname",
  "expiration" : 0,
  "policyname" : "policyname",
  "mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 9,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 7,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }
    ]
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,

```

```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",

```

```

    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",

```

```
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
```



```
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
```

```

"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "client" : [ null, null ],
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],

```

```
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 1,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
```

```
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WPN" : [ "WPN", "WPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
} ],
"consistencydate" : 2,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 6,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
```

```
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 5
}, {
  "jobclasscode" : 4,
  "sltname" : "sltname",
  "migrate-copythreadcount" : 8,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 9,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "flags_text" : [ "flags_text", "flags_text" ],
  "mappedhost" : "mappedhost",
  "appclass" : "appclass",
  "backupdate" : 3,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 8,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 6,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 5,
    "clusterId" : 7,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 3,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "vaultpool" : {
      "usage_mb" : 7,
```

```
"grainsize" : 7,
"free_mb" : 0,
"safe_pct" : 5,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 6,
"modifydate" : 6,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 3,
  "clusterid" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"array" : {
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkibootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "disklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  }
}
```

```

},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
},
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 3,
"vaultprops" : {
  "objectsized" : 4,
  "accessid" : "accessid",
  "bucket" : "bucket",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 8,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 6,
"pct" : 0.10263654006109402,
"ext" : 7,
"capacity_mb" : 6,
"bvinfo" : {
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
```



```

    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"location" : "location",
"properties" : [ null, null ],
"status" : "status",
"pooltype" : "pooltype"
},
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 4,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"endpit" : 1,
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
}, {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 8,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 7,

```

```
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 0,
"application_allocated_size" : 3,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 0,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 7,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
```

```
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"iscsi_clusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 6,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
```

```
"shared_secret" : "shared_secret",
"agent_version" : "agent_version",
"haspassword" : true,
"password" : "password",
"stale" : true,
"agenttype" : "agenttype",
"port" : 1,
"alternatekey" : "alternatekey",
"hasalternatekey" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 9,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 7,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
```

```
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ {
    "constant" : "constant",
    "select" : true,
```



```

"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"stale" : true,
"client" : [ null, null ],
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"arrays" : [ null, null ],
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,

```

```
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
"stale" : true,
"name" : "name",
"rdmSupported" : true,
"syncdate" : 6,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 9,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
"shared_secret" : "shared_secret",
"agent_version" : "agent_version",
"haspassword" : true,
"password" : "password",
"stale" : true,
"agenttype" : "agenttype",
"port" : 1,
"alternatekey" : "alternatekey",
"hasalternatekey" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 0,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
"connectionstatus" : "connectionstatus",
"stale" : true,
"pkistate" : "pkistate",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
```

```

    "originalhostid" : "originalhostid"
  } ],
  "consistencydate" : 2,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 6,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmppath" : "vmppath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 5
} ],

```

```
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 4,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "schedulertype" : "schedulertype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
```

```
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ], {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 0,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /logicalgroup/{group_id}/member

[Up](#)

Incrementally add/delete logical group members. It requires backupdr.managementServers.manageApplications IAM permission (modifyLogicalGroupMembers)

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [MembershipChangeRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /logicalgroup

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListLogicalGroup)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /logicalgroup/{group_id}

[Up](#)

Update a logical group. It requires backupdr.managementServers.manageApplications IAM permission ([updateLogicalGroup](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [LogicalGroupRest](#) (optional)

Body Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /logicalgroup/{group_id}/sla

Update the current SLAs for a logical group. It updates individual SLAs for all members. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateLogicalGroupSla](#))

Path parameters

group_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)
Body Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ManageACL

POST /manageacl/migration/getdbdumpuploadurls

(getDbDumpUploadUrls)

Query parameters

rmExists (optional)
Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /manageacl/migration/rmmigrationstatus

[Up](#)

(getRMMigrationStatus)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /manageacl/migration/isinmigrationmode

[Up](#)

(isInMigrationMode)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /manageacl/promoteUser

[Up](#)

To promote the IAP Manage Acl users to Administrator role (**promoteUser**)

If the caller identity has IAM ManageInternalACL permission, this call will grant the current user session temporary (up to 5 minutes) AGM Administrator role (which can be granted explicitly alternatively) and temporary full privileges with AGM access control management (such as assigning users to organizations/roles and modifying role/right definitions). If the caller identity doesn't have the IAM ManageInternalACL permission, this call fails with 403 not authorized

Return type

[SessionRest](#)

Example data

Content-Type: application/json

```
{
  "authconfig" : {
    "stale" : true,
    "method" : "DATABASE",
    "available_method" : [ "DATABASE", "LDAP" ],
    "syncdate" : 4,
  }
}
```

```
"href" : "http://example.com/aeiou",
"id" : "id"
},
"stale" : true,
"userpref" : "userpref",
"timezone" : "America/New_York",
"rights" : [ null, null ],
"session_id" : "c7a5c64e-05a6-4671-b2e3-4b0f34e16888",
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id",
"region" : "us-central1",
"user" : {
  "localonly" : true,
  "firstname" : "firstname",
  "dataaccesslevel" : 1,
  "comments" : "comments",
  "userpref" : "userpref",
  "timezone" : "timezone",
  "createdate" : 5,
  "version" : 0,
  "lastname" : "lastname",
  "password" : "password",
  "lastpasswordchangedate" : 5,
  "modifydate" : 6,
  "rolelist" : [ {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  }, {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  } ],
"stale" : true,
"name" : "name",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
"modifydate" : 1,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 1,
```

```

"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
},
"username" : "john_smith"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SessionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not authorized for the caller identity without IAM ManageInternalACL permission [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /manageacl/migration/savesecret

[Up](#)

(storeSecretKeys)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ListNameValueRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Organization

POST /org/{org_id}/assignment/add

[Up](#)

Add resources to a specific organization. It requires System Manage right. ([addResourcesToOrg](#))

Path parameters

org_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CollectionRest](#) (optional)

Body Parameter –

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json

```
{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
  }
}
```

```

    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /org

[Up](#)

Get a count of total organizations matching the filters. It requires System View right. (**countOrgs**)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:&b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /org

Create a new organization. It requires System Manage right. ([createOrg](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [OrganizationRest](#) (optional)
Body Parameter –

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json

```
{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /org/{org_id}

Remove a specific organization. It requires System Manage right. (`deleteOrg`)

Path parameters

`org_id` (required)
Path Parameter – format: int64

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /org/{org_id}

[Up](#)

Get individual organization details. (`getOrg`)

Path parameters

`org_id` (required)
Path Parameter – format: int64

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json

```
{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}
```


Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /org

[Up](#)

Get a list of organizations. (listOrgs)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon.
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListOrganizationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
```

```

    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListOrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /org

[Up](#)

Describes the fields available for filtering and sorting ([optionsForList](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",

```

```

    "values" : [ "values", "values" ],
    "type" : "type"
  }, {
    "field" : "field",
    "values" : [ "values", "values" ],
    "type" : "type"
  } ],
  "pageable" : true,
  "sortable" : true,
  "sortablefields" : [ "sortablefields", "sortablefields" ]
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /org/{org_id}/assignment/remove

[Up](#)

Remove resources from a specific organization. It requires System Manage right. (`removeResourcesFromOrg`)

Path parameters

org_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CollectionRest](#) (optional)

Body Parameter –

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json

```

{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
  }
}

```

```
"id" : "id",
"cloudcredentiallistcount" : 6,
"lglistcount" : 9,
"poollist" : [ "poollist", "poollist" ]
},
"modifydate" : 1,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 1,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /org/{org_id}

[Up](#)

Update a specific organization. It requires System Manage right. ([updateOrg](#))

Path parameters

org_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [OrganizationRest](#) (optional)

Body Parameter –

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json

```
{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
```

```

    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

SLA

HEAD /sla

[Up](#)

Get a count of total SLAs matching the filters. It requires backupdr.managementServers.viewBackupPlans IAM permission ([countSlas](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /sla/{sla_id}/settableoption

[Up](#)

Create an overridden option on the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createOptionForSla](#))

Path parameters

sla_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /sla

[Up](#)

Create a new SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createSla](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)
Body Parameter –

Return type

[SlaRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
```

```
"name" : "name",
"env" : "env"
},
"scheduleoff" : "scheduleoff",
"description" : "description",
"modifydate" : 3,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 7,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "schedulingtype" : "schedulingtype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
```

```
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusionontype" : "exclusionontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
```



```

    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /sla/preflight

[Up](#)

Preflight on creating a new SLA. It requires SLA Assign right. ([createSlaPreflight](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaPreflightRest](#) (optional)

Body Parameter –

Return type

[SlaErrorWarningsRest](#)

Example data

Content-Type: application/json

```

{
  "stale" : true,
  "errorList" : [ {
    "stale" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "syncdate" : 1,
  "warningList" : [ {
    "stale" : true,
    "syncdate" : 0,

```

```
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"href" : "http://example.com/aeiou",
"id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaErrorWarningsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /sla/{sla_id}/settableoption/{option_id}

[Up](#)

Delete a specific overridden option on the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteOptionForSla](#))

Path parameters

sla_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /sla/{sla_id}

[Up](#)

Remove the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteSla](#))

Path parameters

sla_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla/{sla_id}/settableoption/{option_id}

[Up](#)

Get the details of a specific overridden option on the specific SLA. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getOptionForSla](#))

Path parameters

sla_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla/{sla_id}

[Up](#)

Get individual SLA details. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getSla](#))

Path parameters

sla_id (required)

Path Parameter –

Return type

[SlaRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "repeatinterval" : "repeatinterval",
      "retention" : "retention",
      "verification" : true,
      "truncatelog" : "truncatelog",
      "op" : "op",
      "exclusiontype" : "exclusiontype",
      "endtime" : "endtime",
      "rpom" : "rpom",
```

```

    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusionontype" : "exclusionontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],

```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla/{sla_id}/settableoption

[Up](#)

List all overridden options already set on the specific SLA. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listOptionForSla](#))

Path parameters

sla_id (required)
Path Parameter –

Return type

[ListAdvancedOptionRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,

```

```
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla

[Up](#)

Get a list of SLAs. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listSlas](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields. Then append ':asc' or ':desc' for ascending or descending sort. Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
!=	not equal to
>	greater than or equal to
<	less than or equal to
<	less than
>	greater than
<=	less than or equal to
>=	greater than or equal to
<<	less than
>>	greater than
<<=	less than or equal to
>>=	greater than or equal to

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListSlaRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "dedupasyncoff" : "dedupasyncoff",
    "metadata" : {
      "name" : "name",
      "env" : "env"
    },
    "scheduleoff" : "scheduleoff",
    "description" : "description",
    "modifydate" : 3,
    "stale" : true,
    "logexpirationoff" : true,
    "managedBy" : "MS",
    "options" : [ null, null ],
    "syncdate" : 7,
    "slt" : {
      "metadata" : {
        "backupPlan" : "backupPlan",
        "env" : "env"
      },
      "option_href" : "http://example.com/aeiou",
    }
  } ]
}
```

```
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
```



```
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  }
}, {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "repeatinterval" : "repeatinterval",
      "retention" : "retention",
      "verification" : true,
      "truncatelog" : "truncatelog",
      "op" : "op",
      "exclusiontype" : "exclusiontype",
      "endtime" : "endtime",
      "rpom" : "rpom",
      "priority" : "priority",
```

```

    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],

```

```

    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 8,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 4,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 0,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListSlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /sla/{sla_id}/settableoption

[Up](#)

List all overridable option metadata for the specific SLA. It requires backupdr.managementServers.viewBackupPlans IAM permission ([settableOptionMetadataForSla](#))

Path parameters

sla_id (required)
Path Parameter –

Return type

[JSONArray](#)

Example data

Content-Type: application/json

```

{
  "empty" : true
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [JSONArray](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /sla/{sla_id}/settableoption/{option_id}

[Up](#)

Update a specific overridden option on the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateOptionForSla](#))

Path parameters

sla_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200
Success [AdvancedOptionRest](#)

400
The request is invalid. [Error](#)

401
Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /sla/{sla_id}

[Up](#)

Update the specific slp. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateSla](#))

Path parameters

sla_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)

Body Parameter –

Return type

[SlaRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "scheduleoff" : "scheduleoff",
  "description" : "description",
  "modifydate" : 3,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 7,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id",
```

```
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
```

```

    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 4,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 0,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

SLAProfile

HEAD /slp

[Up](#)

Get a count of total slps matching the filters. It requires backupdr.managementServers.viewBackupPlans IAM permission (countSlps)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slp

[Up](#)

Create a new slp. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createSlp](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlpRest](#) (optional)

Body Parameter –

Return type

[SlpRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlpRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slp/{slp_id}

Remove the specific slp. It requires backupdr.managementServers.manageBackupPlans IAM permission ([deleteSlp](#))

Path parameters

slp_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slp/{slp_id}

Get individual slp details. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getSlp](#))

Path parameters

slp_id (required)
Path Parameter –

Return type

[SlpRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasynode" : "dedupasynode",
  "profieltype" : "profieltype",
  "description" : "description",
  "createdate" : 9,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 7,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlpRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slp

[Up](#)

Get a list of slps. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listSlps](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListSlpRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 9,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 7,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
]
```

```
} ]  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListSlpRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slp/{slp_id}

[Up](#)

Update the specific slp. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updateSlp](#))

Path parameters

slp_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlpRest](#) (optional)
Body Parameter –

Query parameters

validate_only (optional)
Query Parameter –

Return type

[SlpRest](#)

Example data

Content-Type: application/json

```
{  
  "dedupasynccode" : "dedupasynccode",  
  "profiletype" : "profiletype",  
  "description" : "description",  
  "createdate" : 9,  
  "clusterid" : "clusterid",  
  "primarystorage" : "primarystorage",  
  "modifydate" : 7,  
  "stale" : true,  
  "remotenode" : "remotenode",  
  "srcid" : "srcid",  
  "performancepool" : "performancepool",  
  "localnode" : "localnode",  
  "orglist" : [ null, null ],  
  "name" : "name",  
  "syncdate" : 0,  
  "href" : "http://example.com/aeiou",  
  "id" : "id",  
  "cid" : "cid"  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

SLATemplate

[Up](#)

POST /slt/{slt_id}/clone

Clone a specific slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([cloneTemplates](#))

Path parameters

slt_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SltRest](#) (optional)

Body Parameter –

Return type

[SltRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
```

```
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
}
```

```

"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /slts

[Up](#)

Get a count of total slts matching the filters. It requires backupdr.managementServers.viewBackupPlans IAM permission ([countSlts](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td>:<</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slt/{slt_id}/policy/{policy_id}/settableoption

[Up](#)

Create a new settable option for the specific policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createOptionForPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slt/{slt_id}/policy

[Up](#)

Create a new policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createPolicy](#))

Path parameters

slt_id (required)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [PolicyRest](#) (optional)

Body Parameter –

Return type

[PolicyRest](#)

Example data

Content-Type: application/json

```
{
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
```

```
"remoteretention" : 5,
"targetvault" : 3
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [PolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slt

[Up](#)

Create a new slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createSlT](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlTRest](#) (optional)

Body Parameter –

Return type

[SlTRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
```

```
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
}
```

```

"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id} [Up](#)

Remove a settable option for the specific policy. It requires backupdr.managementServers.manageBackupPlans IAM permission (deleteOptionForPolicy)

Path parameters

slt_id (required)

Path Parameter –

policy_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slt/{slt_id}/policy/{policy_id}

[Up](#)

Remove a policy. It requires backupdr.managementServers.manageBackupPlans IAM permission (`deletePolicy`)

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slt/{slt_id}

[Up](#)

Remove a slt. It requires backupdr.managementServers.manageBackupPlans IAM permission (`deleteSlit`)

Path parameters

slt_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}

[Up](#)

Get a specific settable option of the specific policy. It requires backupdr.managementServers.viewBackupPlans IAM permission (`getOptionForPolicy`)

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy/{policy_id}

[Up](#)

Get individual policy. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Return type

[PolicyRest](#)

Example data

Content-Type: application/json

```
{
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
}
```

```

"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [PolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}

[Up](#)

Get individual slt details. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getSlit](#))

Path parameters

slt_id (required)

Return type[SltRest](#)**Example data**

Content-Type: application/json

```

{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  }, {
    "scheduletype" : "scheduletype",

```



```

"compliancesettings" : {
  "warn_threshold_custom" : 7,
  "stale" : true,
  "error_threshold_custom" : 0,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 9,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy/{policy_id}/settableoption

[Up](#)

List all existing settable options of the specific policy. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listOptionForPolicy](#))

Path parameters

slt_id (required)

Path Parameter –

policy_id (required)

Path Parameter –

Return type

[ListAdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy

Get policy list from the specific slt. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listPolicies](#))

Path parameters

slt_id (required)
Path Parameter – format: int64

Return type

[ListPolicyRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "repeatinterval" : "repeatinterval",
    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
```

```

"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListPolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slts

[Up](#)

Get a list of slts. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listSlts](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields. Then append ':asc' or ':desc' for ascending or descending sort. Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:&b	bitwise and

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListSltsRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 7,
        "stale" : true,
        "error_threshold_custom" : 0,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 9,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
```

```

    "retention" : "retention",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "endtime" : "endtime",
    "rpom" : "rpom",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
```



```

    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 3
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 8,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListSltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /slt

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListSlt](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /slt/{slt_id}/policy/{policy_id}/settableoption

[Up](#)

Get settable option metadata for the specific policy. It requires backupdr.managementServers.access IAM permission (`settableOptionMetadataForPolicy`)

Path parameters

`slt_id` (required)

Path Parameter –

`policy_id` (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /slt/settableoption/{policytype}

[Up](#)

Get settable option metadata for the specific policy type. It requires backupdr.managementServers.access IAM permission (`settableOptionMetadataForPolicyType`)

Path parameters

`policytype` (required)

Path Parameter –

Query parameters

`apptype` (optional)

Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}

[Up](#)

Update a settable option for the specific policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updateOptionForPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slt/{slt_id}/policy/{policy_id}

[Up](#)

Update a policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updatePolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [PolicyRest](#) (optional)
Body Parameter –

Return type

[PolicyRest](#)

Example data

Content-Type: application/json

```
{
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
}
```

```
"targetvault" : 3
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [PolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slt/{slt_id}

[Up](#)

Update a slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updateSlc](#))

Path parameters

slt_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlcRest](#) (optional)
Body Parameter –

Return type

[SlcRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 7,
      "stale" : true,
      "error_threshold_custom" : 0,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 9,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
```

```
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"repeatinterval" : "repeatinterval",
"retention" : "retention",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"endtime" : "endtime",
"rpom" : "rpom",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 3
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 7,
    "stale" : true,
    "error_threshold_custom" : 0,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 9,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 2,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "repeatinterval" : "repeatinterval",
  "retention" : "retention",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "endtime" : "endtime",
  "rpom" : "rpom",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 3
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 8,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

StorageArray

HEAD /array

[Up](#)

Get a count of total storage arrays matching the filters. It requires backupdr.managementServers.viewStorage IAM permission (`countArrays`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
=	contains (case-insensitive)
>=	greater than or equal to
<=	less than or equal to
=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /array

[Up](#)

Create a storage array. It requires backupdr.managementServers.manageStorage IAM permission ([createArray](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ArrayRest](#) (optional)

Body Parameter –

Return type

[ArrayRest](#)

Example data

Content-Type: application/json

```
{
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
```



```

"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,

```

```

    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",
"status" : "status"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ArrayRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /array/pretest

[Up](#)

Credential test before creating a storage array. It requires backupdr.managementServers.manageStorage IAM permission ([credentialTest](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ArrayRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /array/{array_id}

[Up](#)

Remove the specific storage array from all appliances. It requires backupdr.managementServers.manageStorage IAM permission ([deleteArray](#))

Path parameters

array_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /array/{array_id}

[Up](#)

Get individual storage array details. It requires backupdr.managementServers.viewStorage IAM permission ([getArray](#))

Path parameters

array_id (required)
Path Parameter –

Return type

[ArrayRest](#)

Example data

Content-Type: application/json

```
{
  "ipaddress" : "ipaddress",
```

```
"appliance" : {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "supportstatus" : "supportstatus",
  "masterid" : "masterid",
  "password" : "password",
  "protocol" : 4,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 7,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "lastsync" : 3,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 9,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 2,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
```

```

    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",

```

```

    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ArrayRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /array/type

[Up](#)

Get all supported storage array types from appliances. It requires backupdr.managementServers.viewStorage IAM permission ([getArrayTypes](#))

Return type

[ListArrayTypeRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 5,
  "items" : [ {
    "stale" : true,
    "appliances" : [ {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",

```

```
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
}, {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "supportstatus" : "supportstatus",
  "masterid" : "masterid",
  "password" : "password",
  "protocol" : 4,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 7,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "lastsync" : 3,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 9,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 2,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 7
  },
  "importstatus" : "importstatus",
  "datacenter" : "datacenter",
  "clusterid" : "clusterid",
  "secureconnect" : true,
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "callhomeInfo" : {
    "mode" : "mode",
    "stale" : true,
    "disable" : true,
    "syncdate" : 2,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "username" : "username"
} ],
"options" : [ {
  "valuetype" : "valuetype",
  "optiontype" : "optiontype",
  "stale" : true,
  "max" : 0,
  "needmask" : true,
  "name" : "name",
  "updatable" : true,
  "syncdate" : 6,
```

```

    "label" : "label",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "required" : true
  }, {
    "valuetype" : "valuetype",
    "optiontype" : "optiontype",
    "stale" : true,
    "max" : 0,
    "needmask" : true,
    "name" : "name",
    "updatable" : true,
    "syncdate" : 6,
    "label" : "label",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "required" : true
  } ],
  "name" : "name",
  "syncdate" : 1,
  "label" : "label",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "appliances" : [ {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  }, {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,

```



```
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
} ],
"options" : [ {
  "valuetype" : "valuetype",
  "optiontype" : "optiontype",
  "stale" : true,
  "max" : 0,
  "needmask" : true,
  "name" : "name",
  "updatable" : true,
  "syncdate" : 6,
  "label" : "label",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
}, {
  "valuetype" : "valuetype",
  "optiontype" : "optiontype",
  "stale" : true,
  "max" : 0,
  "needmask" : true,
  "name" : "name",
  "updatable" : true,
  "syncdate" : 6,
  "label" : "label",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
} ],
"name" : "name",
"syncdate" : 1,
"label" : "label",
"href" : "http://example.com/aeiou",
"id" : "id"
```

```
} ]  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListArrayTypeRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /array

[Up](#)

Get a list of storage arrays. It requires backupdr.managementServers.viewStorage IAM permission ([listArrays](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListArrayRest](#)

Example data

Content-Type: application/json

```
{  
  "count" : 0,  
  "items" : [ {  
    "ipaddress" : "ipaddress",  
    "appliance" : {  
      "serviceaccount" : "serviceaccount",  
      "ipaddress" : "ipaddress",  
      "pkiBootstrapped" : true,  
      "timezone" : "timezone",  
      "shared_secret" : "shared_secret",  
      "description" : "description",  
      "publicip" : "publicip",  
      "type" : "type",  
      "supportstatus" : "supportstatus",  
      "masterid" : "masterid",  
      "password" : "password",  
      "protocol" : 4,  
      "stale" : true,  
      "zone" : "zone",  
      "clusterlist" : [ null, null ],  
      "syncdate" : 7,  
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],  
      "href" : "http://example.com/aeiou",  
      "id" : "id",  
      "projectid" : "projectid",  
      "lastsync" : 3,  
      "clusterstatus" : {
```

```
"accessible" : true,
"copydata" : 9,
"localdedupcolor" : "localdedupcolor",
"vdiskcount" : 2,
"vdiskcolor" : "vdiskcolor",
"localsnapshotcolor" : "localsnapshotcolor",
"remoteprotectioncolor" : "remoteprotectioncolor",
"vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
```

```

"name" : "name",
"description" : "description",
"createdate" : 1,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version"
}, {
"resourcecollection" : {
"userlist" : [ "userlist", "userlist" ],
"slplist" : [ "slplist", "slplist" ],
"arraylistcount" : 9,
"hostlist" : [ "hostlist", "hostlist" ],
"sltlistcount" : 1,
"applist" : [ "applist", "applist" ],
"cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
"poollistcount" : 4,
"arraylist" : [ "arraylist", "arraylist" ],
"hostlistcount" : 6,
"applistcount" : 5,
"lglist" : [ "lglist", "lglist" ],
"slplistcount" : 7,
"stale" : true,
"sltlist" : [ "sltlist", "sltlist" ],
"userlistcount" : 1,
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"cloudcredentiallistcount" : 6,
"lglistcount" : 9,
"poollist" : [ "poollist", "poollist" ]
},
"modifydate" : 1,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 1,
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
"stale" : true,
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"key" : "key"
}, {
"stale" : true,
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"key" : "key"
} ],
"username" : "username",
"status" : "status"
}, {
"ipaddress" : "ipaddress",
"appliance" : {
"serviceaccount" : "serviceaccount",
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"supportstatus" : "supportstatus",

```

```
"masterid" : "masterid",
"password" : "password",
"protocol" : 4,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 7,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
```

```

    "splistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "splist" : [ "splist", "splist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"name" : "name",
"reset" : true,
"syncdate" : 2,
"model" : "model",
"href" : "http://example.com/aeiou",
"id" : "id",
"arraytypelabel" : "arraytypelabel",
"properties" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"username" : "username",

```

```
    "status" : "status"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListArrayRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /array

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.viewStorage IAM permission ([optionsForListArray](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /array/{array_id}

[Up](#)

Connectivity test on the specific storage array. It requires backupdr.managementServers.manageStorage IAM permission ([testArray](#))

Path parameters

array_id (required)
Path Parameter –

Return type

[ListArrayTestResultRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 1,
  "items" : [ {
    "result" : [ {
      "stale" : true,
      "test" : "test",
      "hint" : "hint",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "status" : "status"
    }, {
      "stale" : true,
      "test" : "test",
      "hint" : "hint",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "status" : "status"
    } ],
    "appliance" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "supportstatus" : "supportstatus",
      "masterid" : "masterid",
      "password" : "password",
      "protocol" : 4,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 7,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "lastsync" : 3,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 9,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 2,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 7
      },
      "importstatus" : "importstatus",
      "datacenter" : "datacenter",
      "clusterid" : "clusterid",
      "secureconnect" : true,
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "callhomeInfo" : {
        "mode" : "mode",
        "stale" : true,
        "disable" : true,
        "syncdate" : 2,
        "href" : "http://example.com/aeiou",
        "id" : "id"
      }
    },
  },
}
```



```

    "username" : "username"
  },
  "stale" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}, {
  "result" : [ {
    "stale" : true,
    "test" : "test",
    "hint" : "hint",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "status" : "status"
  }, {
    "stale" : true,
    "test" : "test",
    "hint" : "hint",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "status" : "status"
  } ],
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "lastsync" : 3,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 9,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 2,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 7
    },
    "importstatus" : "importstatus",
    "datacenter" : "datacenter",
    "clusterid" : "clusterid",
    "secureconnect" : true,
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "callhomeInfo" : {
      "mode" : "mode",
      "stale" : true,
      "disable" : true,
      "syncdate" : 2,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "username" : "username"
  },
},

```

```
"stale" : true,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
}
} ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListArrayTestResultRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /array/{array_id}

[Up](#)

Update a specific storage array. It requires backupdr.managementServers.manageStorage IAM permission ([updateArray](#))

Path parameters

array_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ArrayRest](#) (optional)

Body Parameter –

Return type

[ArrayRest](#)

Example data

Content-Type: application/json

```
{
  "ipaddress" : "ipaddress",
  "appliance" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "supportstatus" : "supportstatus",
    "masterid" : "masterid",
    "password" : "password",
    "protocol" : 4,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 7,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
  }
}
```

```
"projectid" : "projectid",
"lastsync" : 3,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 9,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 2,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 7
},
"importstatus" : "importstatus",
"datacenter" : "datacenter",
"clusterid" : "clusterid",
"secureconnect" : true,
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"callhomeInfo" : {
  "mode" : "mode",
  "stale" : true,
  "disable" : true,
  "syncdate" : 2,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"username" : "username"
},
"diskpools" : [ null, null ],
"overallstatus" : "overallstatus",
"sources" : [ null, null ],
"clusterid" : 5,
"storage" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "capacity" : 6
} ],
"hostcount" : 6,
"modifydate" : 1,
"arraytype" : "arraytype",
"stale" : true,
"srcid" : 5,
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}
```

```

    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],
  "name" : "name",
  "reset" : true,
  "syncdate" : 2,
  "model" : "model",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "arraytypelabel" : "arraytypelabel",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "username" : "username",
  "status" : "status"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ArrayRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

User

HEAD /user

[Up](#)

Get a count of total users matching the filters. It requires System View right. (`countUsers`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /user

[Up](#)

Create a new user. It requires System Manage right. (`createUser`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- `application/json`

Request body

body [UserRest](#) (optional)

Body Parameter –

Return type

[UserRest](#)

Example data

Content-Type: `application/json`

```
{
  "localonly" : true,
  "firstname" : "firstname",
  "dataaccesslevel" : 1,
  "comments" : "comments",
  "userpref" : "userpref",
  "timezone" : "timezone",
  "createdate" : 5,
  "version" : 0,
```

```
"lastname" : "lastname",
"password" : "password",
"lastpasswordchangedate" : 5,
"modifydate" : 6,
"rolelist" : [ {
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
}, {
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
} ],
"stale" : true,
"name" : "name",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
```

```

    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [UserRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /user/{user_id}

[Up](#)

Remove a specific user. It requires System Manage right. (`deleteUser`)

Path parameters

`user_id` (required)

Path Parameter – format: int64

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /user/{user_id}

[Up](#)

Get individual user details. It requires System View right. (`getUser`)

Path parameters

user_id (required)

Path Parameter – format: int64

Return type

[UserRest](#)

Example data

Content-Type: application/json

```
{
  "localonly" : true,
  "firstname" : "firstname",
  "dataaccesslevel" : 1,
  "comments" : "comments",
  "userpref" : "userpref",
  "timezone" : "timezone",
  "createdate" : 5,
  "version" : 0,
  "lastname" : "lastname",
  "password" : "password",
  "lastpasswordchangedate" : 5,
  "modifydate" : 6,
  "roledlist" : [ {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  }, {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  } ],
  "stale" : true,
  "name" : "name",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
```



```

    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [UserRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /user

[Up](#)

Get a list of users. It requires System View right. ([listRoles1](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon.
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListUserRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "localonly" : true,
    "firstname" : "firstname",
    "dataaccesslevel" : 1,
    "comments" : "comments",
    "userpref" : "userpref",
    "timezone" : "timezone",
    "createdate" : 5,
    "version" : 0,
    "lastname" : "lastname",
    "password" : "password",
    "lastpasswordchangedate" : 5,
    "modifydate" : 6,
    "rolelist" : [ {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "version" : "version",
      "rightList" : [ null, null ]
    }, {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,

```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"version" : "version",
"rightList" : [ null, null ]
} ],
"stale" : true,
"name" : "name",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
```

```
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
}, {
  "localonly" : true,
  "firstname" : "firstname",
  "dataaccesslevel" : 1,
  "comments" : "comments",
  "userpref" : "userpref",
  "timezone" : "timezone",
  "createdate" : 5,
  "version" : 0,
  "lastname" : "lastname",
  "password" : "password",
  "lastpasswordchangedate" : 5,
  "modifydate" : 6,
  "rolelist" : [ {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  }, {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  } ],
  "stale" : true,
  "name" : "name",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
```

```

    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListUserRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /user

[Up](#)

Describes the fields available for filtering and sorting (`optionsForList3`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /user/{user_id}

[Up](#)

Update a specific user. It requires System Manage right. (`updateUser`)

Path parameters

`user_id` (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UserRest](#) (optional)

Body Parameter –

Return type[UserRest](#)**Example data**

Content-Type: application/json

```
{
  "localonly" : true,
  "firstname" : "firstname",
  "dataaccesslevel" : 1,
  "comments" : "comments",
  "userpref" : "userpref",
  "timezone" : "timezone",
  "createdate" : 5,
  "version" : 0,
  "lastname" : "lastname",
  "password" : "password",
  "lastpasswordchangedate" : 5,
  "modifydate" : 6,
  "rolelist" : [ {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  }, {
    "modifydate" : 7,
    "stale" : true,
    "name" : "name",
    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  } ],
  "stale" : true,
  "name" : "name",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
```

```

    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [UserRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

UserSession

GET /session/permissions

Get IAM permissions for the user ([getPermissions](#))

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /session/current

Get session information, including user preferences. It requires backupdr.managementServers.access IAM permission ([getSessionInfo](#))

Return type

[SessionRest](#)

Example data

Content-Type: application/json

```
{
  "authconfig" : {
    "stale" : true,
    "method" : "DATABASE",
    "available_method" : [ "DATABASE", "LDAP" ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "stale" : true,
  "userpref" : "userpref",
  "timezone" : "America/New_York",
  "rights" : [ null, null ],
  "session_id" : "c7a5c64e-05a6-4671-b2e3-4b0f34e16888",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "region" : "us-central1",
  "user" : {
    "localonly" : true,
    "firstname" : "firstname",
    "dataaccesslevel" : 1,
    "comments" : "comments",
    "userpref" : "userpref",
    "timezone" : "timezone",
    "createdate" : 5,
    "version" : 0,
    "lastname" : "lastname",
    "password" : "password",
    "lastpasswordchangedate" : 5,
    "modifydate" : 6,
    "rolelist" : [ {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "version" : "version",
      "rightList" : [ null, null ]
    } ], {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
```

```

    "createdate" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version",
    "rightList" : [ null, null ]
  } ],
  "stale" : true,
  "name" : "name",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "spllist" : [ "spllist", "spllist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "spllistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "spllist" : [ "spllist", "spllist" ],
      "arraylistcount" : 9,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 4,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 6,
      "applistcount" : 5,
      "lglist" : [ "lglist", "lglist" ],
      "spllistcount" : 7,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 1,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "modifydate" : 1,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 1,
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "version" : "version"
  } ],

```

```

"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
},
"username" : "john_smith"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SessionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /session

[Up](#)

Register an user session (**login**)

This API will generate a session id that will be your API key for other calls.

Return type

[SessionRest](#)

Example data

Content-Type: application/json

```

{
  "authconfig" : {
    "stale" : true,
    "method" : "DATABASE",
    "available_method" : [ "DATABASE", "LDAP" ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "stale" : true,
  "userpref" : "userpref",
  "timezone" : "America/New_York",
  "rights" : [ null, null ],
  "session_id" : "c7a5c64e-05a6-4671-b2e3-4b0f34e16888",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "region" : "us-central1",
  "user" : {
    "localonly" : true,
    "firstname" : "firstname",
    "dataaccesslevel" : 1,

```

```
"comments" : "comments",
"userpref" : "userpref",
"timezone" : "timezone",
"createdate" : 5,
"version" : 0,
"lastname" : "lastname",
"password" : "password",
"lastpasswordchangedate" : 5,
"modifydate" : 6,
"rolelist" : [ {
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
}, {
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
} ],
"stale" : true,
"name" : "name",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 9,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 4,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 6,
```

```

    "applistcount" : 5,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 7,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 1,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "modifydate" : 1,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 1,
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
},
"username" : "john_smith"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SessionRest](#)

400

The request is invalid. [Error](#)

401

Never occurs as this API doesn't require authentication.

403

Never occurs as this API doesn't require authorization.

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /session/current

Deregister the current user session (**logout**)

Deregister the current user session

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /session/current

[Up](#)

Update user preferences (`putUserpref`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- `application/json`

Request body

body [SessionRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Models

[[Jump to Methods](#)]

Table of Contents

1. [AdditionalInfo](#)
2. [AdvancedOptionRest](#)
3. [AgentRest](#)
4. [AppClassRest](#)
5. [AppCreationRest](#)
6. [AppDiscoveryRest](#)
7. [ApplianceUpdateInstallationJobRest](#)
8. [ApplianceUpdateLogsRest](#)
9. [ApplianceUpdateNotificationRest](#)
10. [ApplianceUpdateReadmeRest](#)
11. [ApplianceUpdateRest](#)
12. [ApplicationRest](#)
13. [ArrayOptionRest](#)
14. [ArrayRest](#)
15. [ArrayTestResultRest](#)
16. [ArrayTypeRest](#)
17. [AuditRest](#)
18. [AuthConfigRest](#)
19. [BackupNowRest](#)
20. [BackupPlanMetadata](#)
21. [BackupRest](#)
22. [BackupVaultRest](#)
23. [CallhomeInfoRest](#)
24. [CertificateRevocationRest](#)
25. [ChoiceMetaRest](#)
26. [ChoiceValueRest](#)
27. [ClientInfoRest](#)
28. [CloneRest](#)

29. [CloudCredentialRest](#)
30. [CloudVmMountRest](#)
31. [ClusterRest](#)
32. [ClusterStatusRest](#)
33. [CollectionRest](#)
34. [ComplianceSettingsRest](#)
35. [ComponentDetailRest](#)
36. [ComponentRest](#)
37. [ConnectorConnectionRest](#)
38. [ConsistencyGroupRest](#)
39. [ConsolidatedApplianceUpdatesRest](#)
40. [DataStoreRest](#)
41. [DbDumpUploadUrlRest](#)
42. [DescValueRest](#)
43. [DiskMappingRest](#)
44. [DiskPoolCopiesRest](#)
45. [DiskPoolRest](#)
46. [DiskRest](#)
47. [EntityRestPersistable](#)
48. [Error](#)
49. [ErrorRest](#)
50. [EventRest](#)
51. [ExpireBackupRest](#)
52. [ExportRuleInfoRest](#)
53. [ExportVolumeInfoRest](#)
54. [FileinfoRest](#)
55. [FilterFieldClassMapping](#)
56. [FormDataContentDisposition](#)
57. [FormFieldRest](#)
58. [GetListRest](#)
59. [HostRest](#)
60. [IAMPermissionsRest](#)
61. [InternalOperationRest](#)
62. [IscsiTestResultDetailRest](#)
63. [JSONArray](#)
64. [JobRest](#)
65. [KeyValueRest](#)
66. [ListAdvancedOptionRest](#)
67. [ListApplianceUpdateLogsRest](#)
68. [ListApplicationRest](#)
69. [ListArrayRest](#)
70. [ListArrayTestResultRest](#)
71. [ListArrayTypeRest](#)
72. [ListAuditRest](#)
73. [ListBackupRest](#)
74. [ListClusterRest](#)
75. [ListConsistencyGroupRest](#)
76. [ListConsolidatedApplianceUpdatesRest](#)
77. [ListDiskPoolRest](#)
78. [ListHostRest](#)
79. [ListJobRest](#)
80. [ListLogicalGroupRest](#)
81. [ListNameValueRest](#)
82. [ListOrganizationRest](#)
83. [ListPolicyRest](#)
84. [ListRest](#)
85. [ListRestAdvancedOptionRest](#)
86. [ListRestAppClassRest](#)
87. [ListRestApplianceUpdateInstallationJobRest](#)
88. [ListRestApplianceUpdateLogsRest](#)
89. [ListRestApplianceUpdateNotificationRest](#)
90. [ListRestApplicationRest](#)
91. [ListRestArrayRest](#)
92. [ListRestArrayTestResultRest](#)
93. [ListRestArrayTypeRest](#)
94. [ListRestAuditRest](#)
95. [ListRestBackupRest](#)
96. [ListRestClusterRest](#)
97. [ListRestConsistencyGroupRest](#)
98. [ListRestConsolidatedApplianceUpdatesRest](#)
99. [ListRestDbDumpUploadUrlRest](#)
100. [ListRestDiskPoolRest](#)
101. [ListRestHostRest](#)
102. [ListRestJobRest](#)
103. [ListRestLogicalGroupRest](#)
104. [ListRestOrganizationRest](#)
105. [ListRestPolicyRest](#)
106. [ListRestRightRest](#)

107. [ListRestRoleRest](#)
108. [ListRestSlaRest](#)
109. [ListRestSlpRest](#)
110. [ListRestSltRest](#)
111. [ListRestUserRest](#)
112. [ListRestWorkflowRest](#)
113. [ListRightRest](#)
114. [ListRoleRest](#)
115. [ListSlaRest](#)
116. [ListSlpRest](#)
117. [ListSltRest](#)
118. [ListStringRest](#)
119. [ListUserRest](#)
120. [ListWorkflowRest](#)
121. [LiveCloneRest](#)
122. [LocationMappingItemRest](#)
123. [LogSequenceRest](#)
124. [LogicalGroupRest](#)
125. [MdiskGroupRest](#)
126. [MembershipChangeRest](#)
127. [MissingPermissionsRest](#)
128. [MountRest](#)
129. [NameValueRest](#)
130. [NfsOptionsRest](#)
131. [NotificationRest](#)
132. [ObjectRest](#)
133. [OptionsRest](#)
134. [OrganizationRest](#)
135. [PlanAssociation](#)
136. [PolicyRest](#)
137. [PreflightRest](#)
138. [PreflightRestoreOptionsRest](#)
139. [PrepmountRest](#)
140. [ProjectPermissionsRest](#)
141. [ProvisioningOptionMetaRest](#)
142. [ProvisioningOptionRest](#)
143. [RMMigrationStatusRest](#)
144. [RefreshRest](#)
145. [RestorableRest](#)
146. [RestoreLocationRest](#)
147. [RestoreMigrateRest](#)
148. [RestoreObjectMappingRest](#)
149. [RestoreOptionRest](#)
150. [RestorePreflightRest](#)
151. [RestoreRest](#)
152. [RightRest](#)
153. [RoleRest](#)
154. [ScriptFileRest](#)
155. [ScriptRest](#)
156. [SelectedObjectRest](#)
157. [SessionRest](#)
158. [SlaErrorWarningsRest](#)
159. [SlaMetadata](#)
160. [SlaPreflightRest](#)
161. [SlaRest](#)
162. [SlpRest](#)
163. [SltRest](#)
164. [SourceRest](#)
165. [SystemStateOptionRest](#)
166. [TestRest](#)
167. [UnmountRest](#)
168. [UpdateInformationRest](#)
169. [UpdateListRest](#)
170. [UserInfoRest](#)
171. [UserRest](#)
172. [VaultPropsRest](#)
173. [VersionDetailRest](#)
174. [VersionRest](#)
175. [VmDiscoveryRest](#)
176. [VolumeSelectionRowRest](#)
177. [VolumeinfoRest](#)
178. [WarningRest](#)
179. [WorkScheduleRest](#)
180. [WorkflowItemRest](#)
181. [WorkflowRest](#)
182. [WorkflowStatusDetailsRest](#)
183. [WorkflowStatusRest](#)
184. [cluster_uploadupdate_body](#)

AdditionalInfo

[Up](#)

planAssociation (optional)

[PlanAssociation](#)

error (optional)

[Error](#)

AdvancedOptionRest

[Up](#)

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

policy (optional)

[PolicyRest](#)

slt (optional)

[SltRest](#)

sla (optional)

[SlaRest](#)

app (optional)

[ApplicationRest](#)

various (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AgentRest

[Up](#)

shared_secret (optional)

[String](#) Secret key generated at the host and used by managing backup appliance to authenticate itself to host while bootstrapping PKI on the host.

password (optional)

[String](#)

username (optional)

[String](#)

agent_version (optional)

[String](#)

agenttype (optional)

[String](#)

haspassword (optional)

[Boolean](#)

alternatenamekey (optional)

[String](#)

hasalternatenamekey (optional)

[Boolean](#)

port (optional)

[Integer](#) format: int32

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AppClassRest

[Up](#)

description (optional)

[String](#)

provisioningOptions (optional)

[array\[ProvisioningOptionMetaRest\]](#)

friendlyName (optional)

[String](#)

scriptFile (optional)

[ScriptFileRest](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AppCreationRest

[Up](#)

applications (optional)

[array\[ApplicationRest\]](#)

cluster (optional)

[ClusterRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AppDiscoveryRest

[Up](#)

apptypes (optional)

[array\[String\]](#)

listonly (optional)

[Boolean](#)

password (optional)

[String](#)

username (optional)

[String](#)

ipaddress (optional)

[String](#)

cluster (optional)

[String](#)

org (optional)

[String](#)

versiononly (optional)

[Boolean](#)

type (optional)

[String](#)

port (optional)

[Integer](#) format: int32

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplianceUpdateInstallationJobRest

[Up](#)

startTime (optional)

[Long](#) format: int64

endTime (optional)

[Long](#) format: int64

clusterid (optional)

[Long](#) format: int64

details (optional)

[String](#)

applianceName (optional)

[String](#)

installDuration (optional)

[Long](#) format: int64

logLink (optional)

[String](#)

updateProgress (optional)

[Integer](#) format: int32

updateInformation (optional)

[UpdateInformationRest](#)

updateStatus (optional)

[String](#)

rebootRequired (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplianceUpdateLogsRest

[Up](#)

logfilename (optional)

[String](#)

logs (optional)

[array\[String\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ApplianceUpdateNotificationRest

[Up](#)

severity (optional)
[String](#)

ids (optional)
[array\[Long\]](#) format: int64

notificationtype (optional)
[String](#)

scheduletime (optional)
[Long](#) format: int64

updateid (optional)
[String](#)

applianceid (optional)
[array\[String\]](#)

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

ApplianceUpdateReadmeRest

[Up](#)

readmecontent (optional)
[array\[String\]](#)

ApplianceUpdateRest

[Up](#)

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

applianceid (optional)
[array\[Long\]](#) format: int64

[String](#) Unique ID for this object

[Up](#)

ApplicationRest

Application Rest Object

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

sourceapp (optional)

[String](#)

description (optional)

[String](#)

sources (optional)

[array\[ApplicationRest\]](#) List of entries representing the consolidated application on particular appliances.

friendlytype (optional)

[String](#)

volumes (optional)

[array\[String\]](#)

protectable (optional)

[String](#) If the application can be protected.

failoverstate (optional)

[String](#)

auxinfo (optional)

[String](#)

appversion (optional)

[String](#) Application version.

networkname (optional)

[String](#) Network name.

networkip (optional)

[String](#) Network IP address.

username (optional)

[String](#)

ignore (optional)

[Boolean](#) If the application is marked as to be ignored.

isclustered (optional)

[Boolean](#) If the application is clustered.

frommount (optional)

[Boolean](#) Indicate if this application is a child-app from app-aware mount.

sensitivity (optional)

[Integer](#) Sensitivity level. format: int32

uniquename (optional)

[String](#)

appname (optional)

[String](#) Application name.

isvm (optional)

[Boolean](#) If the application is a VM

srcid (optional)

[String](#) Application's id on the appliance.

managed (optional)

[Boolean](#) If the application is protected.

scheduleoff (optional)

[Boolean](#) If the backup schedule is turned off

apptype (optional)

[String](#) Application type.

originalappid (optional)

[String](#) If this application is a shadow, the value of this attribute will be the id of the original application on original appliance.

pathname (optional)

[String](#)

backup (optional)

[array\[BackupRest\]](#) List of backups, if available.

isorphan (optional)

[Boolean](#) Indicates if the application is orphan, which still has backups but the original application was unprotected and removed on purpose.

appclass (optional)

[String](#) Application Class. It's similar to application type. It is useful in app-aware mount

example: Oracle

cluster (optional)

[ClusterRest](#)

sla (optional)

[SlaRest](#)

friendlypath (optional)

[String](#)

sourcecluster (optional)

[String](#) Application's original appliance's clusterid.

orglist (optional)

[array\[OrganizationRest\]](#) List of organizations that the application belongs to.

mountedhosts (optional)

[array\[HostRest\]](#)

available_slp (optional)

[array\[SlpRest\]](#) Available SLP (profiles) that this application can potentially use for protection.

diskpools (optional)

[array\[String\]](#)

isrestoring (optional)

[Boolean](#) If the application is being restore replaced.

consistencygroup (optional)

[ApplicationRest](#)

logicalgroup (optional)

[LogicalGroupRest](#)

appstate_text (optional)

[array\[String\]](#) Application's states.

name (optional)

[String](#) Application's name. It may not be the same as appname.

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ArrayOptionRest

required (optional)

[Boolean](#)

max (optional)

[Long](#) format: int64

label (optional)

[String](#)

optiontype (optional)

[String](#)

needmask (optional)

[Boolean](#)

updatable (optional)

[Boolean](#)

valuetype (optional)

[String](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Up](#)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ArrayRest

[Up](#)

reset (optional)

[Boolean](#)

sources (optional)

[array\[ArrayRest\]](#)

username (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

status (optional)

[String](#)

ipaddress (optional)

[String](#)

clusterid (optional)

[Long](#) format: int64

srcid (optional)

[Long](#) format: int64

overallstatus (optional)

[String](#)

model (optional)

[String](#)

arraytype (optional)

[String](#)

appliance (optional)

[ClusterRest](#)

orglist (optional)

[array\[OrganizationRest\]](#)

storage (optional)

[array\[MdiskGroupRest\]](#)

arraytypelabel (optional)

[String](#)

diskpools (optional)

[array\[DiskPoolRest\]](#)

hostcount (optional)

[Integer](#) format: int32

name (optional)

[String](#)

properties (optional)

[array\[KeyValueRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ArrayTestResultRest

[Up](#)

error (optional)

[Error](#)

result (optional)

[array\[lscsiTestResultDetailRest\]](#)

appliance (optional)

[ClusterRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ArrayTypeRest

[Up](#)

label (optional)

[String](#)

options (optional)

[array\[ArrayOptionRest\]](#)

appliances (optional)

[array\[ClusterRest\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AuditRest

[Up](#)

username (optional)

[String](#)

status (optional)

[Integer](#) format: int32

component (optional)

[String](#)

ipaddress (optional)

[String](#)

jobname (optional)

[String](#)

command (optional)

[String](#)

issuedate (optional)

[Long](#) format: int64

proxy (optional)

[String](#)

privileged (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AuthConfigRest

[Up](#)

Configured authentication method.

available_method (optional)

[array\[String\]](#) Available authentication methods

example: ["DATABASE", "LDAP"]

method (optional)

[String](#) Authentication method currently configured

example: DATABASE

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

BackupNowRest

[Up](#)

script (optional)

[String](#)

policy (optional)

[PolicyRest](#)

label (optional)

[String](#)

options (optional)

[String](#)

backuptype (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

BackupPlanMetadata

[Up](#)

backupPlan (optional)

[String](#)

env (optional)

[String](#)

BackupRest

[Up](#)

Backup Rest Object

mountmigrateflag (optional)

[Boolean](#)

eligiblestoragetypes (optional)

[String](#)

targetstoragetype (optional)

[String](#)

migrationstate (optional)

[String](#)

datafilemovestarted (optional)

[Boolean](#)

migratemapping (optional)

[String](#) source to target storage mapping

isSourceAppFromMountMigrateRestore (optional)

[Boolean](#)

backedupdbnames (optional)

[String](#)

cloudcredential (optional)

[CloudCredentialRest](#)

releaselogs (optional)

[Boolean](#)

retainlogs (optional)

[Boolean](#)

zone (optional)

[String](#)

jobclasscode (optional)

[Integer](#) format: int32

version (optional)

[String](#)

flags (optional)

[String](#)

label (optional)

[String](#)

expiration (optional)

[Long](#) format: int64

sensitivity (optional)

[Integer](#) format: int32

vaultowner (optional)

[Boolean](#)

mountedhost (optional)

[array\[HostRest\]](#)

modifydate (optional)

[Long](#) format: int64

status (optional)

[String](#)

uniquehostname (optional)

[String](#)

modifiedbytes (optional)

[String](#)

hasdependency (optional)

[Boolean](#)

originalbackupid (optional)

[String](#)

backupdate (optional)

[Long](#) format: int64

immutabilitydate (optional)

[Long](#) format: int64

consistencydate (optional)

[Long](#) format: int64

mappedhost (optional)

[String](#)

virtualsize (optional)

[String](#)

slpname (optional)

[String](#)

sltname (optional)

[String](#)

polycyname (optional)

[String](#)

characteristic (optional)

[String](#)

sourceimage (optional)

[BackupRest](#)

snapshotlocation (optional)

[String](#)

endpit (optional)

[Long](#) format: int64

beginpit (optional)

[Long](#) format: int64
appname (optional)
[String](#)
clusterid (optional)
[String](#)
srcid (optional)
[String](#)
application (optional)
[ApplicationRest](#)
isasm (optional)
[Boolean](#)
apptype (optional)
[String](#)
snapshottype (optional)
[String](#)
jobclass (optional)
[String](#)
consumedsize (optional)
[Long](#) format: int64
catalogstate (optional)
[String](#)
backupname (optional)
[String](#)
sourceuds (optional)
[String](#)
originatinguds (optional)
[String](#)
targetuds (optional)
[String](#)
appclass (optional)
[String](#)
cluster (optional)
[ClusterRest](#)
diskpool (optional)
[DiskPoolRest](#)
transport (optional)
[String](#)
multiregion (optional)
[String](#)
racodelist (optional)
[array\[String\]](#)
restorableobjects (optional)
[array\[RestorableRest\]](#)
powerfactor (optional)
[Integer](#) format: int32
provisioningoptions (optional)
[array\[KeyValueRest\]](#)
vmname (optional)
[String](#)
copies (optional)
[array\[BackupRest\]](#)
hasmountedmap (optional)
[Boolean](#)
childapp (optional)
[ApplicationRest](#)
restorelock (optional)
[String](#)
mountcapacity (optional)
[Long](#) format: int64
nvolumes (optional)
[String](#)
originalbackup (optional)
[BackupRest](#)
dnsname (optional)

[String](#)

vmpath (optional)

[String](#)

esxhost (optional)

[String](#)

backuplock (optional)

[String](#)

mountedmountpoint (optional)

[String](#)

consistencymode (optional)

[String](#)

mountedvdisk (optional)

[String](#)

sourcemountpoint (optional)

[String](#)

flags_text (optional)

[array\[String\]](#)

expirytries (optional)

[String](#)

logsequences (optional)

[array\[LogSequenceRest\]](#)

hosttimezone (optional)

[String](#)

hostisdst (optional)

[Boolean](#)

asmswitchcapable (optional)

[Boolean](#)

incarnation (optional)

[String](#)

hananodelist (optional)

[array\[String\]](#)

application_allocated_size (optional)

[Long](#) format: int64

exportvolume (optional)

[array\[ExportVolumeInfoRest\]](#)

sourcediskpool (optional)

[DiskPoolRest](#)

clonemigrateeligible (optional)

[Boolean](#)

migrate-frequency (optional)

[Integer](#) format: int32

migrate-copythreadcount (optional)

[Integer](#) format: int32

migrate-configured (optional)

[Boolean](#)

yaml (optional)

[String](#)

yamlavailable (optional)

[Boolean](#)

allowedips (optional)

[array\[String\]](#)

volgroupname (optional)

[String](#)

name (optional)

[String](#)

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

BackupVaultRest

[Up](#)

name (optional)
[String](#)

lock (optional)
[Boolean](#)

error (optional)
[Error](#)

enforcedRetentionDurationSeconds (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

CallhomeInfoRest

[Up](#)

disable (optional)
[Boolean](#)

mode (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

CertificateRevocationRest

[Up](#)

hostId (optional)
[String](#)

errorMessage (optional)
[String](#)

certRevoked (optional)
[Boolean](#)

ChoiceMetaRest

[Up](#)

isclustered (optional)
[Boolean](#)

isvm (optional)
[Boolean](#)

pathname (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ChoiceValueRest

[Up](#)

displayName (optional)

[String](#)

disabled (optional)

[Boolean](#)

selected (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[String](#)

key (optional)

[String](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ClientInfoRest

[Up](#)

exportprop (optional)

[array\[NameValueRest\]](#)

nas-mount-prop (optional)

[array\[NameValueRest\]](#)

host (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

CloneRest

[Up](#)

vcenter (optional)

[HostRest](#)

label (optional)

[String](#)

hostname (optional)

[String](#)

diskpool (optional)

[DiskPoolRest](#)

datastore (optional)

[String](#)

recoverytime (optional)

[Long](#) format: int64

poweronvm (optional)

[Boolean](#)

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#)

restoreoptions (optional)

[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#)

selectedobjects (optional)

[array\[SelectedObjectRest\]](#)

nfsoptions (optional)

[NfsOptionsRest](#)

instantmount (optional)

[Boolean](#)

restorelocation (optional)

[RestoreLocationRest](#)

mgmtserver (optional)

[HostRest](#)

hypervisor (optional)

[HostRest](#)

vmname (optional)

[String](#)

esxhost (optional)

[HostRest](#)

path (optional)

[String](#)

host (optional)

[HostRest](#)

container (optional)

[Boolean](#)

allowedips (optional)

[array\[String\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

CloudCredentialRest

[Up](#)

usedefaultsa (optional)

[Boolean](#)

immutable (optional)

[Boolean](#)

cloudtype (optional)

[String](#)

domain (optional)

[String](#)

serviceaccount (optional)

[String](#)

region (optional)

[String](#)

secretkey (optional)

[String](#)

sources (optional)

[array\[CloudCredentialRest\]](#)

projectid (optional)

[*String*](#)

vaultpool (optional)
[*DiskPoolRest*](#)

srcId (optional)
[*Long*](#) format: int64

clusterId (optional)
[*Long*](#) format: int64

vaultudsuid (optional)
[*Integer*](#) format: int32

endpoint (optional)
[*String*](#)

appliance (optional)
[*ClusterRest*](#)

orglist (optional)
[*array\[OrganizationRest\]*](#)

credential (optional)
[*String*](#)

clientId (optional)
[*String*](#)

privatekey (optional)
[*String*](#)

subscriptionid (optional)
[*String*](#)

name (optional)
[*String*](#)

publickey (optional)
[*String*](#)

href (optional)
[*String*](#) URL to access this object format: uri

syncdate (optional)
[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[*String*](#) Unique ID for this object

CloudVmMountRest

[Up](#)

version (optional)
[*Integer*](#) format: int32

cloudtype (optional)
[*String*](#)

transaction (optional)
[*Integer*](#) format: int32

getformtype (optional)
[*String*](#)

jobstatus (optional)
[*String*](#)

missingPermissions (optional)
[*MissingPermissionsRest*](#)

image (optional)
[*String*](#)

name (optional)
[*String*](#)

fields (optional)
[*array\[FormFieldRest\]*](#)

href (optional)
[*String*](#) URL to access this object format: uri

syncdate (optional)
[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ClusterRest

[Up](#)

Appliance where the application resides.

shared_secret (optional)

[String](#)

serviceaccount (optional)

[String](#)

zone (optional)

[String](#)

region (optional)

[String](#)

projectid (optional)

[String](#)

description (optional)

[String](#)

version (optional)

[String](#)

password (optional)

[String](#)

username (optional)

[String](#)

clusterstatus (optional)

[ClusterStatusRest](#)

ipaddress (optional)

[String](#)

masterid (optional)

[String](#)

clusterid (optional)

[String](#)

datacenter (optional)

[String](#)

importstatus (optional)

[String](#)

timezone (optional)

[String](#)

batype (optional)

[String](#)

lastsync (optional)

[Long](#) format: int64

publicip (optional)

[String](#)

secureconnect (optional)

[Boolean](#)

pkiBootstrapped (optional)

[Boolean](#)

clusterlist (optional)

[array\[ClusterRest\]](#)

callhomeInfo (optional)

[CallhomeInfoRest](#)

rmipaddress (optional)

[array\[String\]](#)

supportstatus (optional)

[String](#) Shows the support status of cluster

name (optional)

[String](#)

type (optional)

[String](#)

protocol (optional)

[Integer](#) format: int32

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ClusterStatusRest

[Up](#)

accessible (optional)

[Boolean](#)

vdiskcount (optional)

[Integer](#) format: int32

vdisklimit (optional)

[Integer](#) format: int32

vdiskcolor (optional)

[String](#)

localsnapshotcolor (optional)

[String](#)

localdedupcolor (optional)

[String](#)

remoteprotectioncolor (optional)

[String](#)

copydata (optional)

[Long](#) format: int64

CollectionRest

[Up](#)

userlist (optional)

[array\[String\]](#)

sltlist (optional)

[array\[String\]](#)

slplist (optional)

[array\[String\]](#)

hostlist (optional)

[array\[String\]](#)

poollist (optional)

[array\[String\]](#)

applist (optional)

[array\[String\]](#)

arraylist (optional)

[array\[String\]](#)

lglist (optional)

[array\[String\]](#)

cloudcredentiallist (optional)

[array\[String\]](#)

sltlistcount (optional)

[Long](#) format: int64

hostlistcount (optional)

[Long](#) format: int64

slplistcount (optional)

[Long](#) format: int64

userlistcount (optional)

[Long](#) format: int64

poollistcount (optional)

[Long](#) format: int64

applistcount (optional)

[Long](#) format: int64

arraylistcount (optional)

[Long](#) format: int64

lglistcount (optional)

[Long](#) format: int64

cloudcredentiallistcount (optional)

[Long](#) format: int64

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ComplianceSettingsRest

[Up](#)

warn_threshold_type (optional)

[String](#)

warn_threshold_custom (optional)

[Integer](#) format: int32

error_threshold_type (optional)

[String](#)

error_threshold_custom (optional)

[Integer](#) format: int32

policy (optional)

[PolicyRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ComponentDetailRest

[Up](#)

component (optional)

[String](#)

installed (optional)

[Long](#) Install time in UNIX Epoch time (microseconds since Jan 1, 1970) format: int64

summary (optional)

[String](#)

ComponentRest

[Up](#)

ConnectorConnectionRest

[Up](#)

pkistate (optional)

[String](#)

connectionstatus (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ConsistencyGroupRest

[Up](#)

description (optional)

[String](#)

application (optional)

[ApplicationRest](#)

cluster (optional)

[ClusterRest](#)

groupname (optional)

[String](#)

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ConsolidatedApplianceUpdatesRest

[Up](#)

updateinformation (optional)

[UpdateInformationRest](#)

applianceDetails (optional)

[array\[ApplianceUpdateRest\]](#)

allowforce (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

DataStoreRest

[Up](#)

capacity (optional)

[String](#)

rdmSupported (optional)

[Boolean](#)

freespace (optional)

[String](#)

name (optional)

[String](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

DbDumpUploadUrlRest

[Up](#)

dbDumpUploadUrl (optional)

[String](#)

dbName (optional)

[String](#)

success (optional)

[Boolean](#)

errmsg (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

DescValueRest

[Up](#)

desc (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

DiskMappingRest

[Up](#)

sourceinfo (optional)

[array\[DiskRest\]](#)

targetlist (optional)

[array\[DiskRest\]](#)

asmracodelist (optional)

[array\[String\]](#)

DiskPoolCopiesRest

[Up](#)

clusterid (optional)

[Long](#) format: int64

success (optional)

[Boolean](#)

clustername (optional)

[String](#)

errmsg (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

DiskPoolRest

[Up](#)

usedefaultsa (optional)

[Boolean](#)

immutable (optional)

[Boolean](#)

metadataonly (optional)

[Boolean](#)

location (optional)

[String](#)

bvinfo (optional)

[BackupVaultRest](#)

cloudcredential (optional)

[CloudCredentialRest](#)

array (optional)

[ArrayRest](#)

modifydate (optional)

[Long](#) format: int64

status (optional)

[String](#)

srcid (optional)

[String](#)

cluster (optional)

[ClusterRest](#)

mdiskgrp (optional)

[String](#)

warnpct (optional)

[Integer](#) format: int32

safeopct (optional)

[Integer](#) format: int32

udsuid (optional)

[Integer](#) format: int32

copies (optional)

[array\[DiskPoolCopiesRest\]](#)

orglist (optional)

[array\[OrganizationRest\]](#)

pooltype (optional)

[String](#)

storage (optional)

[array\[String\]](#)

nocache (optional)

[Boolean](#)

grainsize (optional)

[Integer](#) format: int32

free_mb (optional)

[Long](#) format: int64

usage_mb (optional)

[Long](#) format: int64

capacity_mb (optional)

[Long](#) format: int64

pct (optional)

[Double](#) format: double

pooltypedisplayname (optional)

[String](#)

vaultprops (optional)

[VaultPropsRest](#)

ext (optional)

[Integer](#) format: int32

name (optional)

[String](#)

properties (optional)
[array\[KeyValueRest\]](#)

state (optional)
[String](#)

type (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

DiskRest

[Up](#)

name (optional)
[String](#)

eligible (optional)
[Boolean](#)

freespace (optional)
[String](#)

requiredsize (optional)
[Double](#) format: double

EntityRestPersistable

[Up](#)

Base class for REST objects

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

Error

[Up](#)

err_code
[Integer](#) Error code format: int32
example: 10011

err_message (optional)
[String](#) Optional error message

ErrorRest

[Up](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

EventRest

[Up](#)

errorcode (optional)
[String](#)

component (optional)
[ComponentRest](#)

appname (optional)
[String](#)

srcid (optional)
[String](#)

apptype (optional)
[String](#)

cluster (optional)
[ClusterRest](#)

eventdate (optional)
[Long](#) format: int64

eventid (optional)
[Integer](#) format: int32

sourceeventdate (optional)
[String](#)

jobname (optional)
[String](#)

errormessage (optional)
[String](#)

messagetext (optional)
[String](#)

sequenceid (optional)
[Long](#) format: int64

requiresclearing (optional)
[Boolean](#)

eventstatus (optional)
[String](#)

notification (optional)
[NotificationRest](#)

errormessages (optional)
[array\[String\]](#)

object (optional)
[ObjectRest](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ExpireBackupRest

[Up](#)

backuptype (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ExportRuleInfoRest

[Up](#)

exportedname (optional)

[String](#)

exporttype (optional)

[String](#)

user (optional)

[array\[UserInfoRest\]](#)

client (optional)

[array\[ClientInfoRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ExportVolumeInfoRest

[Up](#)

exportedpath (optional)

[String](#)

exportrule (optional)

[array\[ExportRuleInfoRest\]](#)

objecttype (optional)

[String](#)

objectid (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

FileinfoRest

[Up](#)

filepath (optional)

[String](#)

isrecursive (optional)

[Boolean](#)

filename (optional)

[String](#)

FilterFieldClassMapping

[Up](#)

values (optional)

[array\[String\]](#)

field (optional)

[String](#)

type (optional)

[String](#)

FormDataContentDisposition

[Up](#)

type (optional)

[String](#)

parameters (optional)

[map\[String, String\]](#)

fileName (optional)

[String](#)

creationDate (optional)
[Date](#) format: date-time

modificationDate (optional)
[Date](#) format: date-time

readDate (optional)
[Date](#) format: date-time

size (optional)
[Long](#) format: int64

name (optional)
[String](#)

FormFieldRest

[Up](#)

warning (optional)
[String](#)

choices (optional)
[array\[ChoiceValueRest\]](#)

rows (optional)
[array\[VolumeSelectionRowRest\]](#)

values (optional)
[array\[String\]](#)

description (optional)
[String](#)

displayName (optional)
[String](#)

header (optional)
[array\[ChoiceValueRest\]](#)

required (optional)
[Boolean](#)

maximum (optional)
[Integer](#) format: int32

minimum (optional)
[Integer](#) format: int32

errorMessage (optional)
[String](#)

disabled (optional)
[Boolean](#)

tags (optional)
[array\[ChoiceValueRest\]](#)

currentValue (optional)
[String](#)

helpId (optional)
[String](#)

optiongroup (optional)
[Boolean](#)

readonly (optional)
[Boolean](#)

modified (optional)
[Boolean](#)

dynamic (optional)
[Boolean](#)

networktags (optional)
[array\[ChoiceValueRest\]](#)

get_getchoices (optional)
[String](#)

validation (optional)
[String](#)

checked (optional)
[Boolean](#)

title (optional)
[String](#)

get_getDefault (optional)
[String](#)

get_dependent (optional)

[array\[String\]](#)

hidden (optional)

[Boolean](#)

groupBy (optional)

[Boolean](#)

groupType (optional)

[String](#)

invalid (optional)

[String](#)

invalidStr (optional)

[String](#)

get_default (optional)

[String](#)

name (optional)

[String](#)

type (optional)

[String](#)

size (optional)

[Integer](#) format: int32

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

GetListRest

[Up](#)

filterable (optional)

[Boolean](#)

sortable (optional)

[Boolean](#)

pageable (optional)

[Boolean](#)

sortablefields (optional)

[array\[String\]](#)

filterablefields (optional)

[array\[FilterFieldClassMapping\]](#)

HostRest

[Up](#)

Host where the application resides.

cert_revoked (optional)

[Boolean](#) Indicates if a host's CA issued certificate has been revoked or not.

pki_state (optional)

[String](#) Indicates if the host is enabled to use CA signed certificate. Valid states are TRUSTED (has valid CA issued certificate for communication), UNTRUSTED (doesn't have valid CA issued certificate for communication) and NOT_APPLICABLE (doesn't needs CA issued certificate for communication).

pki_errors (optional)

[array\[String\]](#) List of error messages while trying to bootstrap PKI on the host using managing backup appliance

autoupgrade (optional)

[String](#)

Enum:

DISABLED

ENABLED

PENDING_VERSION_UPGRADE

PENDING_PKI_INITIALIZATION

COMPLETED

NOT_APPLICABLE

managedby (optional)

[String](#)

Enum:

MS

CLH
NOT_APPLICABLE

connectorConnectionStatus (optional)

[ConnectorConnectionRest](#)

projectid (optional)

[String](#)

cloudcredential (optional)

[CloudCredentialRest](#)

chapusername (optional)

[String](#)

chappassword (optional)

[String](#)

clearchap (optional)

[Boolean](#)

udsagent (optional)

[AgentRest](#)

applicationagent (optional)

[AgentRest](#)

hypervisoragent (optional)

[AgentRest](#)

hmconnector (optional)

[AgentRest](#)

mask (optional)

[String](#)

description (optional)

[String](#)

source (optional)

[array\[SourceRest\]](#)

zone (optional)

[String](#)

sources (optional)

[array\[HostRest\]](#)

modifydate (optional)

[Long](#) format: int64

status (optional)

[String](#)

hosttype (optional)

[String](#)

hostname (optional)

[String](#)

uniquename (optional)

[String](#)

isvm (optional)

[Boolean](#)

vmtype (optional)

[String](#)

vcenterhostid (optional)

[String](#)

ipaddress (optional)

[String](#)

clusterid (optional)

[String](#)

srcid (optional)

[String](#)

transport (optional)

[String](#)

friendlypath (optional)

[String](#)

svcname (optional)

[String](#)

dataip (optional)

[String](#)

alternateip (optional)

[array\[String\]](#)

ostype (optional)
[String](#)

osversion (optional)
[String](#)

osrelease (optional)
[String](#)

sourcecluster (optional)
[String](#)

originalhostid (optional)
[String](#)

maxjobs (optional)
[Integer](#) format: int32

hasagent (optional)
[Boolean](#)

isvcenterhost (optional)
[Boolean](#)

isclusterhost (optional)
[Boolean](#)

isesxhost (optional)
[Boolean](#)

isproxyhost (optional)
[Boolean](#)

dbauthentication (optional)
[Boolean](#)

diskpref (optional)
[String](#)

nfsoption (optional)
[NfsOptionsRest](#)

multiregion (optional)
[String](#)

machinetype (optional)
[String](#)

systemdetail (optional)
[String](#)

connect2actip (optional)
[String](#)

appliance (optional)
[ClusterRest](#)

orglist (optional)
[array\[OrganizationRest\]](#)

is_auto_discovery_enabled (optional)
[Boolean](#)

isShadowHost (optional)
[Boolean](#)

esxlist (optional)
[array\[HostRest\]](#)

nodeList (optional)
[array\[HostRest\]](#)

datastorelist (optional)
[array\[DataStoreRest\]](#)

ostype_special (optional)
[String](#)

port_count (optional)
[String](#)

iogrp_count (optional)
[String](#)

iscsi_name (optional)
[array\[String\]](#)

WWPN (optional)
[array\[String\]](#)

iogrp (optional)
[String](#)

node_logged_in_count (optional)
[String](#)

connectorversion (optional)
[String](#)

isClusterNode (optional)
[Boolean](#)

reconciliation_needed (optional)
[Boolean](#)

reconciliation_fields (optional)
[array\[String\]](#)

agents (optional)
[array\[AgentRest\]](#)

arrays (optional)
[array\[ArrayRest\]](#)

vcenterHost (optional)
[HostRest](#)

name (optional)
[String](#)

state (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

IAMPermissionsRest

[Up](#)

This object represents the results of IAM permission checks

permissions (optional)
[map\[String, Boolean\]](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

InternalOperationRest

[Up](#)

type (optional)
[String](#)

operationid (optional)
[String](#)

status (optional)
[String](#)

substatus (optional)
[String](#)

modifydate (optional)
[Date](#) format: date-time

createdate (optional)
[Date](#) format: date-time

additionalInfo (optional)
[AdditionalInfo](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

IscsiTestResultDetailRest

[Up](#)

status (optional)

[String](#)

hint (optional)

[String](#)

test (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

JSONArray

[Up](#)

empty (optional)

[Boolean](#)

JobRest

[Up](#)

description (optional)

[String](#)

task (optional)

[Object](#)

jobclasscode (optional)

[Integer](#) format: int32

flags (optional)

[Long](#) format: int64

pid (optional)

[Integer](#) format: int32

duration (optional)

[Long](#) format: int64

label (optional)

[String](#)

expiration (optional)

[Long](#) format: int64

errorcode (optional)

[String](#)

status (optional)

[String](#)

immutabilitydate (optional)

[Long](#) format: int64

consistencydate (optional)

[Long](#) format: int64

virtualsize (optional)

[Long](#) format: int64

sltname (optional)

[String](#)

policyname (optional)

[String](#)

hostname (optional)

[String](#)

hostid (optional)

[Long](#) format: int64

appname (optional)

[String](#)

clusterid (optional)

[String](#)

srcid (optional)

[String](#)

apptype (optional)

[String](#)

appid (optional)

[String](#)

jobclass (optional)

[String](#)

backup (optional)

[BackupRest](#)

sourceuds (optional)

[Long](#) format: int64

originatinguds (optional)

[Long](#) format: int64

targetuds (optional)

[Long](#) format: int64

parentid (optional)

[String](#)

jobname (optional)

[String](#)

startdate (optional)

[Long](#) format: int64

enddate (optional)

[Long](#) format: int64

transport (optional)

[String](#)

targethost (optional)

[String](#)

sourceid (optional)

[String](#)

isexpired (optional)

[Boolean](#)

jobcount (optional)

[Integer](#) format: int32

changerequest (optional)

[Integer](#) format: int32

progress (optional)

[Long](#) format: int64

relativesize (optional)

[Long](#) format: int64

retrycount (optional)

[Integer](#) format: int32

queuedate (optional)

[Long](#) format: int64

expirationdate (optional)

[Long](#) format: int64

isscheduled (optional)

[Boolean](#)

jobtag (optional)

[String](#)

event (optional)

[EventRest](#)

appliance (optional)

[ClusterRest](#)

consistency-mode (optional)

[String](#)

flags_text (optional)

[array\[String\]](#)

sourcediskpool (optional)
[DiskPoolRest](#)

yaml (optional)
[String](#)

id2 (optional)
[String](#)

diskpools (optional)
[array\[DiskPoolRest\]](#)

changerequesttext (optional)
[String](#)

logsmarttype (optional)
[String](#)

extrainfo (optional)
[String](#)

targetdiskpool (optional)
[DiskPoolRest](#)

message (optional)
[String](#)

priority (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

KeyValueRest

[Up](#)

value (optional)
[String](#)

key (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ListAdvancedOptionRest

[Up](#)

items (optional)
[array\[AdvancedOptionRest\]](#)

count (optional)
[Integer](#) format: int32

ListApplianceUpdateLogsRest

[Up](#)

items (optional)
[array\[ApplianceUpdateLogsRest\]](#)

count (optional)
[Integer](#) format: int32

ListApplicationRest

[Up](#)

items (optional)
[array\[ApplicationRest\]](#)
count (optional)
[Integer](#) format: int32

ListArrayRest

[Up](#)

items (optional)
[array\[ArrayRest\]](#)
count (optional)
[Integer](#) format: int32

ListArrayTestResultRest

[Up](#)

items (optional)
[array\[ArrayTestResultRest\]](#)
count (optional)
[Integer](#) format: int32

ListArrayTypeRest

[Up](#)

items (optional)
[array\[ArrayTypeRest\]](#)
count (optional)
[Integer](#) format: int32

ListAuditRest

[Up](#)

items (optional)
[array\[AuditRest\]](#)
count (optional)
[Integer](#) format: int32

ListBackupRest

[Up](#)

items (optional)
[array\[BackupRest\]](#)
count (optional)
[Integer](#) format: int32

ListClusterRest

[Up](#)

items (optional)
[array\[ClusterRest\]](#)
count (optional)
[Integer](#) format: int32

ListConsistencyGroupRest

[Up](#)

items (optional)
[array\[ConsistencyGroupRest\]](#)
count (optional)
[Integer](#) format: int32

ListConsolidatedApplianceUpdatesRest

[Up](#)

items (optional)
[array\[ConsolidatedApplianceUpdatesRest\]](#)
count (optional)
[Integer](#) format: int32

ListDiskPoolRest

[Up](#)

items (optional)

[array\[DiskPoolRest\]](#)
count (optional)
[Integer](#) format: int32

ListHostRest

[Up](#)

items (optional)
[array\[HostRest\]](#)
count (optional)
[Integer](#) format: int32

ListJobRest

[Up](#)

items (optional)
[array\[JobRest\]](#)
count (optional)
[Integer](#) format: int32

ListLogicalGroupRest

[Up](#)

items (optional)
[array\[LogicalGroupRest\]](#)
count (optional)
[Integer](#) format: int32

ListNameValueRest

[Up](#)

listNameValueRest (optional)
[array\[NameValueRest\]](#)
href (optional)
[String](#) URL to access this object format: uri
syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64
stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.
id (optional)
[String](#) Unique ID for this object

ListOrganizationRest

[Up](#)

items (optional)
[array\[OrganizationRest\]](#)
count (optional)
[Integer](#) format: int32

ListPolicyRest

[Up](#)

items (optional)
[array\[PolicyRest\]](#)
count (optional)
[Integer](#) format: int32

ListRest

[Up](#)

items (optional)
[array\[EntityRestPersistable\]](#)
count (optional)
[Integer](#) format: int32

ListRestAdvancedOptionRest

[Up](#)

items (optional)
[array\[AdvancedOptionRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestAppClassRest

[Up](#)

items (optional)
[array\[AppClassRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestApplianceUpdateInstallationJobRest

[Up](#)

items (optional)
[array\[ApplianceUpdateInstallationJobRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestApplianceUpdateLogsRest

[Up](#)

items (optional)
[array\[ApplianceUpdateLogsRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestApplianceUpdateNotificationRest

[Up](#)

items (optional)
[array\[ApplianceUpdateNotificationRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestApplicationRest

[Up](#)

items (optional)
[array\[ApplicationRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestArrayRest

[Up](#)

items (optional)
[array\[ArrayRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestArrayTestResultRest

[Up](#)

items (optional)
[array\[ArrayTestResultRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestArrayTypeRest

[Up](#)

items (optional)
[array\[ArrayTypeRest\]](#)
count (optional)
[Integer](#) format: int32

ListRestAuditRest

[Up](#)

items (optional)
[array\[AuditRest\]](#)
count (optional)

[Integer](#) format: int32

ListRestBackupRest

[Up](#)

items (optional)
[array\[BackupRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestClusterRest

[Up](#)

items (optional)
[array\[ClusterRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestConsistencyGroupRest

[Up](#)

items (optional)
[array\[ConsistencyGroupRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestConsolidatedApplianceUpdatesRest

[Up](#)

items (optional)
[array\[ConsolidatedApplianceUpdatesRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestDbDumpUploadUrlRest

[Up](#)

items (optional)
[array\[DbDumpUploadUrlRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestDiskPoolRest

[Up](#)

items (optional)
[array\[DiskPoolRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestHostRest

[Up](#)

items (optional)
[array\[HostRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestJobRest

[Up](#)

items (optional)
[array\[JobRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestLogicalGroupRest

[Up](#)

items (optional)
[array\[LogicalGroupRest\]](#)

count (optional)
[Integer](#) format: int32

ListRestOrganizationRest	Up
items (optional) array[OrganizationRest]	
count (optional) Integer format: int32	
ListRestPolicyRest	Up
items (optional) array[PolicyRest]	
count (optional) Integer format: int32	
ListRestRightRest	Up
items (optional) array[RightRest]	
count (optional) Integer format: int32	
ListRestRoleRest	Up
items (optional) array[RoleRest]	
count (optional) Integer format: int32	
ListRestSlaRest	Up
items (optional) array[SlaRest]	
count (optional) Integer format: int32	
ListRestSlpRest	Up
items (optional) array[SlpRest]	
count (optional) Integer format: int32	
ListRestSltRest	Up
items (optional) array[SltRest]	
count (optional) Integer format: int32	
ListRestUserRest	Up
items (optional) array[UserRest]	
count (optional) Integer format: int32	
ListRestWorkflowRest	Up
items (optional) array[WorkflowRest]	
count (optional) Integer format: int32	
ListRightRest	Up

items (optional)
[array\[RightRest\]](#)
count (optional)
[Integer](#) format: int32

ListRoleRest

[Up](#)

items (optional)
[array\[RoleRest\]](#)
count (optional)
[Integer](#) format: int32

ListSlaRest

[Up](#)

items (optional)
[array\[SlaRest\]](#)
count (optional)
[Integer](#) format: int32

ListSlpRest

[Up](#)

items (optional)
[array\[SlpRest\]](#)
count (optional)
[Integer](#) format: int32

ListSltRest

[Up](#)

items (optional)
[array\[SltRest\]](#)
count (optional)
[Integer](#) format: int32

ListStringRest

[Up](#)

items (optional)
[array\[String\]](#)
count (optional)
[Integer](#) format: int32

ListUserRest

[Up](#)

items (optional)
[array\[UserRest\]](#)
count (optional)
[Integer](#) format: int32

ListWorkflowRest

[Up](#)

items (optional)
[array\[WorkflowRest\]](#)
count (optional)
[Integer](#) format: int32

LiveCloneRest

[Up](#)

label (optional)
[String](#)
diskpool (optional)
[DiskPoolRest](#)
href (optional)
[String](#) URL to access this object format: uri
syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

LocationMappingItemRest

[Up](#)

source (optional)

[String](#)

name (optional)

[String](#)

target (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

LogSequenceRest

[Up](#)

beginlsn (optional)

[String](#)

endlsn (optional)

[String](#)

thread (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

LogicalGroupRest

[Up](#)

The logical group that the application belongs to, if it applies.

description (optional)

[String](#)

membercount (optional)

[Integer](#) format: int32

modifydate (optional)

[Long](#) format: int64

srcid (optional)

[String](#)

managed (optional)

[Boolean](#)

scheduleoff (optional)

[Boolean](#)

cluster (optional)

[ClusterRest](#)

sla (optional)

[SlaRest](#)

orglist (optional)

[array\[OrganizationRest\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

MdiskGroupRest

[Up](#)

capacity (optional)

[Long](#) format: int64

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

MembershipChangeRest

[Up](#)

action (optional)

[String](#) add | remove

Enum:

add

remove

members (optional)

[array\[Long\]](#) format: int64

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

MissingPermissionsRest

[Up](#)

sourceProject (optional)

[ProjectPermissionsRest](#)

targetProject (optional)

[ProjectPermissionsRest](#)

cloudcredential (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

MountRest

[Up](#)

label (optional)
[String](#)

hostname (optional)
[String](#) Mutually exclusive with host, when mounting as a brand new host(VM)

container (optional)
[Boolean](#)

diskpool (optional)
[DiskPoolRest](#)

datastore (optional)
[String](#) Mutually exclusive with diskpool

recoverytime (optional)
[Long](#) Can be used when log backup is available. Microseconds since Epoch in UTC format: int64

poweronvm (optional)
[Boolean](#)

scripts (optional)
[array\[ScriptRest\]](#)

restoreobjectmappings (optional)
[array\[RestoreObjectMappingRest\]](#) A customized mapping from the volumes to their mount points

restoreoptions (optional)
[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)
[array\[ProvisioningOptionRest\]](#) List of provisioning options when appaware is true

selectedobjects (optional)
[array\[SelectedObjectRest\]](#) A subset of restorable objects to be mounted

nfsoptions (optional)
[NfsOptionsRest](#)

instantmount (optional)
[Boolean](#)

mgmtserver (optional)
[HostRest](#)

hypervisor (optional)
[HostRest](#)

allowedips (optional)
[array\[String\]](#)

cloudvmoptions (optional)
[CloudVmMountRest](#)

rdmmode (optional)
[String](#)
Enum:
physical
independentvirtual
dependentvirtual
nfs

rehydrationmode (optional)
[String](#)
Enum:
Balanced
MaximumPerformance
PerformanceOptimized
StorageOptimized

appaware (optional)
[Boolean](#)

systemstateoptions (optional)
[array\[SystemStateOptionRest\]](#)

migratevm (optional)
[Boolean](#)

path (optional)
[String](#)

host (optional)
[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

NameValueRest

[Up](#)

description (optional)

[String](#)

desc (optional)

[String](#)

selection (optional)

[array\[DescValueRest\]](#)

alias (optional)

[String](#)

constant (optional)

[String](#)

select (optional)

[Boolean](#)

editableonmount (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[String](#)

default (optional)

[String](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

NfsOptionsRest

[Up](#)

server (optional)

[array\[NameValueRest\]](#)

client (optional)

[array\[NameValueRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

NotificationRest

[Up](#)

ObjectRest

[Up](#)

OptionsRest

[Up](#)

GET(list) (optional)
[GetListRest](#)

OrganizationRest

[Up](#)

description (optional)
[String](#)

version (optional)
[String](#)

modifydate (optional)
[Long](#) format: int64

createdate (optional)
[Long](#) format: int64

resourcecollection (optional)
[CollectionRest](#)

name (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

PlanAssociation

[Up](#)

slald (optional)
[String](#)

appld (optional)
[String](#)

sltld (optional)
[String](#)

managedBy (optional)
[String](#)

Enum:
MS
CLH
NOT_APPLICABLE

PolicyRest

[Up](#)

managedBy (optional)
[String](#)

Enum:
MS
CLH
NOT_APPLICABLE

description (optional)
[String](#)

source (optional)
[array\[SourceRest\]](#)

slt (optional)
[SltRest](#)

encrypt (optional)
[String](#)

repeatinterval (optional)
[String](#)

exclusioninterval (optional)
[String](#)

endtime (optional)
[String](#)

rpom (optional)
[String](#)

rpo (optional)
[String](#)

predecessor (optional)
[PolicyRest](#)

exclusiontype (optional)
[String](#)

targetvault (optional)
[Integer](#) format: int32

retention (optional)
[String](#)

retentionm (optional)
[String](#)

iscontinuous (optional)
[Boolean](#)

starttime (optional)
[String](#)

sourcevault (optional)
[Integer](#) format: int32

selection (optional)
[String](#)

schedulertype (optional)
[String](#)

exclusion (optional)
[String](#)

reptype (optional)
[String](#)

remoteretention (optional)
[Integer](#) format: int32

compliancesettings (optional)
[ComplianceSettingsRest](#)

policyType (optional)
[String](#)

truncatelog (optional)
[String](#)

verifychoice (optional)
[String](#)

op (optional)
[String](#)

options (optional)
[array\[AdvancedOptionRest\]](#)

verification (optional)
[Boolean](#)

name (optional)
[String](#)

priority (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

databasesid (optional)

[String](#)

username (optional)

[String](#)

orahome (optional)

[String](#)

hostid (optional)

[String](#)

restoreoptions (optional)

[PreflightRestoreOptionsRest](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

PreflightRestoreOptionsRest

[Up](#)

ctrltarget (optional)

[String](#)

redotarget (optional)

[String](#)

targettype (optional)

[String](#)

standalone (optional)

[String](#)

migrationmapping (optional)

[String](#)

copythreadcount (optional)

[String](#)

asmracodelist (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

PrepmountRest

[Up](#)

recoverytime (optional)

[Long](#) format: int64

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#)

restoreoptions (optional)

[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#)

selectedobjects (optional)

[array\[SelectedObjectRest\]](#)

nfsoptions (optional)

[NfsOptionsRest](#)

instantmount (optional)

[Boolean](#)

rdmnode (optional)

[String](#)

physicalrdm (optional)

[String](#)

appaware (optional)

[Boolean](#)

host (optional)

[HostRest](#)

container (optional)

[Boolean](#)

allowedips (optional)

[array\[String\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ProjectPermissionsRest

[Up](#)

requiredpermissions (optional)

[array\[String\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ProvisioningOptionMetaRest

[Up](#)

description (optional)

[String](#)

required (optional)

[Boolean](#)

validationRegex (optional)

[String](#)

unique (optional)

[Boolean](#)

restoreimmutable (optional)

[Boolean](#)

alias (optional)

[String](#)

choice (optional)

[array\[ChoiceMetaRest\]](#)

select (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[array\[NameValueRest\]](#)

type (optional)

[String](#)

defaultValue (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ProvisioningOptionRest

[Up](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RMMigrationStatusRest

[Up](#)

rsrvStatus (optional)

[String](#)

jasperStatus (optional)

[String](#)

RefreshRest

[Up](#)

sourceimage (optional)

[String](#)

options (optional)

[array\[String\]](#)

Enum:

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RestorableRest

[Up](#)

appstate_text (optional)

[array\[String\]](#)

fileinfo (optional)

[array\[FileinfoRest\]](#)

backedupdb (optional)

[String](#)

skippeddb (optional)

[String](#)

faileddb (optional)

[String](#)

fullpath (optional)

[String](#)

systemdb (optional)

[Boolean](#)

application (optional)

[ApplicationRest](#)

pathname (optional)

[String](#)

volumeinfo (optional)

[array\[VolumeInfoRest\]](#)

appState (optional)

[Long](#) format: int64

name (optional)

[String](#)

type (optional)

[String](#)

RestoreLocationRest

[Up](#)

mapping (optional)

[array\[LocationMappingItemRest\]](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RestoreMigrateRest

[Up](#)

action (optional)

[String](#)

label (optional)

[String](#)

restoreoptions (optional)

[PreflightRestoreOptionsRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RestoreObjectMappingRest

[Up](#)

vmdkprovisionformat (optional)

[String](#)

diskpool (optional)

[DiskPoolRest](#)

datastore (optional)

[String](#)

restoreobject (optional)

[String](#)

mountdrive (optional)

[String](#)

mountpoint (optional)

[String](#)

targetvg (optional)

[String](#)

appliancemountpoint (optional)

[String](#)

RestoreOptionRest

[Up](#)

name (optional)

[String](#)

value (optional)

[String](#)

RestorePreflightRest

[Up](#)

status (optional)

[Boolean](#)

testlist (optional)

[array\[TestRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RestoreRest

[Up](#)

password (optional)

[String](#)

label (optional)

[String](#)

username (optional)

[String](#)

datastore (optional)

[String](#)

recover (optional)

[Boolean](#)

recoverytime (optional)

[Long](#) format: int64

poweronvm (optional)

[Boolean](#)

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#)

restoreoptions (optional)

[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#)

selectedobjects (optional)

[array\[SelectedObjectRest\]](#)

nfsoptions (optional)

[NfsOptionsRest](#)

instantmount (optional)

[Boolean](#)

notdisableschedule (optional)

[Boolean](#)

cloudvmoptions (optional)

[CloudVmMountRest](#)

rdmnode (optional)

[String](#)

physicalrdm (optional)

[String](#)

targetnode (optional)

[String](#)

replacesource (optional)

[Boolean](#)

parts (optional)

[String](#)

host (optional)

[HostRest](#)

container (optional)

[Boolean](#)

allowedips (optional)

[array\[String\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RightRest

[Up](#)

children (optional)

[array\[RightRest\]](#)

parents (optional)

[array\[RightRest\]](#)

name (optional)

[String](#) Name of access right

id (optional)

[String](#) Unique ID for this object

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

RoleRest

[Up](#)

version (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

createdate (optional)

[Long](#) format: int64

rightList (optional)

[array\[RightRest\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ScriptFileRest

[Up](#)

required (optional)

[Boolean](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ScriptRest

[Up](#)

timeout (optional)

[String](#)

args (optional)

[array\[String\]](#)

phase (optional)

[String](#)

name (optional)

[String](#)

SelectedObjectRest

[Up](#)

diskpool (optional)

[DiskPoolRest](#)

restorableobject (optional)

[String](#)

datastore (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SessionRest

[Up](#)

This object represent a valid login session

region (optional)

[String](#) region

example: us-central1

username (optional)

[String](#)

example: john_smith

user (optional)

[UserRest](#)

timezone (optional)

[String](#) User's timezone, if set.

example: America/New_York

userpref (optional)

[String](#) This object contains user preferences that client programs can utilize. The content is opaque to API service.

session_id (optional)

[String](#) Session id of the current login

example: c7a5c64e-05a6-4671-b2e3-4b0f34e16888

rights (optional)

[array\[RightRest\]](#) Effective access rights that this login session contains.

authconfig (optional)

[AuthConfigRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlaErrorWarningsRest

[Up](#)

warningList (optional)

[array\[WarningRest\]](#)

errorList (optional)

[array\[ErrorRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlaMetadata

[Up](#)

env (optional)

[String](#)

name (optional)

[String](#)

SlaPrefLightRest

[Up](#)

sltid (optional)

[Long](#) format: int64

slpid (optional)

[Long](#) format: int64

appids (optional)

[array\[Long\]](#) format: int64

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlaRest

[Up](#)

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

metadata (optional)

[SlaMetadata](#)

description (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

application (optional)

[ApplicationRest](#)

scheduleoff (optional)

[String](#)

slt (optional)

[SltRest](#)

slp (optional)

[SlpRest](#)

options (optional)

[array\[AdvancedOptionRest\]](#)

logexpirationoff (optional)

[Boolean](#)

dedupasyncoff (optional)

[String](#)

expirationoff (optional)

[String](#)

group (optional)

[LogicalGroupRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlpRest

[Up](#)

Available SLP (profiles) that this application can potentially use for protection.

cloudCredential (optional)

[CloudCredentialRest](#)

description (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

clusterid (optional)

[String](#)

srcid (optional)

[String](#)

vaultpool3 (optional)

[DiskPoolRest](#)

vaultpool4 (optional)

[DiskPoolRest](#)

profiletype (optional)

[String](#)

performancepool (optional)

[String](#)

primarystorage (optional)
[String](#)

remotenode (optional)
[String](#)

dedupasyncnode (optional)
[String](#)

vaultpool (optional)
[DiskPoolRest](#)

vaultpool2 (optional)
[DiskPoolRest](#)

cid (optional)
[String](#)

createdate (optional)
[Long](#) format: int64

localnode (optional)
[String](#)

orglist (optional)
[array\[OrganizationRest\]](#)

name (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

SlTRest

[Up](#)

managedby (optional)
[String](#)
Enum:
MS
CLH
NOT_APPLICABLE

metadata (optional)
[BackupPlanMetadata](#)

description (optional)
[String](#)

source (optional)
[array\[SourceRest\]](#)

option_href (optional)
[String](#) format: uri

policy_href (optional)
[String](#) format: uri

override (optional)
[String](#)

sourcename (optional)
[String](#)

managedbyagm (optional)
[Boolean](#)

usedbycloudapp (optional)
[Boolean](#)

policies (optional)
[array\[PolicyRest\]](#)

options (optional)
[array\[AdvancedOptionRest\]](#)

orglist (optional)
[array\[OrganizationRest\]](#)

name (optional)
[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SourceRest

[Up](#)

slps (optional)

[array\[SlpRest\]](#)

clusterid (optional)

[String](#)

srcid (optional)

[String](#)

host (optional)

[HostRest](#)

SystemStateOptionRest

[Up](#)

structurevalue (optional)

[array\[SystemStateOptionRest\]](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

TestRest

[Up](#)

status (optional)

[String](#)

hint (optional)

[String](#)

extrainfo (optional)

[String](#)

test (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

UnmountRest

[Up](#)

script (optional)

[String](#)

scripts (optional)

[array\[ScriptRest\]](#)

delete (optional)

[Boolean](#)

force (optional)

[Boolean](#)

preservevm (optional)

[Boolean](#)

preservecopy (optional)

[Boolean](#)

ignorereovefailures (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

UpdateInformationRest

[Up](#)

componentname (optional)

[String](#)

updateid (optional)

[String](#)

readmelink (optional)

[String](#)

expectedduration (optional)

[Long](#) format: int64

releasedate (optional)

[Long](#) format: int64

duedate (optional)

[Long](#) format: int64

UpdateListRest

[Up](#)

scheduletime (optional)

[Long](#) format: int64

force (optional)

[Boolean](#)

updateids (optional)

[array\[Long\]](#) format: int64

UserInfoRest

[Up](#)

accessmode (optional)

[array\[String\]](#)

username (optional)

[String](#)

group (optional)

[String](#)

haspassword (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

UserRest

[Up](#)

version (optional)

[Integer](#) format: int32

password (optional)

[String](#)

name (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

dataaccesslevel (optional)

[Integer](#) format: int32

timezone (optional)

[String](#)

firstname (optional)

[String](#)

lastname (optional)

[String](#)

comments (optional)

[String](#)

email (optional)

[String](#)

createdate (optional)

[Long](#) format: int64

lastpasswordchangedate (optional)

[Long](#) format: int64

userpref (optional)

[String](#)

localonly (optional)

[Boolean](#)

orglist (optional)

[array\[OrganizationRest\]](#)

rightlist (optional)

[array\[RightRest\]](#)

rolelist (optional)

[array\[RoleRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VaultPropsRest

[Up](#)

objectsize (optional)

[Long](#) format: int64

accesskey (optional)

[String](#)

accessid (optional)

[String](#)

baseurl (optional)

[String](#)

authversion (optional)

[String](#)

vaulttype (optional)

[String](#)

bucket (optional)

[String](#)

compression (optional)

[Boolean](#)

region (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VersionDetailRest

[Up](#)

components (optional)

[array\[ComponentDetailRest\]](#)

installed (optional)

[Long](#) Install time in UNIX Epoch time (microseconds since Jan 1, 1970) format: int64

summary (optional)

[String](#)

product (optional)

[String](#)

VersionRest

[Up](#)

revision (optional)

[String](#)

major (optional)

[String](#)

minor (optional)

[String](#)

summary (optional)

[String](#)

product (optional)

[String](#)

maintenance (optional)

[String](#)

VmDiscoveryRest

[Up](#)

cluster (optional)

[String](#)

org (optional)

[String](#)

addvms (optional)

[Boolean](#)

vcenterHostId (optional)

[String](#)

esxcluster (optional)

[String](#)

addall (optional)

[Boolean](#)

vms (optional)

[array\[String\]](#)

dc (optional)

[String](#)

discoverclusters (optional)

[Boolean](#)

discovervms (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VolumeSelectionRowRest

[Up](#)

volumeid (optional)

[String](#)

devicename (optional)

[String](#)

disktype (optional)

[array\[ChoiceValueRest\]](#)

sourcemountpath (optional)

[String](#)

devicetype (optional)

[String](#)

deviceindex (optional)

[String](#)

disktypeDisabled (optional)

[Boolean](#)

disabled (optional)

[Boolean](#)

selected (optional)

[Boolean](#)

size (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VolumeinfoRest

[Up](#)

uniqueid (optional)

[String](#)

WarningRest

[Up](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkScheduleRest

[Up](#)

interval (optional)

[String](#)

time (optional)

[String](#)

frequency (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowItemRest

[Up](#)

props (optional)

[array\[KeyValueRest\]](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowRest

[Up](#)

props (optional)

[array\[KeyValueRest\]](#)

items (optional)

[array\[WorkflowItemRest\]](#)

status (optional)

[WorkflowStatusRest](#)

application (optional)

[ApplicationRest](#)

cluster (optional)

[ClusterRest](#)

disabled (optional)

[Boolean](#)

schedule (optional)

[WorkScheduleRest](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowStatusDetailsRest

[Up](#)

result (optional)

[String](#)

completed (optional)

[String](#)

status (optional)

[String](#)

startdate (optional)

[Long](#) format: int64

enddate (optional)

[Long](#) format: int64

jobtag (optional)

[String](#)

current (optional)

[String](#)

pending (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowStatusRest

[Up](#)

next (optional)

[WorkflowStatusDetailsRest](#)

current (optional)

[WorkflowStatusDetailsRest](#)

prev (optional)

[WorkflowStatusDetailsRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

cluster_uploadupdate_body

[Up](#)

file (optional)

[FormDataContentDisposition](#)