

Backup and DR Service: Management Console API Spec

This document defines the API for the Global Manager. All communication is done over HTTPS with UTF-8 encoding. JSON is the only supported format for both request and response payloads.

Please refer to section 3.7. Access Control of [Management Console API General concept](#) for the details on fetching bearer token and session id, which are used to invoke API listed in this document.

Methods

[Jump to [Models](#)]

Table of Contents

[Appliance](#)

- [HEAD /cluster](#)
- [GET /cluster/{cluster_id}](#)
- [GET /cluster](#)
- [OPTIONS /cluster](#)

[ApplianceDelegation](#)

- [GET /appliance delegation/{cluster_id}/config/download/log](#)
- [GET /appliance delegation/{cluster_id}/connectorbinary/{connectorname}](#)
- [GET /appliance delegation/{cluster_id}/config/download/ossnotice](#)
- [POST /appliance delegation/{cluster_id}/cluster/uploadupdate](#)

[ApplianceUpdate](#)

- [HEAD /applianceupdate](#)
- [DELETE /applianceupdate/schedule](#)
- [POST /applianceupdate/discover](#)
- [GET /applianceupdate/{update_id}](#)
- [GET /applianceupdate/notification](#)
- [GET /applianceupdate/readme](#)
- [POST /applianceupdate/installnow](#)
- [GET /applianceupdate](#)
- [OPTIONS /applianceupdate](#)
- [PUT /applianceupdate/notification](#)
- [POST /applianceupdate/schedule](#)

[ApplianceUpdateInstallationJob](#)

- [HEAD /applianceupdateinstallationjob](#)
- [GET /applianceupdateinstallationjob/{update_id}](#)
- [GET /applianceupdateinstallationjob/readme](#)
- [GET /applianceupdateinstallationjob/log](#)
- [GET /applianceupdateinstallationjob](#)
- [OPTIONS /applianceupdateinstallationjob](#)
- [PUT /applianceupdateinstallationjob/notification](#)

[Application](#)

- [POST /application/{application_id}/backup](#)
- [HEAD /application](#)
- [POST /application/{application_id}/settableoption](#)
- [POST /application/{application_id}/workflow](#)
- [DELETE /application/{application_id}](#)
- [DELETE /application/{application_id}/settableoption/{option_id}](#)
- [DELETE /application/{application_id}/workflow/{workflow_id}](#)
- [POST /application/{application_id}/expirebackup](#)
- [GET /application/{application_id}/appclass](#)
- [GET /application/appclass/{appclass_name}](#)
- [GET /application/appclass](#)
- [GET /application/{application_id}](#)
- [GET /application/{application_id}/settableoption/{option_id}](#)
- [GET /application/{application_id}/workflow/{workflow_id}](#)
- [GET /application/{application_id}/activeimage](#)
- [GET /application/types](#)
- [GET /application](#)
- [GET /application/{application_id}/settableoption](#)
- [GET /application/{application_id}/workflow](#)
- [OPTIONS /application](#)
- [OPTIONS /application/{application_id}/settableoption](#)
- [OPTIONS /application/settableoption/{apptype}](#)

- [PUT /application/{application_id}](#)
- [PUT /application/{application_id}/settableoption/{option_id}](#)
- [PUT /application/{application_id}/workflow/{workflow_id}](#)

AuditLog

- [HEAD /localaudit](#)
- [GET /localaudit/{audit_id}](#)
- [GET /localaudit](#)
- [OPTIONS /localaudit](#)

Backup

- [POST /backup/{backup_id}/clone](#)
- [HEAD /backup](#)
- [DELETE /backup/{backup_id}](#)
- [POST /backup/{backup_id}/expire](#)
- [GET /backup/{backupid}/applicationOptions](#)
- [GET /backup/{backup_id}](#)
- [GET /backup/{backupid}/diskmapping](#)
- [GET /backup](#)
- [POST /backup/{backup_id}/liveclone](#)
- [POST /backup/{backupid}/restoremigrate](#)
- [POST /backup/{backup_id}/mount](#)
- [POST /backup/{backupid}/mountmigratepreflight](#)
- [OPTIONS /backup](#)
- [POST /backup/{backup_id}/prepmount](#)
- [POST /backup/{backup_id}/prepunmount](#)
- [POST /backup/{backup_id}/refresh](#)
- [POST /backup/{backup_id}/restore](#)
- [POST /backup/{backup_id}/unmount](#)
- [PUT /backup/{backup_id}](#)

CloudCredential

- [POST /cloudcredential/{cloudcredential_id}/cloudpool](#)
- [POST /cloudcredential/{cloudcredential_id}/discovervm/addvm](#)
- [HEAD /cloudcredential](#)
- [POST /cloudcredential](#)
- [DELETE /cloudcredential/{cloudcredential_id}/cloudpool](#)
- [DELETE /cloudcredential/{cloudcredential_id}](#)
- [POST /cloudcredential/{cloudcredential_id}/discovervm/vm](#)
- [GET /cloudcredential/{cloudcredential_id}/region/{region}/zone](#)
- [GET /cloudcredential/cloudtype/{type}/field](#)
- [GET /cloudcredential/cloudtype](#)
- [GET /cloudcredential/cloudtype/{type}/vminfo](#)
- [GET /cloudcredential/{cloudcredential_id}](#)
- [GET /cloudcredential/{cloudcredential_id}/projects](#)
- [GET /cloudcredential/{cloudcredential_id}/region/{region}/mountinfo](#)
- [GET /cloudcredential/cloudtype/{type}/region](#)
- [GET /cloudcredential](#)
- [GET /cloudcredential/{cloudcredential_id}/disktypes](#)
- [POST /cloudcredential/{cloudcredential_id}/promote](#)
- [POST /cloudcredential/testconnection](#)
- [PUT /cloudcredential/{cloudcredential_id}/cloudpool](#)
- [PUT /cloudcredential/{cloudcredential_id}](#)

Configuration

- [GET /config/version](#)
- [GET /config/versiondetail](#)
- [GET /config/mgmtconsoledetails](#)

ConsistencyGroup

- [HEAD /consistencygroup](#)
- [POST /consistencygroup](#)
- [DELETE /consistencygroup/{group_id}](#)
- [GET /consistencygroup/{group_id}](#)
- [GET /consistencygroup/{group_id}/member](#)
- [GET /consistencygroup](#)
- [POST /consistencygroup/{group_id}/member](#)
- [OPTIONS /consistencygroup](#)
- [PUT /consistencygroup/{group_id}](#)

DiskPool

- [HEAD /diskpool](#)
- [POST /diskpool](#)
- [DELETE /diskpool/{diskpool_id}](#)
- [GET /diskpool/{diskpool_id}](#)
- [GET /diskpool/vault/listdynamicfields/{pool_type}](#)
- [GET /diskpool/vault/listtype](#)
- [GET /diskpool](#)
- [GET /diskpool/listgcpvaultpool](#)
- [OPTIONS /diskpool](#)
- [PUT /diskpool/{diskpool_id}](#)

DynamicProtection

- [HEAD /dynamicprotection](#)
- [POST /dynamicprotection](#)
- [DELETE /dynamicprotection/{dynamicprotection_id}](#)
- [GET /dynamicprotection/{dynamicprotection_id}](#)
- [GET /dynamicprotection/jobconfig](#)
- [GET /dynamicprotection](#)
- [POST /dynamicprotection/job/{application_type}](#)
- [PATCH /dynamicprotection/jobconfig](#)

Host

- [POST /host/{host_id}/addapplication](#)
- [POST /host/{host_id}/appdiscovery](#)
- [HEAD /host](#)
- [POST /host](#)
- [DELETE /host/{host_id}](#)
- [POST /host/enableconnectorupgrade](#)
- [GET /host/{host_id}](#)
- [GET /host](#)
- [OPTIONS /host](#)
- [PUT /host/revokeCertificate](#)
- [POST /host/{hostid}/testconnectorconnection](#)
- [PUT /host/{host_id}](#)
- [POST /host/{host_id}/host/{cluster_name}/addvms](#)
- [GET /host/{host_id}/discovervm](#)

Job

- [HEAD /jobstatus](#)
- [GET /jobstatus](#)
- [OPTIONS /jobstatus](#)

LogicalGroup

- [HEAD /logicalgroup](#)
- [POST /logicalgroup](#)
- [POST /logicalgroup/{group_id}/sla](#)
- [DELETE /logicalgroup/{group_id}](#)
- [DELETE /logicalgroup/{group_id}/sla](#)
- [GET /logicalgroup/{group_id}](#)
- [GET /logicalgroup](#)
- [GET /logicalgroup/{group_id}/member](#)
- [POST /logicalgroup/{group_id}/member](#)
- [OPTIONS /logicalgroup](#)
- [PUT /logicalgroup/{group_id}](#)
- [PUT /logicalgroup/{group_id}/sla](#)

ManageACL

- [POST /manageacl/migration/getdbdumpuploadurls](#)
- [GET /manageacl/migration/rmmigrationstatus](#)
- [GET /manageacl/migration/isinmigrationmode](#)
- [PUT /manageacl/promoteUser](#)
- [POST /manageacl/migration/savesecret](#)

SLA

- [HEAD /sla](#)
- [POST /sla/{sla_id}/settableoption](#)
- [POST /sla](#)
- [POST /sla/preflight](#)
- [DELETE /sla/{sla_id}/settableoption/{option_id}](#)
- [DELETE /sla/{sla_id}](#)
- [GET /sla/{sla_id}/settableoption/{option_id}](#)

- [GET /sla/{sla_id}](#)
- [GET /sla/{sla_id}/settableoption](#)
- [GET /sla](#)
- [OPTIONS /sla/{sla_id}/settableoption](#)
- [PUT /sla/{sla_id}/settableoption/{option_id}](#)
- [PUT /sla/{sla_id}](#)

SLAProfile

- [HEAD /slp](#)
- [POST /slp](#)
- [DELETE /slp/{slp_id}](#)
- [GET /slp/{slp_id}/projects](#)
- [GET /slp/{slp_id}](#)
- [GET /slp/{slp_id}/vcenters](#)
- [GET /slp](#)
- [PUT /slp/{slp_id}](#)

SLATemplate

- [POST /slt/{slt_id}/clone](#)
- [HEAD /slt](#)
- [POST /slt/{slt_id}/policy/{policy_id}/settableoption](#)
- [POST /slt/{slt_id}/policy](#)
- [POST /slt](#)
- [DELETE /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}](#)
- [DELETE /slt/{slt_id}/policy/{policy_id}](#)
- [DELETE /slt/{slt_id}](#)
- [GET /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}](#)
- [GET /slt/{slt_id}/policy/{policy_id}](#)
- [GET /slt/{slt_id}](#)
- [GET /slt/{slt_id}/policy/{policy_id}/settableoption](#)
- [GET /slt/{slt_id}/policy](#)
- [GET /slt](#)
- [OPTIONS /slt](#)
- [OPTIONS /slt/{slt_id}/policy/{policy_id}/settableoption](#)
- [OPTIONS /slt/settableoption/{policytype}](#)
- [PUT /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}](#)
- [PUT /slt/{slt_id}/policy/{policy_id}](#)
- [PUT /slt/{slt_id}](#)

UserSession

- [GET /session/permissions](#)
- [GET /session/current](#)
- [POST /session](#)
- [DELETE /session/current](#)
- [PUT /session/current](#)

Appliance

HEAD /cluster

[Up](#)

Get a count of total appliances matching the filters. It requires backupdr.managementServers.viewSystem IAM permission (countClusters)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
=	contains (case-insensitive)
>=	greater than or equal to
<=	less than or equal to
=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cluster/{cluster_id}

[Up](#)

Get individual appliance. It requires backupdr.managementServers.viewSystem IAM permission ([getCluster](#))

Path parameters

cluster_id (required)
Path Parameter – format: int64

Query parameters

show_all_paired_appliances (optional)
Query Parameter –

Return type

[ClusterRest](#)

Example data

Content-Type: application/json

```
{
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
  "protocol" : 3,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 2,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "machineType" : "machineType",
  "lastsync" : 9,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ClusterRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cluster

[Up](#)

Get a list of appliances. It requires backupdr.managementServers.viewSystem IAM permission ([listClusters](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=&b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

fetchReportManagerInfo (optional)

Query Parameter –

Return type

[ListClusterRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
```

```

    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
}, {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
  "protocol" : 3,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 2,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "machineType" : "machineType",
  "lastsync" : 9,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListClusterRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /cluster

[Up](#)

Describes the fields available for filtering and sorting. It requires `backupdr.managementServers.access` IAM permission (`optionsForListCluster`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ApplianceDelegation

GET /appliance delegation/{cluster_id}/config/download/log

[Up](#)

Download logs from backup/recovery appliance. It requires `backupdr.managementServers.viewSystem` IAM permission (`delegateGetCallDownloadLog`)

Path parameters

`cluster_id` (required)
Path Parameter – format: int64

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [Object](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /appliancedelegation/{cluster_id}/connectorbinary/{connectorname} [Up](#)

Download connectors from backup/recovery appliance. It requires backupdr.managementServers.manageSystem IAM permission ([downloadConnector](#))

Path parameters

connectorname (required)

Path Parameter –

cluster_id (required)

Path Parameter – format: int64

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [Object](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /appliancedelegation/{cluster_id}/config/download/ossnotice [Up](#)

Download zip file containing licenses and notices for open-source components from backup/recovery appliance. It requires backupdr.managementServers.viewSystem IAM permission ([downloadOssNotice](#))

Path parameters

cluster_id (required)

Path Parameter – format: int64

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [Object](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /appliance delegation/{cluster_id}/cluster/uploadupdate

[Up](#)

Upload software upgrade packages. It requires backupdr.managementServers.manageSystem IAM permission (uploadSoftwareUpgradeToAppliance)

Path parameters

cluster_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- multipart/form-data

Form parameters

file (optional)

Form Parameter –

Return type

String

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [String](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ApplianceUpdate

HEAD /applianceupdate

[Up](#)

Get a count of total applianceupdates matching the filters. It requires backupdr.managementServers.viewSystem IAM permission (countApplianceUpdates)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /applianceupdate/schedule

[Up](#)

Deletes the schedule for update. It requires backupdr.managementServers.manageSystem IAM permission (**deleteSchedule**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UpdateListRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /applianceupdate/discover

[Up](#)

Discover new updates for the managed appliances. It requires backupdr.managementServers.manageSystem IAM permission (**discoverUpdates**)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate/{update_id}

Get update details. It requires backupdr.managementServers.viewSystem IAM permission ([getApplianceUpdate](#))

Path parameters

update_id (required)
Path Parameter – format: int64

Return type

[ApplianceUpdateRest](#)

Example data

Content-Type: application/json

```
{
  "appliancename" : "appliancename",
  "updatestatus" : "updatestatus",
  "stale" : true,
  "syncdate" : 1,
  "clusterid" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "appliancestatus" : "appliancestatus",
  "rebootrequired" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate/notification

Fetch the notifications that needs to be displayed to the user. It requires backupdr.managementServers.access IAM permission ([getNotifications](#))

Return type

[ListRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate/readme

[Up](#)

Get readme with respect to the update id passed. It requires backupdr.managementServers.viewSystem IAM permission ([getReadMeForApplianceUpdate](#))

Query parameters

id (optional)

Query Parameter – format: int64

Return type

[ApplianceUpdateReadmeRest](#)

Example data

Content-Type: application/json

```
{
  "readmecontent" : [ "readmecontent", "readmecontent" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateReadmeRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /applianceupdate/installnow

[Up](#)

Install the updates now. It requires backupdr.managementServers.manageSystem IAM permission ([installApplianceUpdateNow](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UpdateListRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdate

[Up](#)

Get the list of actionable updates. It requires backupdr.managementServers.viewSystem IAM permission ([listApplianceUpdates](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td><td>:contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListConsolidatedApplianceUpdatesRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "allowforce" : true,
    "applianceDetails" : [ {
      "applianceName" : "applianceName",
      "updateStatus" : "updateStatus",
      "stale" : true,
      "syncDate" : 1,
      "clusterid" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "applianceStatus" : "applianceStatus",
      "rebootRequired" : true
    }, {
      "applianceName" : "applianceName",
      "updateStatus" : "updateStatus",
      "stale" : true,
      "syncDate" : 1,
      "clusterid" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "applianceStatus" : "applianceStatus",
      "rebootRequired" : true
    } ],
    "syncDate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "updateInformation" : {
      "updateid" : "updateid",
      "expectedDuration" : 5,
      "dueDate" : 7,
      "updateType" : "updateType",
      "componentName" : "componentName",
      "releaseDate" : 2,
      "updateName" : "updateName",
      "readmeLink" : "readmeLink"
    }
  }, {
    "stale" : true,
```

```

"allowforce" : true,
"applianceDetails" : [ {
  "applianceName" : "applianceName",
  "updateStatus" : "updateStatus",
  "stale" : true,
  "syncDate" : 1,
  "clusterid" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "applianceStatus" : "applianceStatus",
  "rebootRequired" : true
}, {
  "applianceName" : "applianceName",
  "updateStatus" : "updateStatus",
  "stale" : true,
  "syncDate" : 1,
  "clusterid" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "applianceStatus" : "applianceStatus",
  "rebootRequired" : true
} ],
"syncDate" : 5,
"href" : "http://example.com/aeiou",
"id" : "id",
"updateInformation" : {
  "updateid" : "updateid",
  "expectedDuration" : 5,
  "dueDate" : 7,
  "updateType" : "updateType",
  "componentName" : "componentName",
  "releaseDate" : 2,
  "updateName" : "updateName",
  "readmeLink" : "readmeLink"
}
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListConsolidatedApplianceUpdatesRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /applianceupdate

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListApplianceUpdates)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterableFields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",

```

```
    "values" : [ "values", "values" ],
    "type" : "type"
  } ],
  "pageable" : true,
  "sortable" : true,
  "sortablefields" : [ "sortablefields", "sortablefields" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /applianceupdate/notification

[Up](#)

Update the acknowledge status of the notification to true ([updateNotificationForApplianceUpdate](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ApplianceUpdateNotificationRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /applianceupdate/schedule

[Up](#)

Creates the schedule for update. It requires backupdr.managementServers.manageSystem IAM permission ([updateSchedule](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [UpdateListRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ApplianceUpdateInstallationJob

HEAD /applianceupdateinstallationjob

[Up](#)

Get the count of total appliance update installation jobs. It requires backupdr.managementServers.viewSystem IAM permission (`countApplianceUpdatesInstallationJobs`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon:

Operator	Meaning
==	equals
=	contains (case-insensitive)
>=	greater than or equal to
<=	less than or equal to
=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdateinstallationjob/{update_id}

[Up](#)

Get the appliance update job details. It requires backupdr.managementServers.viewSystem IAM permission (`getApplianceUpdateInstallationJob`)

Path parameters

update_id (required)

Path Parameter – format: int64

Return type

[ApplianceUpdateInstallationJobRest](#)

Example data

Content-Type: application/json

```
{
  "installduration" : 9,
  "clusterid" : 5,
  "updateprogress" : 3,
  "rebootrequired" : true,
```

```
"appliancename" : "appliancename",
"updatestatus" : "updatestatus",
"stale" : true,
"logslink" : "logslink",
"syncdate" : 2,
"startTime" : 6,
"details" : "details",
"endTime" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"updateinformation" : {
  "updateid" : "updateid",
  "expectedduration" : 5,
  "duedate" : 7,
  "updatetype" : "updatetype",
  "componentname" : "componentname",
  "releasedate" : 2,
  "updatename" : "updatename",
  "readmelink" : "readmelink"
}
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateInstallationJobRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /applianceupdateinstallationjob/readme

[Up](#)

Get readme of the update id passed. It requires backupdr.managementServers.viewSystem IAM permission ([getReadMeForApplianceUpdateInstallationJob](#))

Query parameters

id (optional)

Query Parameter – format: int64

Return type

[ApplianceUpdateReadmeRest](#)

Example data

Content-Type: application/json

```
{
  "readmecontent" : [ "readmecontent", "readmecontent" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplianceUpdateReadmeRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

GET /applianceupdateinstallationjob/log

Get logs of the update id passed. It requires backupdr.managementServers.viewSystem IAM permission ([getUpdateLogs](#))

Query parameters

id (optional)

Query Parameter – format: int64

Return type

[ListApplianceUpdateLogsRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "syncdate" : 6,
    "logfile" : "logfile",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "logs" : [ "logs", "logs" ]
  }, {
    "stale" : true,
    "syncdate" : 6,
    "logfile" : "logfile",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "logs" : [ "logs", "logs" ]
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplianceUpdateLogsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

GET /applianceupdateinstallationjob

Get the list of update installation jobs. It requires backupdr.managementServers.viewSystem IAM permission ([listApplianceUpdatesInstallationjobs](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields. Then append 'asc' or 'desc' for ascending or descending sort. Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
!=	not equal
>	greater than or equal to
<	less than or equal to
&b	bitwise and

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)
Query Parameter – Used with limit to support pagination format: int64

Return type

[ListRestApplianceUpdateInstallationJobRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "installduration" : 9,
    "clusterid" : 5,
    "updateprogress" : 3,
    "rebootrequired" : true,
    "appliancename" : "appliancename",
    "updatestatus" : "updatestatus",
    "stale" : true,
    "logslink" : "logslink",
    "syncdate" : 2,
    "startTime" : 6,
    "details" : "details",
    "endTime" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "updateinformation" : {
      "updateid" : "updateid",
      "expectedduration" : 5,
      "duedate" : 7,
      "updatetype" : "updatetype",
      "componentname" : "componentname",
      "releasedate" : 2,
      "updatename" : "updatename",
      "readmlink" : "readmlink"
    }
  }, {
    "installduration" : 9,
    "clusterid" : 5,
    "updateprogress" : 3,
    "rebootrequired" : true,
    "appliancename" : "appliancename",
    "updatestatus" : "updatestatus",
    "stale" : true,
    "logslink" : "logslink",
    "syncdate" : 2,
    "startTime" : 6,
    "details" : "details",
    "endTime" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "updateinformation" : {
      "updateid" : "updateid",
      "expectedduration" : 5,
      "duedate" : 7,
      "updatetype" : "updatetype",
      "componentname" : "componentname",
      "releasedate" : 2,
      "updatename" : "updatename",
      "readmlink" : "readmlink"
    }
  }
]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRestApplianceUpdateInstallationJobRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /applianceupdateinstallationjob

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (`optionsForListApplianceUpdateInstallationJobs`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /applianceupdateinstallationjob/notification

[Up](#)

Update the acknowledged status of the notification to true (`updateNotificationForApplianceUpdateInstallationJob`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ApplianceUpdateNotificationRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Application

POST /application/{application_id}/backup

[Up](#)

Run a backup job. It requires backupdr.managementServers.manageBackups IAM permission ([backupNow](#))

Path parameters

application_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [BackupNowRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /application

[Up](#)

Get a count of total applications matching the filters. It requires backupdr.managementServers.access IAM permission ([countApplications](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /application/{application_id}/settableoption

[Up](#)

Create a settable option for the particular application. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createOptionForApp](#))

Available options can be retrieved from the OPTIONS API. Existing options can be retrieved from GET API.

Path parameters

application_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AdvancedOptionRest](#) (optional)

Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /application/{application_id}/workflow

[Up](#)

Create new workflow for the particular application. It requires backupdr.managementServers.manageWorkflows IAM permission ([createWorkflow](#))

Path parameters

application_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [WorkflowRest](#) (optional)

Body Parameter –

Return type

[WorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "schedule" : {
    "stale" : true,
    "syncdate" : 2,
    "interval" : "interval",
    "time" : "time",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "frequency" : "frequency"
  },
  "stale" : true,
  "application" : {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 0,
      "cluster" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
```



```
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
], {
```

```
"stale" : true,
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ]
}
```

```
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
```

```

    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {

```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],

```

```

        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "user" : [ {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 4,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        }, {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 4,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        } ]
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",

```

```

    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",

```



```
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {

```

```
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
}, {
```

```
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ] ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",

```

```
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
```

```
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcmountpoint" : "sourcmountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
```



```
"stale" : true,
"credential" : "credential",
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safept" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
```

```

    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
        "err_code" : 10011,
        "err_message" : "err_message"
    }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,

```

```

    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
} ]

```

```

}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,

```

```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",

```

```
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
```

```
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxymhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
```



```

    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",

```

```
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,

```

```
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
```

```
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
},
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
}
```

```
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 9,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
```



```

    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ]
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"props" : [ null, null ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [WorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /application/{application_id}

Delete application. It requires backupdr.managementServers.manageApplications IAM permission ([deleteApplication](#))

Path parameters

application_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /application/{application_id}/settableoption/{option_id}

Delete the particular option from the particular application. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteOptionForApp](#))

Path parameters

application_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

option {optionId} is invalid [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /application/{application_id}/workflow/{workflow_id}

Delete existing workflow. It requires backupdr.managementServers.manageWorkflows IAM permission ([deleteWorkflow](#))

Path parameters

application_id (required)
Path Parameter –

workflow_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /application/{application_id}/expirebackup

[Up](#)

Expires backups of the particular application. It requires backupdr.managementServers.manageExpiration IAM permission ([expireBackups](#))

Default to all backups. Optionally the type of backups can be specified in the payload ([ExpireBackupRest](#)). Valid type includes snapshot, dedup, remote-dedup and vault.

Path parameters

application_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ExpireBackupRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/appclass

[Up](#)

Get the particular application's appclass metadata. It requires backupdr.managementServers.access IAM permission ([getAppClass](#))

Path parameters

application_id (required)

Path Parameter –

Query parameters

hostid (optional)

Query Parameter –

isasm (optional)

Query Parameter –

operation (optional)

Query Parameter –

backupid (optional)

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }, {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    } ],
    "validationRegex" : "validationRegex",
    "value" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      } ],
      "name" : "name",
      "alias" : "alias",
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
```

```
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editablenmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ]
}, {
"select" : true,
"defaultvalue" : "defaultvalue",
"description" : "description",
"type" : "type",
"required" : true,
"stale" : true,
"unique" : true,
"name" : "name",
"alias" : "alias",
"syncdate" : 6,
"restoreimmutable" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"choice" : [ {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
}, {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
} ],
"validationRegex" : "validationRegex",
"value" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editablenmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
```

```

    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
} ],
"scriptFile" : {
  "stale" : true,
  "name" : "name",
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
},
"friendlyName" : "friendlyName"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/appclass/{appclass_name}

Get appclass metadata for the particular appclass name. It requires backupdr.managementServers.access IAM permission (`getAppClassByAppclassName`)

Path parameters

`appclass_name` (required)
Path Parameter –

Query parameters

`hostid` (optional)
Query Parameter –

`clusterid` (optional)
Query Parameter –

`isasm` (optional)
Query Parameter –

`operation` (optional)
Query Parameter –

`backupid` (optional)
Query Parameter – format: int64

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }, {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    } ],
    "validationRegex" : "validationRegex",
    "value" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,

```

```

"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
}, {
  "select" : true,
  "defaultValue" : "defaultValue",
  "description" : "description",
  "type" : "type",
  "required" : true,
  "stale" : true,
  "unique" : true,
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 6,
  "restoreimmutable" : true,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "choice" : [ {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  }, {
    "isvm" : true,
    "stale" : true,

```



```

    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
} ],
"scriptId" : {
  "stale" : true,
  "name" : "name",
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
},

```

```
"friendlyName" : "friendlyName"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

Query parameter clusterid or hostid is mandatory [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/appclass

[Up](#)

Get all available app classes from given cluster. It requires backupdr.managementServers.access IAM permission ([getAppClasses](#))

Query parameters

clusterid (optional)

Query Parameter – format: int64

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }, {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    } ],
    "validationRegex" : "validationRegex",
    "value" : [ {
```

```
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editablenmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editablenmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ]
}, {
  "select" : true,
  "defaultValue" : "defaultValue",
  "description" : "description",
  "type" : "type",
  "required" : true,
  "stale" : true,
  "unique" : true,
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 6,
  "restoreimmutable" : true,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "choice" : [ {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  }, {
    "isvm" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
} ],
"scriptId" : {
  "stale" : true,

```

```
"name" : "name",
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"required" : true
},
"friendlyName" : "friendlyName"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

Query parameter clusterid is mandatory [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}

[Up](#)

Get details on the particular application. It requires backupdr.managementServers.access IAM permission ([getApplication](#))

Path parameters

application_id (required)

Path Parameter –

Return type

[ApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
```

```
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
```

```
"usage_mb" : 7,
"grainsize" : 3,
"cloudcredential" : {
  "serviceaccount" : "serviceaccount",
  "clientid" : "clientid",
  "secretkey" : "secretkey",
  "sources" : [ null, null ],
  "cloudtype" : "cloudtype",
  "vaultudsuid" : 6,
  "clusterid" : 5,
  "privatekey" : "privatekey",
  "endpoint" : "endpoint",
  "stale" : true,
  "credential" : "credential",
  "srcid" : 6,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "subscriptionid" : "subscriptionid",
  "projectid" : "projectid",
  "publickey" : "publickey",
  "immutable" : true,
  "usedefaultsa" : true,
  "domain" : "domain",
  "orglist" : [ null, null ],
  "name" : "name",
  "region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
```

```

"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,

```



```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",

```

```

    "objectid" : "objectid"
  } ],
  "syncdate" : 9,
  "yaml" : "yaml",
  "provisioningoptions" : [ null, null ],
  "catalogstate" : "catalogstate",
  "racodelist" : [ "racodelist", "racodelist" ],
  "immutabilitydate" : 5,
  "application_allocated_size" : 8,
  "backuplock" : "backuplock",
  "name" : "name",
  "volgroupname" : "volgroupname",
  "expiration" : 6,
  "policyname" : "policyname",
  "mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }
    ]
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],

```

```

    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {

```

```
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
```

```

"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    ]
  ]
}

```

```

}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,

```



```
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
```

```
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
```

```
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WVPN" : [ "WVPN", "WVPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
```

```
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 3,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 3,
  "status" : "status",
```

```
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,

```

```
"syncdate" : 2,
"clusterid" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "pollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
```

```

    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},

```

```
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
```



```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
```

```

"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,

```

```
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
```

```

"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}
]
}, {
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",

```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",

```

```
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
```



```
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migraemapping" : "migraemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
```

```
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targettuds" : "targettuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
```

```
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "retention" : "retention",
      "repeatinterval" : "repeatinterval",
      "verification" : true,
      "truncatelog" : "truncatelog",
      "op" : "op",
      "exclusiontype" : "exclusiontype",
      "rpom" : "rpom",
      "endtime" : "endtime",
```

```

    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],

```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 5,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/settableoption/{option_id}

[Up](#)

Get the particular option of the particular application. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getOptionForApp](#))

Path parameters

application_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/workflow/{workflow_id}

[Up](#)

Get individual workflow. It requires backupdr.managementServers.viewWorkflows IAM permission ([getWorkflow](#))

Note: Workflow_id is not unique on AGM (it's actually the id on the appliance). It's unique per application_id though

Path parameters

application_id (required)

Path Parameter –

workflow_id (required)

Path Parameter –

Return type

[WorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
    }
  }
}
```

```
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "username" : "username"
    },
    "sltname" : "sltname",
    "migrate-copythreadcount" : 3,
    "restorelock" : "restorelock",
    "sourcecuds" : "sourcecuds",
```

```
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientId" : "clientId",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
```



```
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
```

```

    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
}

```

```

} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {

```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrue" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",

```

```
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
```

```

        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
    "server" : [ null, null ],
    "stale" : true,
    "client" : [ {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }, {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }
    ] ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,

```

```
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```



```
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
{
  "stale" : true,
  "name" : "name",

```

```

    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",

```

```

"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",

```

```
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatingcuds" : "originatingcuds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,

```

```
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
```

```
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
```



```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",

```

```

    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    } ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  }, {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,

```

```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],

```

```

    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,

```

```
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}
```

```

}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",

```

```

"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",

```



```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxymhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
```

```

    },
    "projectid" : "projectid",
    "mask" : "mask",
    "isesxhost" : true,
    "dataip" : "dataip",
    "maxjobs" : 4,
    "vmtype" : "vmtype",
    "multiregion" : "multiregion",
    "alternateip" : [ "alternateip", "alternateip" ],
    "clearchap" : true,
    "connectorConnectionStatus" : {
        "connectionstatus" : "connectionstatus",
        "stale" : true,
        "pkistate" : "pkistate",
        "syncdate" : 5,
        "href" : "http://example.com/aeiou",
        "id" : "id"
    },
    "clusterid" : "clusterid",
    "transport" : "transport",
    "ostype" : "ostype",
    "systemdetail" : "systemdetail",
    "agents" : [ null, null ],
    "managedby" : "MS",
    "connect2actip" : "connect2actip",
    "isClusterNode" : true,
    "srcid" : "srcid",
    "WWPN" : [ "WWPN", "WWPN" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
        "uniqueid" : "uniqueid"
    }, {
        "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
}, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {

```

```
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
```

```

"metadata" : {
  "backupPlan" : "backupPlan",
  "env" : "env"
},
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,

```

```

    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 9,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ]
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,

```

```

    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"props" : [ null, null ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [WorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/activeimage

[Up](#)

Get active images for an application. It requires backupdr.managementServers.access IAM permission ([listActiveImages](#))

Path parameters

application_id (required)
Path Parameter –

Return type

[ListBackupRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
    }
  }
]
}

```



```
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
```

```
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsized" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
```

```
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}
```

```

    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",

```

```
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
} ],
"name" : "name",
```



```
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
```

```
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
```

```
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
```

```
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
```

```
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
```

```
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
```

```
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
```



```
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
```

```

    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ] ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
  ] ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  }, {
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",

```

```

"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,

```

```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,

```

```
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
"syncdate" : 7,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "hostclusterid" : 7,
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "guestvmiscsi" : true,
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ismv" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
  }
}
```



```

    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,

```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  } ],
  "name" : "name",
  "alias" : "alias",

```

```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",

```

```
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
```

```

    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListBackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/types

Get list of application types that are currently in the system. It requires backupdr.managementServers.access IAM permission (`listApplicationTypes`)

Return type

[ListStringRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ "items", "items" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListStringRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application

List applications. It requires backupdr.managementServers.access IAM permission (`listApplications`)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append `':asc'` or `':desc'` for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 0,
      "cluster" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",

```

```
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatingcuds" : "originatingcuds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,

```

```
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
```



```
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",

```

```

    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    } ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  }, {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,

```

```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],

```

```
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
```

```
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}
```

```

}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",

```



```

"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",

```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
```

```

    },
    "projectid" : "projectid",
    "mask" : "mask",
    "isesxhost" : true,
    "dataip" : "dataip",
    "maxjobs" : 4,
    "vmtype" : "vmtype",
    "multiregion" : "multiregion",
    "alternateip" : [ "alternateip", "alternateip" ],
    "clearchap" : true,
    "connectorConnectionStatus" : {
        "connectionstatus" : "connectionstatus",
        "stale" : true,
        "pkistate" : "pkistate",
        "syncdate" : 5,
        "href" : "http://example.com/aeiou",
        "id" : "id"
    },
    "clusterid" : "clusterid",
    "transport" : "transport",
    "ostype" : "ostype",
    "systemdetail" : "systemdetail",
    "agents" : [ null, null ],
    "managedby" : "MS",
    "connect2actip" : "connect2actip",
    "isClusterNode" : true,
    "srcid" : "srcid",
    "WWPN" : [ "WWPN", "WWPN" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
        "uniqueid" : "uniqueid"
    }, {
        "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
}, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {

```

```

    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,

```

```
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,

```

```
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```



```

    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,

```

```
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racnodelist" : [ "racnodelist", "racnodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {

```

```
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
}, {
```

```
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {

```



```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ], {

```

```

    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",

```

```
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
```

```
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",

```

```

    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,

```

```
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
```

```
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsized" : 6,
    "bucket" : "bucket",
```



```

    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],

```

```

    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"

```

```

}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
} ]

```

```

    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
  } ],
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"

```

```

}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}

```

```

    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ism" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",

```



```
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
} ],
```

```

    "clusterid" : "clusterid"
  } ],
  "machinetype" : "machinetype",
  "ostype_special" : "ostype_special",
  "hostname" : "hostname",
  "stale" : true,
  "zone" : "zone",
  "autoupgrade" : "DISABLED",
  "syncdate" : 0,
  "sourcecluster" : "sourcecluster",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "maxlogjobs" : 3,
  "pki_errors" : [ "pki_errors", "pki_errors" ],
  "reconciliation_needed" : true,
  "isShadowHost" : true,
  "chapusername" : "chapusername",
  "is_auto_discovery_enabled" : true,
  "nfsoption" : {
    "server" : [ null, null ],
    "stale" : true,
    "client" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      } ],
      "name" : "name",
      "alias" : "alias",
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
      } ],
      "name" : "name",
      "alias" : "alias",
      "syncdate" : 4,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
```

```

"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",

```

```

    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",

```

```
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
```

```
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
```

```
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
```



```

    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,

```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
    } ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",

```

```
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
] ],
} ],
```

```
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
```

```

"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
  "clusterid" : "clusterid"
}, {

```

```

"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {

```



```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
```

```
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
"appState" : 4,
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
```

```

    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 8,
  "stale" : true,
  "error_threshold_custom" : 7,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",

```

```

        "priority" : "priority",
        "rpo" : "rpo",
        "selection" : "selection",
        "policyType" : "policyType",
        "name" : "name",
        "remoteretention" : 5,
        "targetvault" : 0
    } ],
    "description" : "description",
    "managedbyagm" : true,
    "sourcename" : "sourcename",
    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 5,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

List all existing settable options of the application. It requires backupdr.managementServers.access IAM permission ([listOptionForApp](#))

Path parameters

application_id (required)
Path Parameter –

Return type

[ListAdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /application/{application_id}/workflow

[Up](#)

Get list of workflows for the particular application. It requires backupdr.managementServers.viewWorkflows IAM permission ([listWorkflowsPerApp](#))

Path parameters

application_id (required)
Path Parameter –

Return type

[ListWorkflowRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",

```

```
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
```



```
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourceMountpoint" : "sourceMountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"apptype" : "apptype",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
```

```
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
```

```

    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,

```

```

    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",

```

```

    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```

```

    } ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  } ],
  "syncdate" : 9,
  "yaml" : "yaml",
  "provisioningoptions" : [ null, null ],
  "catalogstate" : "catalogstate",
  "racodelist" : [ "racodelist", "racodelist" ],
  "immutabilitydate" : 5,
  "application_allocated_size" : 8,
  "backuplock" : "backuplock",
  "name" : "name",
  "volgroupname" : "volgroupname",
  "expiration" : 6,
  "policyname" : "policyname",
  "mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profieltype" : "profieltype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profieltype" : "profieltype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }
    ], {
      "clusterid" : "clusterid"
    }, {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profieltype" : "profieltype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,

```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ],
  "name" : "name",
  "alias" : "alias",

```



```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",

```

```
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",

```

```
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
```

```
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

```

    },
    "clusterid" : "clusterid",
    "transport" : "transport",
    "ostype" : "ostype",
    "systemdetail" : "systemdetail",
    "agents" : [ null, null ],
    "managedby" : "MS",
    "connect2actip" : "connect2actip",
    "isClusterNode" : true,
    "srcid" : "srcid",
    "wwpn" : [ "wwpn", "wwpn" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
  } ],
  "consistencydate" : 4,
  "modifiedbytes" : "modifiedbytes",
  "consumedsized" : 5,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmpath" : "vmpath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appstate" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appstate" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,

```

```
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourcecuds" : "sourcecuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
  "jobclass" : "jobclass",
```

```
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
```



```
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
```

```

    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "splist" : [ "splist", "splist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
  ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }
  ]
}

```

```

    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,

```

```

"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",

```

```

    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynchnode" : "dedupasynchnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynchnode" : "dedupasynchnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynchnode" : "dedupasynchnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",

```

```
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "hostclusterid" : 7,
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "guestvmiscsi" : true,
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
```



```

    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,

```

```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",

```

```
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  } ], {
```

```

    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,

```

```
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "retention" : "retention",
      "repeatinterval" : "repeatinterval",
```

```

"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 8,
  "stale" : true,
  "error_threshold_custom" : 7,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,

```

```
    "sourcename" : "sourcename",
    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 5,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 9,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }
]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
```



```
"props" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ]
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"props" : [ null, null ]
}, {
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
```

```
"region" : "region",
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 2
      }
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  } ],
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
```

```
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
```

```
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
```

```

    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "splist" : [ "splist", "splist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ] ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
  ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",

```

```
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynode" : "dedupasynode",
      "profieltype" : "profieltype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
```



```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,

```

```
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
"syncdate" : 7,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "hostclusterid" : 7,
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "guestvmiscsi" : true,
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
  }
}
```

```

    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncline" : "dedupasyncline",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncline" : "dedupasyncline",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,

```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ],
  "name" : "name",
  "alias" : "alias",

```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }, {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        } ],
        "name" : "name",
        "alias" : "alias",
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",

```

```
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxymhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }
]
```

```

    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",

```



```
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
] ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
```

```
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "spllist" : [ "spllist", "spllist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "spllistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ], {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "spllist" : [ "spllist", "spllist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,

```

```
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
  } ],
  "syncdate" : 8,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {

```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],

```

```

        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncline" : "dedupasyncline",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncline" : "dedupasyncline",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }
    ],
    "clusterid" : "clusterid"
}, {
    "srcid" : "srcid",
    "slps" : [ {
        "dedupasyncline" : "dedupasyncline",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,

```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}

```



```

    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],

```

```
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
```

```
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "hostclusterid" : 7,
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "guestvmiscsi" : true,
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
```

```
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
```

```
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemoverstarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "schedulingtype" : "schedulingtype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
```

```
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
```



```

"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",

```

```
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"name" : "name",
"syncdate" : 9,
"disabled" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"items" : [ {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ]
}, {
  "stale" : true,
  "name" : "name",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "props" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ]
} ],
"status" : {
  "next" : {
    "result" : "result",
    "jobtag" : "jobtag",
    "current" : "current",
    "enddate" : 1,
    "stale" : true,
    "pending" : "pending",
    "syncdate" : 5,
    "completed" : "completed",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "startdate" : 6,
    "status" : "status"
  },
  "stale" : true,
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"props" : [ null, null ]
```

```
} ]  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListWorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /application

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (optionsForListApplication)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{  
  "GET(list)" : {  
    "filterable" : true,  
    "filterablefields" : [ {  
      "field" : "field",  
      "values" : [ "values", "values" ],  
      "type" : "type"  
    }, {  
      "field" : "field",  
      "values" : [ "values", "values" ],  
      "type" : "type"  
    } ],  
    "pageable" : true,  
    "sortable" : true,  
    "sortablefields" : [ "sortablefields", "sortablefields" ]  
  }  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /application/{application_id}/settableoption

[Up](#)

Get settable option metadata of the particular application. It requires backupdr.managementServers.access IAM permission (settableOptionMetadataForApp)

Path parameters

application_id (required)
Path Parameter –

Return type
String

Example data
Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [String](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /application/settableoption/{apptype}

[Up](#)

Settable option metadata for the particular application type. It requires backupdr.managementServers.access IAM permission ([settableOptionMetadataForAppType](#))

Path parameters

apptype (required)
Path Parameter –

Return type
String

Example data
Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [String](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /application/{application_id}

[Up](#)

Update application data. It requires backupdr.managementServers.manageApplications and backupdr.managementServers.manageSensitiveData (for sensitive app) IAM permissions ([updateApplication](#))

Path parameters

application_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ApplicationRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /application/{application_id}/settableoption/{option_id}

[Up](#)

Update the particular option of the particular application. It requires backupdr.managementServers.assignBackupPlans IAM permission (updateOptionForApp)

Path parameters

application_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [AdvancedOptionRest](#) (optional)

Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /application/{application_id}/workflow/{workflow_id}

[Up](#)

Update existing workflow. It requires backupdr.managementServers.manageWorkflows IAM permission (`updateWorkflow`)

Path parameters

`application_id` (required)

Path Parameter –

`workflow_id` (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- `application/json`

Request body

body [WorkflowRest](#) (optional)

Body Parameter –

Return type

[WorkflowRest](#)

Example data

Content-Type: `application/json`

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
```

```
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"schedule" : {
  "stale" : true,
  "syncdate" : 2,
  "interval" : "interval",
  "time" : "time",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "frequency" : "frequency"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "username" : "username"
    },
    "sltname" : "sltname",
    "migrate-copythreadcount" : 3,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 2,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "poolName" : "poolName",
```

```
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
```



```

},
"free_mb" : 3,
"safept" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsudo" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],

```

```

    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ]

```

```

    }, {
      "stale" : true,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    } ],
    "status" : "status",
    "pooltype" : "pooltype"
  },
  "mountedmountpoint" : "mountedmountpoint",
  "backedupdbnames" : "backedupdbnames",
  "eligiblestoragetypes" : "eligiblestoragetypes",
  "copies" : [ null, null ],
  "appname" : "appname",
  "zone" : "zone",
  "beginpit" : 8,
  "exportvolume" : [ {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  }, {
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",

```

```

    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,

```

```
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
} ],
```

```
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
```



```

"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
}, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
]
}, {
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",

```

```
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
```

```

    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",

```

```
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
```

```
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkibootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
```

```
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectId" : "projectId",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
```

```
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
```

```

    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],

```



```

    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {

```

```

"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,

```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"polycyname" : "polycyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        } ] ] ] ] ],
"clusterid" : "clusterid"
}, {
    "srcid" : "srcid",
    "slps" : [ {

```

```

    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 1,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}
```

```
    } ],
    "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
    "pki_state" : "pki_state",
    "sources" : [ null, null ],
    "vcenterhostid" : "vcenterhostid",
    "cert_revoked" : true,
    "hosttype" : "hosttype",
    "friendlypath" : "friendlypath",
    "esxlist" : [ null, null ],
    "description" : "description",
    "isvcenterhost" : true,
    "isvm" : true,
    "hasagent" : true,
    "modifydate" : 6,
    "dbauthentication" : true,
    "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
    "isproxycost" : true,
    "udsagent" : {
        "shared_secret" : "shared_secret",
        "agent_version" : "agent_version",
        "haspassword" : true,
        "password" : "password",
        "stale" : true,
        "agenttype" : "agenttype",
        "port" : 9,
        "alternatekey" : "alternatekey",
        "hasalternatekey" : true,
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "username" : "username"
    },
    "projectid" : "projectid",
    "mask" : "mask",
    "isesxhost" : true,
    "dataip" : "dataip",
    "maxjobs" : 4,
    "vmtype" : "vmtype",
    "multiregion" : "multiregion",
    "alternateip" : [ "alternateip", "alternateip" ],
    "clearchap" : true,
    "connectorConnectionStatus" : {
        "connectionstatus" : "connectionstatus",
        "stale" : true,
        "pkistate" : "pkistate",
        "syncdate" : 5,
        "href" : "http://example.com/aeiou",
        "id" : "id"
    },
    "clusterid" : "clusterid",
    "transport" : "transport",
    "ostype" : "ostype",
    "systemdetail" : "systemdetail",
    "agents" : [ null, null ],
    "managedby" : "MS",
    "connect2actip" : "connect2actip",
    "isClusterNode" : true,
    "srcid" : "srcid",
    "WWPN" : [ "WWPN", "WWPN" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
}, {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasynccode" : "dedupasynccode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
```

```

    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",

```



```
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
```

```
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
```

```

"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",

```

```
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
```

```

    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,

```

```
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
```

```

    "isrestoring" : true,
    "pathname" : "pathname",
    "failoverstate" : "failoverstate",
    "srcid" : "srcid",
    "orglist" : [ null, null ],
    "name" : "name",
    "sensitivity" : 3,
    "frommount" : true,
    "friendlytype" : "friendlytype",
    "username" : "username"
  },
  "name" : "name",
  "syncdate" : 9,
  "disabled" : true,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "items" : [ {
    "stale" : true,
    "name" : "name",
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "props" : [ {
      "stale" : true,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    }, {
      "stale" : true,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    } ]
  }, {
    "stale" : true,
    "name" : "name",
    "syncdate" : 7,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "props" : [ {
      "stale" : true,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    }, {
      "stale" : true,
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "key" : "key"
    } ]
  } ],
  "status" : {
    "next" : {
      "result" : "result",
      "jobtag" : "jobtag",
      "current" : "current",
      "enddate" : 1,
      "stale" : true,
      "pending" : "pending",
      "syncdate" : 5,
      "completed" : "completed",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "startdate" : 6,
      "status" : "status"
    },
    "stale" : true,
    "syncdate" : 5,
  }

```

```
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"props" : [ null, null ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [WorkflowRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

AuditLog

HEAD /localaudit

[Up](#)

Get a count of total audit records matching the filters. It requires backupdr.managementServers.viewSystem IAM permission (countAudits)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=&b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /localaudit/{audit_id}

[Up](#)

Get individual audit record details. It requires backupdr.managementServers.viewSystem IAM permission (getAudit)

Path parameters

audit_id (required)

Path Parameter –

Return type

[OrganizationRest](#)

Example data

Content-Type: application/json


```

{
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OrganizationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /localaudit

[Up](#)

Get a list of local audit records. It requires backupdr.managementServers.viewSystem IAM permission ([listAudits](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListAuditRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "ipaddress" : "ipaddress",
    "issuedate" : 1,
    "command" : "command",
    "privileged" : true,
    "proxy" : "proxy",
    "component" : "component",
    "stale" : true,
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "jobname" : "jobname",
    "status" : 6,
    "username" : "username"
  }, {
    "ipaddress" : "ipaddress",
    "issuedate" : 1,
    "command" : "command",
    "privileged" : true,
    "proxy" : "proxy",
    "component" : "component",
    "stale" : true,
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "jobname" : "jobname",
    "status" : 6,
    "username" : "username"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAuditRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /localaudit

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.viewSystem IAM permission (optionsForListLocalAudit)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
    } ]
  }
}
```

```

    "type" : "type"
  }, {
    "field" : "field",
    "values" : [ "values", "values" ],
    "type" : "type"
  } ],
  "pageable" : true,
  "sortable" : true,
  "sortablefields" : [ "sortablefields", "sortablefields" ]
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Backup

POST /backup/{backup_id}/clone

[Up](#)

Clone a specific backup. It requires backupdr.managementServers.manageClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([cloneBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [CloneRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /backup

[Up](#)

Get a count of total backups matching the filters. It requires backupdr.managementServers.access IAM permission ([countBackups](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /backup/{backup_id}

[Up](#)

Delete a specific backup. It requires backupdr.managementServers.manageExpiration and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions (**deleteBackup**)

Path parameters

backup_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/expire

[Up](#)

Expire a specific backup. It requires backupdr.managementServers.manageExpiration and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions (**expireBackup**)

Path parameters

backup_id (required)

Path Parameter –

Query parameters

force (optional)

Query Parameter – default: false

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup/{backupid}/applicationOptions

[Up](#)

Gets the dynamic list of application options and corresponding default value (if any) for given backup image. It requires backupdr.managementServers.manageBackups and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([fetchApplicationOptions](#))

Path parameters

backupid (required)

Path Parameter – Id of the backup image whose application options are required.

backupid (required)

Path Parameter –

Query parameters

isoraclerestore (optional)

Query Parameter – Boolean flag is set to be true when the api is called for oracle restore to filter out some application options. Default value is false if not populated separately, will return all application options

isoraclerestore (optional)

Query Parameter –

Return type

[AppClassRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "provisioningOptions" : [ {
    "select" : true,
    "defaultValue" : "defaultValue",
    "description" : "description",
    "type" : "type",
    "required" : true,
    "stale" : true,
    "unique" : true,
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 6,
    "restoreimmutable" : true,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "choice" : [ {
      "isvm" : true,
      "stale" : true,
      "isclustered" : true,
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "pathname" : "pathname"
    }, {
```

```

    "ismv" : true,
    "stale" : true,
    "isclustered" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "pathname" : "pathname"
  } ],
  "validationRegex" : "validationRegex",
  "value" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
}, {
  "select" : true,
  "defaultValue" : "defaultValue",
  "description" : "description",
  "type" : "type",
  "required" : true,
  "stale" : true,
  "unique" : true,

```

```
"name" : "name",
"alias" : "alias",
"syncdate" : 6,
"restoreimmutable" : true,
"href" : "http://example.com/aeiou",
"id" : "id",
"choice" : [ {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
}, {
  "isvm" : true,
  "stale" : true,
  "isclustered" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "pathname" : "pathname"
} ],
"validationRegex" : "validationRegex",
"value" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
```

```

    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ]
} ],
"scriptId" : {
  "stale" : true,
  "name" : "name",
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "required" : true
},
"friendlyName" : "friendlyName"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AppClassRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup/{backup_id}

[Up](#)

Get individual backup details. It requires backupdr.managementServers.access and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([getBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Return type

[BackupRest](#)

Example data

Content-Type: application/json

```

{
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
  }
}

```



```
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
```

```
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"compression" : true,
"region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ], {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
```

```

    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ]
}, {
  "syncdate" : 8,

```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
```

```
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
}, {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
}, {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
```

```
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],

```



```

    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],

```

```
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
```

```
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "hostclusterid" : 7,
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "guestvmiscsi" : true,
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
```

```
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "filename" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
```

```
    "failedddb" : "failedddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [BackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup/{backupid}/diskmapping

[Up](#)

Gets disk mapping options for restore (source disks, target disks, RAC node list etc). It requires backupdr.managementServers.manageBackups and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([getDiskMapping](#))

Path parameters

backupid (required)

Path Parameter – Id of the backup image to be restored

backupid (required)

Path Parameter –

Query parameters

hostid (optional)

Query Parameter – Restore target host

targetstoragetype (optional)

Query Parameter – Restore Target Storage Type (ASM or FS)

hostid (optional)

Query Parameter –

targetstoragetype (optional)

Query Parameter –

Return type

[DiskMappingRest](#)

Example data

Content-Type: application/json

```
{
  "sourceinfo" : [ {
    "filetype" : "filetype",
    "eligible" : true,
    "name" : "name",
    "requiredsize" : 0.8008281904610115,
    "freespace" : "freespace"
  } ]
}
```

```

}, {
  "filetype" : "filetype",
  "eligible" : true,
  "name" : "name",
  "requiresize" : 0.8008281904610115,
  "freespace" : "freespace"
} ],
"targetlist" : [ null, null ],
"asmracodelist" : [ "asmracodelist", "asmracodelist" ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskMappingRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /backup

[Up](#)

Get a list of backups. It requires backupdr.managementServers.access IAM permission ([listBackups](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListBackupRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",

```



```
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
```

```
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
```

```

    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],

```

```
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
```

```

        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
}, {

```

```
"stale" : true,
"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {

```

```

        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }
    ]
} ],
"clusterid" : "clusterid"
}, {

```

```
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {
```



```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exslist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
```

```
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
"clusterid" : "clusterid"
```

```
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
```

```
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
```

```
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
```



```
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
```

```

"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,

```

```

        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
} ],
    "syncdate" : 9,
    "yaml" : "yaml",
    "provisioningoptions" : [ null, null ],
    "catalogstate" : "catalogstate",
    "racodelist" : [ "racodelist", "racodelist" ],
    "immutabilitydate" : 5,
    "application_allocated_size" : 8,
    "backuplock" : "backuplock",
    "name" : "name",
    "volgroupname" : "volgroupname",
    "expiration" : 6,
    "policyname" : "policyname",
    "mountedhost" : [ {
        "node_logged_in_count" : "node_logged_in_count",
        "uniquename" : "uniquename",
        "svcname" : "svcname",
        "iogrp" : "iogrp",
        "chappassword" : "chappassword",
        "source" : [ {
            "srcid" : "srcid",
            "slps" : [ {

```

```
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
```

```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
```

```
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
```



```

"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",

```

```
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
  } ],
  "stale" : true,
}
```

```

        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",

```

```
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ismv" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
```

```

    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListBackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/liveclone

[Up](#)

Create live-clone of a specific backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([liveCloneBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [LiveCloneRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backupid}/restoremigrate

[Up](#)

Submit restore-migrate for Oracle restore-mounted image. It requires backupdr.managementServers.manageMigrations and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([migrateRestoreMountBackup](#))

Path parameters

backupid (required)

Path Parameter – Id of the restore-mounted image to be migrated

backupid (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [RestoreMigrateRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/mount

[Up](#)

Mount a specific backup. It require backupdr.managementServers.manageMounts IAM permission for mounting any backup, backupdr.managementServers.manageRestores IAM permission for restoring GCE backup, and backupdr.managementServers.accessSensitiveData IAM permission to access sensitive backup (**mountBackup**)

Path parameters

backup_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [MountRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backupid}/mountmigratepreflight

[Up](#)

Performs preflight check for Oracle restore-mount/restore-migrate operations. It requires backupdr.managementServers.manageMigrations and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions (**mountMigratePreflight**)

Path parameters

backupid (required)

Path Parameter – Id of the backup image which will be restore-mounted or restore-migrated.

backupid (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [PreflightRest](#) (optional)

Body Parameter –

Return type

[RestorePreflightRest](#)

Example data

Content-Type: application/json

```
{
  "testlist" : [ {
    "stale" : true,
    "test" : "test",
    "hint" : "hint",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "extrainfo" : "extrainfo",
    "status" : "status"
  }, {
    "stale" : true,
    "test" : "test",
    "hint" : "hint",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "extrainfo" : "extrainfo",
    "status" : "status"
  } ],
  "stale" : true,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "status" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [RestorePreflightRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /backup

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListBackup](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```



```
}  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/prepmount

[Up](#)

Prep-mount a specific backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([prepMountLiveCloneNew](#))

Path parameters

backup_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [PrepmountRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/prepunmount

[Up](#)

Prep-unmount a specific backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([prepUnmountBackup](#))

Path parameters

backup_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [UnmountRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/refresh

[Up](#)

Refresh a live-clone backup. It requires backupdr.managementServers.manageLiveClones and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([refreshLiveClone](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [RefreshRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/restore

[Up](#)

Restore an application from a specific backup. It requires backupdr.managementServers.manageRestores and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions ([restoreBackup](#))

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [RestoreRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /backup/{backup_id}/unmount

[Up](#)

Unmount a specific backup. It requires backupdr.managementServers.manageMounts and backupdr.managementServers.accessSensitiveData (for sensitive backup) IAM permissions (**unmountBackup**)

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [UnmountRest](#) (optional)
Body Parameter –

Query parameters

returnjob (optional)
Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /backup/{backup_id}

[Up](#)

Update the specific backup. It requires backupdr.managementServers.manageExpiration IAM permission to update expiration, backupdr.managementServers.manageBackups IAM permission to update rest of the fields, backupdr.managementServers.accessSensitiveData IAM permission to update sensitive backup, and backupdr.managementServers.manageSensitiveData IAM permission to update sensitivity flag (**updateBackup**)

Path parameters

backup_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [BackupRest](#) (optional)
Body Parameter –

Return type

[BackupRest](#)

Example data

Content-Type: application/json

```
{
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
```

```
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
```

```
"userlist" : [ "userlist", "userlist" ],
"slplist" : [ "slplist", "slplist" ],
"arraylistcount" : 8,
"hostlist" : [ "hostlist", "hostlist" ],
"sltlistcount" : 1,
"applist" : [ "applist", "applist" ],
"cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
"poollistcount" : 9,
"arraylist" : [ "arraylist", "arraylist" ],
"hostlistcount" : 4,
"applistcount" : 6,
"lglist" : [ "lglist", "lglist" ],
"slplistcount" : 5,
"stale" : true,
"sltlist" : [ "sltlist", "sltlist" ],
"userlistcount" : 9,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"cloudcredentiallistcount" : 6,
"lglistcount" : 9,
"poollist" : [ "poollist", "poollist" ]
},
"memberlist" : [ null, null ],
"modifydate" : 6,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 7,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"ancestorlist" : [ null, null ],
"version" : "version"
}, {
"resourcecollection" : {
"userlist" : [ "userlist", "userlist" ],
"slplist" : [ "slplist", "slplist" ],
"arraylistcount" : 8,
"hostlist" : [ "hostlist", "hostlist" ],
"sltlistcount" : 1,
"applist" : [ "applist", "applist" ],
"cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
"poollistcount" : 9,
"arraylist" : [ "arraylist", "arraylist" ],
"hostlistcount" : 4,
"applistcount" : 6,
"lglist" : [ "lglist", "lglist" ],
"slplistcount" : 5,
"stale" : true,
"sltlist" : [ "sltlist", "sltlist" ],
"userlistcount" : 9,
"syncdate" : 3,
"href" : "http://example.com/aeiou",
"id" : "id",
"cloudcredentiallistcount" : 6,
"lglistcount" : 9,
"poollist" : [ "poollist", "poollist" ]
},
"memberlist" : [ null, null ],
"modifydate" : 6,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 7,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"ancestorlist" : [ null, null ],
"version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
"stale" : true,
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
```

```

    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ] ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "nas-mount-prop" : [ null, null ]
}, {

```



```
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  },
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
```

```
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
} ],
```

```
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
```

```

"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",

```

```
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
} ],

```



```
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migraemapping" : "migraemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
```

```

"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [BackupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

CloudCredential

POST /cloudcredential/{cloudcredential_id}/cloudpool

[Up](#)

(addCloudPool)

Path parameters

cloudcredential_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /cloudcredential/{cloudcredential_id}/discovervm/addvm

[Up](#)

(addVm)

Path parameters

cloudcredential_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudVmDiscoveryRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /cloudcredential

[Up](#)

(countCloudCredentials)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /cloudcredential

[Up](#)

(createCredential)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudCredentialRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /cloudcredential/{cloudcredential_id}/cloudpool

[Up](#)

(deleteCloudPool)

Path parameters

cloudcredential_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /cloudcredential/{cloudcredential_id}

[Up](#)

(deleteCredential)

Path parameters

cloudcredential_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudCredentialRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /cloudcredential/{cloudcredential_id}/discovervm/vm

[Up](#)

(discoverCloudVm)

Path parameters

cloudcredential_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudVmDiscoveryRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/{cloudcredential_id}/region/{region}/zone

[Up](#)

(getAllZones)

Path parameters

cloudcredential_id (required)

Path Parameter –

region (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/cloudtype/{type}/field

[Up](#)

(getCloudCredentialMetaInfo)

Path parameters

type (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/cloudtype

[Up](#)

(getCloudTypes)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/cloudtype/{type}/vminfo

[Up](#)

(getCloudVmMetalInfo)

Path parameters

type (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/{cloudcredential_id}

[Up](#)

(getCredential)

Path parameters

cloudcredential_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/{cloudcredential_id}/projects

[Up](#)

(getGCPPProjects)

Path parameters

cloudcredential_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/{cloudcredential_id}/region/{region}/mountinfo [Up](#)

(getMountVmParams)

Path parameters

cloudcredential_id (required)
Path Parameter –

region (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/cloudtype/{type}/region [Up](#)

(getRegions)

Path parameters

type (required)
Path Parameter –

Query parameters

cloudcredential (optional)
Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential

[Up](#)

(listCredentials)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /cloudcredential/{cloudcredential_id}/disktypes

[Up](#)

(listDiskTypes)

Path parameters

cloudcredential_id (required)

Path Parameter –

Query parameters

zone (optional)

Query Parameter –

region (optional)

Query Parameter –

type (optional)

Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /cloudcredential/{cloudcredential_id}/promote

[Up](#)

(promoteExistingCredential)

Path parameters

cloudcredential_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudCredentialRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /cloudcredential/testconnection

[Up](#)

(testCredential)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudCredentialRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /cloudcredential/{cloudcredential_id}/cloudpool

[Up](#)

(updateCloudPool)

Path parameters

cloudcredential_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /cloudcredential/{cloudcredential_id}

[Up](#)

(updateCredential)

Path parameters

cloudcredential_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [CloudCredentialRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Configuration

GET /config/version

[Up](#)

Get version. No special IAM permission requirement as long as there is valid session id. ([getVersion](#))

Return type

[VersionRest](#)

Example data

Content-Type: application/json

```
{
  "summary" : "summary",
  "product" : "product",
  "major" : "major",
  "minor" : "minor",
  "maintenance" : "maintenance",
  "revision" : "revision"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Version [VersionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /config/versiondetail

[Up](#)

Get version details. No special IAM permission requirement as long as there is valid session id. ([getVersionDetail](#))

Return type

[VersionDetailRest](#)

Example data

Content-Type: application/json

```
{
  "summary" : "summary",
  "installed" : 6,
  "components" : [ {
    "summary" : "summary",
    "installed" : 0,
    "component" : "component"
  }, {
    "summary" : "summary",
    "installed" : 0,
    "component" : "component"
  } ],
  "product" : "product"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Version Details [VersionDetailRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /config/mgmtconsoledetails

[Up](#)

([getVmMetadataDetails](#))

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ConsistencyGroup

HEAD /consistencygroup

[Up](#)

Get a count of total consistency groups matching the filters. It requires backupdr.managementServers.access IAM permission (countConsistencyGroups)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:></td><td>greater than or equal to</td></tr><tr><td>:<</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /consistencygroup

[Up](#)

Create a new consistency group. It requires backupdr.managementServers.manageApplications IAM permission (createConsistencyGroup)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ConsistencyGroupRest](#) (optional)

Body Parameter –

Return type

[ConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
```

```
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
```

```
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 3,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 3,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "isSourceAppFromMountMigrateRestore" : true,
  "vmname" : "vmname",
  "characteristic" : "characteristic",
  "retainlogs" : true,
  "modifydate" : 1,
  "slpname" : "slpname",
  "apptype" : "apptype",
  "mountedvdisk" : "mountedvdisk",
  "snapshotlocation" : "snapshotlocation",
  "srcid" : "srcid",
  "snapshotttype" : "snapshotttype",
  "endpit" : 6,
  "hostisdst" : true,
  "incarnation" : "incarnation",
  "asmswitchcapable" : true,
  "mountmigrateflag" : true,
  "virtualsize" : "virtualsize",
  "diskpool" : {
    "usage_mb" : 7,
    "grainsize" : 3,
    "cloudcredential" : {
      "serviceaccount" : "serviceaccount",
      "clientid" : "clientid",
      "secretkey" : "secretkey",
      "sources" : [ null, null ],
      "cloudtype" : "cloudtype",
      "vaultudsuid" : 6,
      "clusterId" : 5,
    }
  }
}
```

```
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safept" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
```



```
"syncdate" : 4,
"location" : "location",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
```

```
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
```

```

    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",

```

```
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
```

```

    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",

```



```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
```

```
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
```

```

    } ],
    "consistencydate" : 4,
    "modifiedbytes" : "modifiedbytes",
    "consumedsized" : 5,
    "consistencymode" : "consistencymode",
    "expirytries" : "expirytries",
    "vmpath" : "vmpath",
    "hasdependency" : true,
    "allowedips" : [ "allowedips", "allowedips" ],
    "migratemapping" : "migratemapping",
    "restorableobjects" : [ {
      "appState" : 4,
      "systemdb" : true,
      "appstate_text" : [ "appstate_text", "appstate_text" ],
      "skippeddb" : "skippeddb",
      "type" : "type",
      "pathname" : "pathname",
      "backedupdb" : "backedupdb",
      "fullpath" : "fullpath",
      "volumeinfo" : [ {
        "uniqueid" : "uniqueid"
      }, {
        "uniqueid" : "uniqueid"
      } ],
      "fileinfo" : [ {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
      }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
      } ],
      "name" : "name",
      "faileddb" : "faileddb"
    }, {
      "appState" : 4,
      "systemdb" : true,
      "appstate_text" : [ "appstate_text", "appstate_text" ],
      "skippeddb" : "skippeddb",
      "type" : "type",
      "pathname" : "pathname",
      "backedupdb" : "backedupdb",
      "fullpath" : "fullpath",
      "volumeinfo" : [ {
        "uniqueid" : "uniqueid"
      }, {
        "uniqueid" : "uniqueid"
      } ],
      "fileinfo" : [ {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
      }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
      } ],
      "name" : "name",
      "faileddb" : "faileddb"
    } ],
    "vaultowner" : true,
    "yamlavailable" : true,
    "originalbackupid" : "originalbackupid",
    "migrate-configured" : true,
    "multiregion" : "multiregion",
    "label" : "label",
    "clusterid" : "clusterid",
    "transport" : "transport",
    "isasm" : true,
    "esxhost" : "esxhost",
    "clonemigrateeligible" : true,
    "targetuds" : "targetuds",
    "datafilemovestarted" : true,
    "releaselogs" : true,
    "migrate-frequency" : 1
  }, {
    "jobclasscode" : 0,

```

```
"cluster" : {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
  "protocol" : 3,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 2,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "machineType" : "machineType",
  "lastsync" : 9,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
```

```
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
```

```

    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
},

```

```

"memberlist" : [ null, null ],
"modifydate" : 6,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 7,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"ancestorlist" : [ null, null ],
"version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "expotrue" : [ {

```



```
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "user" : [ {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 4,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        }, {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 4,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "accessmode" : [ "accessmode", "accessmode" ],
            "username" : "username",
            "group" : "group"
        } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
    } ],

```

```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",

```

```
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
```

```
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
```

```
"rdmSupported" : true,
"syncdate" : 9,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
```

```

"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",

```

```

    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",

```



```
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
```

```

    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,

```

```
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
```

```

"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {

```

```

    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",

```

```

"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",

```

```
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
  } ],

```

```

        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",

```



```

    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
},
"description" : "description",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /consistencygroup/{group_id}

[Up](#)

Remove a consistency group. It requires backupdr.managementServers.manageApplications IAM permission ([deleteConsistencyGroup](#))

Path parameters

group_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /consistencygroup/{group_id}

[Up](#)

Get individual consistency group details. It requires backupdr.managementServers.access IAM permission ([getConsistencyGroup](#))

Path parameters

group_id (required)

Path Parameter –

Return type

[ConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "username" : "username"
    },
    "sltname" : "sltname",
    "migrate-copythreadcount" : 3,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 2,
```

```
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
```

```
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
}
```

```

    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],

```

```

"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",

```



```

    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"polycyname" : "polycyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",

```

```
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",

```

```
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
```

```

},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,

```

```
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxymhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
```



```

"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",

```

```
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
```

```
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
```

```
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
} ],

```

```

"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
}, {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,

```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",
            "syncdate" : 0,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "cid" : "cid"
        }, {
            "dedupasyncnode" : "dedupasyncnode",
            "profiletype" : "profiletype",
            "description" : "description",
            "createdate" : 4,
            "clusterid" : "clusterid",
            "primarystorage" : "primarystorage",
            "modifydate" : 3,
            "stale" : true,
            "remotenode" : "remotenode",
            "srcid" : "srcid",
            "performancepool" : "performancepool",
            "localnode" : "localnode",
            "orglist" : [ null, null ],
            "name" : "name",

```



```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
```

```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ], {

```

```

    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",

```

```

"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],

```

```

    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],

```

```

        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
},

```

```

"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migraemapping" : "migraemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }

```

```
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkkip" : "networkkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
```



```

    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  }

```

```

    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
    }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",

```

```

    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profieltype" : "profieltype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profieltype" : "profieltype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profieltype" : "profieltype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,

```

```

    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ]
},
"name" : "name",
"alias" : "alias",

```

```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",

```

```

"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
},
"description" : "description",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /consistencygroup/{group_id}/member

[Up](#)

Get consistency group's members. It requires backupdr.managementServers.access IAM permission ([getConsistencyGroupMember](#))

Path parameters

group_id (required)

Path Parameter –

Query parameters

limit (optional)

Query Parameter – format: int32

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 0,
      "cluster" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "connectionType" : "PSA",
        "supportstatus" : "supportstatus",
        "password" : "password",
        "protocol" : 3,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 2,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "machineType" : "machineType",
        "lastsync" : 9,
        "clusterstatus" : {
          "accessible" : true,
          "copydata" : 7,
          "localdedupcolor" : "localdedupcolor",
          "vdiskcount" : 5,
          "vdiskcolor" : "vdiskcolor",
          "localsnapshotcolor" : "localsnapshotcolor",
          "remoteProtectioncolor" : "remoteProtectioncolor",
          "vdisklimit" : 2
        },
        "systemversion" : "systemversion",
        "resource" : "resource",
        "importstatus" : "importstatus",
        "clusterid" : "clusterid",
        "version" : "version",
        "batype" : "batype",
        "name" : "name",
        "region" : "region",
        "username" : "username"
      },
      "sltname" : "sltname",
      "migrate-copythreadcount" : 3,
    }
  ]
}
```

```
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,

```



```
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,

```

```

"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racnodelist" : [ "racnodelist", "racnodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {

```

```
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
```

```
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ], {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ], {
```

```
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ] ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
```



```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",

```

```
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
```

```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ], {

```

```
"stale" : true,
"name" : "name",
"rdmSupported" : true,
"syncdate" : 9,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
```

```

"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",

```

```
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
], {
  "stale" : true,
```

```
"beginlsn" : "beginlsn",
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
} ],
```

```
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
```



```

    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",

```

```

    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",

```

```

    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,

```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",

```

```
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
```



```
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
}, {
  "stale" : true,
```

```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",

```

```
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
```

```

"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,

```

```

    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",

```

```

    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "username" : "username"
    },
    "sltname" : "sltname",
    "migrate-copythreadcount" : 3,
    "restorelock" : "restorelock",
    "sourcecuds" : "sourcecuds",
    "mountcapacity" : 2,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemoountpoint" : "sourcemoountpoint",
    "nvolumes" : "nvolumes",

```

```
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,

```



```
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
```

```
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
```

```

    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,

```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
    } ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",

```

```
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
] ],
} ],
```

```
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
```



```

"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
  "clusterid" : "clusterid"
}, {

```

```
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {

```

```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
```

```
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
"appState" : 4,
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
"jobclasscode" : 0,
"cluster" : {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkibootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
```

```
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
} ],
```

```
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
```

```

    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
}, {

```



```

"resourcecollection" : {
  "userlist" : [ "userlist", "userlist" ],
  "slplist" : [ "slplist", "slplist" ],
  "arraylistcount" : 8,
  "hostlist" : [ "hostlist", "hostlist" ],
  "sltlistcount" : 1,
  "applist" : [ "applist", "applist" ],
  "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
  "poollistcount" : 9,
  "arraylist" : [ "arraylist", "arraylist" ],
  "hostlistcount" : 4,
  "applistcount" : 6,
  "lglist" : [ "lglist", "lglist" ],
  "slplistcount" : 5,
  "stale" : true,
  "sltlist" : [ "sltlist", "sltlist" ],
  "userlistcount" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cloudcredentiallistcount" : 6,
  "lglistcount" : 9,
  "poollist" : [ "poollist", "poollist" ]
},
"memberlist" : [ null, null ],
"modifydate" : 6,
"stale" : true,
"name" : "name",
"description" : "description",
"createdate" : 7,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"ancestorlist" : [ null, null ],
"version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {

```

```

    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",

```

```

"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
}, {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],
"username" : "username",
"group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
}, {
"exportprop" : [ null, null ],
"stale" : true,
"host" : "host",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
"haspassword" : true,
"stale" : true,
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}

```

```

    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  } ],
  "machinetype" : "machinetype",
  "ostype_special" : "ostype_special",
  "hostname" : "hostname",
  "stale" : true,
  "zone" : "zone",
  "autoupgrade" : "DISABLED",
  "syncdate" : 0,
  "sourcecluster" : "sourcecluster",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "maxlogjobs" : 3,
  "pki_errors" : [ "pki_errors", "pki_errors" ],
  "reconciliation_needed" : true,
  "isShadowHost" : true,
  "chapusername" : "chapusername",
  "is_auto_discovery_enabled" : true,
  "nfsoption" : {
    "server" : [ null, null ],
    "stale" : true,
    "client" : [ {
      "constant" : "constant",
      "select" : true,
      "description" : "description",
      "type" : "type",
      "editableonmount" : true,
      "default" : "default",
      "stale" : true,
      "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",

```

```

    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,

```

```

    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
        "srcid" : "srcid",
        "slps" : [ {

```

```
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ], {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
```



```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
  ] ],
  "name" : "name",
```

```
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
```

```
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
```

```

        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
    "dedupasyncoff" : "dedupasyncoff",
    "metadata" : {
        "name" : "name",
        "env" : "env"
    },
    "protectionType" : "protectionType",
    "scheduleoff" : "scheduleoff",
    "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
    "description" : "description",
    "modifydate" : 8,
    "stale" : true,
    "logexpirationoff" : true,
    "managedBy" : "MS",
    "options" : [ null, null ],
    "syncdate" : 2,
    "slt" : {
        "metadata" : {
            "backupPlan" : "backupPlan",
            "env" : "env"
        },
        "resource" : "resource",

```

```

"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",

```

```
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
```

```

        "href" : "http://example.com/aeiou",
        "id" : "id"
    }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /consistencygroup

[Up](#)

Get a list of consistency groups. It requires backupdr.managementServers.access IAM permission ([listConsistencyGroups](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListConsistencyGroupRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",

```

```
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
```



```

    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 3,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 3,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
  "logsequences" : [ {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "isSourceAppFromMountMigrateRestore" : true,
  "vmname" : "vmname",
  "characteristic" : "characteristic",
  "retainlogs" : true,
  "modifydate" : 1,
  "slpname" : "slpname",
  "apptype" : "apptype",
  "mountedvdisk" : "mountedvdisk",
  "snapshotlocation" : "snapshotlocation",
  "srcid" : "srcid",
  "snapshottype" : "snapshottype",
  "endpit" : 6,
  "hostisdst" : true,
  "incarnation" : "incarnation",
  "asmswitchcapable" : true,
  "mountmigrateflag" : true,
  "virtualsize" : "virtualsize",
  "diskpool" : {
    "usage_mb" : 7,
    "grainsize" : 3,
    "cloudcredential" : {
      "serviceaccount" : "serviceaccount",
      "clientid" : "clientid",
      "secretkey" : "secretkey",
      "sources" : [ null, null ],
      "cloudtype" : "cloudtype",
      "vaultudsuid" : 6,

```

```
"clusterId" : 5,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
```

```

    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "splist" : [ "splist", "splist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "splistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "splist" : [ "splist", "splist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "splistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,

```

```

    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ], {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,

```

```
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasynode" : "dedupasynode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
```

```

    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ], {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,

```



```
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
```

```

    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynchnode" : "dedupasynchnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ], {
    "dedupasynchnode" : "dedupasynchnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,

```

```
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
```

```
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
```

```
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
```

```

    "properties" : "properties"
  } ],
  "consistencydate" : 4,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 5,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmpath" : "vmpath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "filename" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "filename" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
}, {

```

```
"jobclasscode" : 0,
"cluster" : {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
  "protocol" : 3,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 2,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "machineType" : "machineType",
  "lastsync" : 9,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
}
```

```

    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "beginlsn" : "beginlsn",
    "syncdate" : 1,
    "endlsn" : "endlsn",
    "thread" : "thread",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "isSourceAppFromMountMigrateRestore" : true,
  "vmname" : "vmname",
  "characteristic" : "characteristic",
  "retainlogs" : true,
  "modifydate" : 1,
  "slpname" : "slpname",
  "apptype" : "apptype",
  "mountedvdisk" : "mountedvdisk",
  "snapshotlocation" : "snapshotlocation",
  "srcid" : "srcid",
  "snapshotttype" : "snapshotttype",
  "endpit" : 6,
  "hostisdst" : true,
  "incarnation" : "incarnation",
  "asmswitchcapable" : true,
  "mountmigrateflag" : true,
  "virtualsize" : "virtualsize",
  "diskpool" : {
    "usage_mb" : 7,
    "grainsize" : 3,
    "cloudcredential" : {
      "serviceaccount" : "serviceaccount",
      "clientid" : "clientid",
      "secretkey" : "secretkey",
      "sources" : [ null, null ],
      "cloudtype" : "cloudtype",
      "vaultudsuid" : 6,
      "clusterid" : 5,
      "privatekey" : "privatekey",
      "endpoint" : "endpoint",
      "stale" : true,
      "credential" : "credential",
      "srcid" : 6,
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "subscriptionid" : "subscriptionid",
      "projectid" : "projectid",
      "publickey" : "publickey",
      "immutable" : true,
      "usedefaultsa" : true,
      "domain" : "domain",
      "orglist" : [ null, null ],
      "name" : "name",
      "region" : "region"
    },
    "free_mb" : 3,
    "safepct" : 1,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 1,
    "modifydate" : 7,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 2,
      "clusterid" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errormsg" : "errormsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,

```



```
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}
```

```

    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,

```

```

"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,

```

```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profieltype" : "profieltype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profieltype" : "profieltype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
```

```

    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,

```

```
"client" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
```

```
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
```



```

"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasynnode" : "dedupasynnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,

```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
```

```

    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,

```

```
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
```

```
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "schedulertype" : "schedulertype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "schedulertype" : "schedulertype",
```

```
"compliancesettings" : {
  "warn_threshold_custom" : 8,
  "stale" : true,
  "error_threshold_custom" : 7,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "expirationoff" : "expirationoff",
    "group" : {
      "membercount" : 0,
      "scheduleoff" : true,
      "description" : "description",
      "modifydate" : 7,
      "stale" : true,
      "srcid" : "srcid",
      "managed" : true,
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  },
  "appversion" : "appversion",
  "isrestoring" : true,
  "pathname" : "pathname",
  "failoverstate" : "failoverstate",
  "srcid" : "srcid",
  "orglist" : [ null, null ],
  "name" : "name",
  "sensitivity" : 3,
  "frommount" : true,
  "friendlytype" : "friendlytype",
  "username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {

```



```
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  }, {

```

```

        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "exlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
},
"description" : "description",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}, {
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
```

```
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
```

```
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshotttype" : "snapshotttype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
```

```
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
```

```

"stale" : true,
"name" : "name",
"enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
"lock" : true,
"project" : "project",
"syncdate" : 4,
"location" : "location",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}

```

```

    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,

```



```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",

```

```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],

```

```

"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ]
  } ]
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ]
} ]

```

```

}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,

```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
```

```

    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynnode" : "dedupasynnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasynnode" : "dedupasynnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,

```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],

```

```

"stale" : true,
"client" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {

```



```
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
```

```

    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
        "uniqueid" : "uniqueid"
    }, {
        "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
}, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
        "uniqueid" : "uniqueid"
    }, {
        "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    }, {
        "filename" : "filename",
        "filepath" : "filepath",
        "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",

```

```
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 3,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 3,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
```

```
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ]
}
```

```
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",

```

```

"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],

```



```

    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",

```

```
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
```

```
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
```

```
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
```

```

    "isClusterNode" : true,
    "srcid" : "srcid",
    "WWPN" : [ "WWPN", "WWPN" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
  }, {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      } ], {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ], {
  }, {

```

```
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
} ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
```

```
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
```

```

    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
} ],

```



```

    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targettuds" : "targettuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
}

```

```
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusionontype" : "exclusionontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
```

```
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "schedulingtype" : "schedulingtype",
    "complianceSettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
```

```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,

```

```

    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
},
"description" : "description",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /consistencygroup/{group_id}/member

[Up](#)

Incrementally add/delete consistency group members. It requires backupdr.managementServers.manageApplications IAM permission ([modifyConsistencyGroupMember](#))

Path parameters

group_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [MembershipChangeRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /consistencygroup

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListConsistencyGroup](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }
  ]
}
```



```
}, {
  "field" : "field",
  "values" : [ "values", "values" ],
  "type" : "type"
} ],
"pageable" : true,
"sortable" : true,
"sortablefields" : [ "sortablefields", "sortablefields" ]
}
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /consistencygroup/{group_id}

[Up](#)

Update a consistency group. It requires backupdr.managementServers.manageApplications IAM permission ([updateConsistencyGroup](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [ConsistencyGroupRest](#) (optional)

Body Parameter –

Return type

[ConsistencyGroupRest](#)

Example data

Content-Type: application/json

```
{
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
```

```
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"stale" : true,
"application" : {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "username" : "username"
    },
    "sltname" : "sltname",
    "migrate-copythreadcount" : 3,
    "restorelock" : "restorelock",
    "sourcecuds" : "sourcecuds",
    "mountcapacity" : 2,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
```

```
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
```

```
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
```

```

"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {

```

```

    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,

```

```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {

```



```
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
```

```

        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
    "server" : [ null, null ],
    "stale" : true,
    "client" : [ {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }, {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        } ],
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],

```

```
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ] ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
```

```

"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"

```

```
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynode" : "dedupasynode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ]
  } ]
}
```

```

    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",

```

```
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "ism" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
```

```
"appState" : 4,
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkibootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
```



```

"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}

```

```
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
```

```
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
```

```

}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  } ]
} ]

```

```

}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  }, {
    "stale" : true,
    "exportrule" : [ {
      "exportedname" : "exportedname",
      "stale" : true,
      "exporttype" : "exporttype",
      "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
      } ],
      "syncdate" : 8,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
      } ]
    } ],
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```

    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"polycyname" : "polycyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
```



```

        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
}, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,

```

```

    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxycost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",

```

```
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
] ],
} ],
```

```
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
```

```
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmpath" : "vmpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
```

```
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
```

```
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
```



```
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
```

```

    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
},
"host" : {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",

```

```
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```

    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",

```

```

"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
},
"description" : "description",
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"groupname" : "groupname"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ConsistencyGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DiskPool

[Up](#)

HEAD /diskpool

Get a count of total diskpools matching the filters. It requires backupdr.managementServers.viewStorage IAM permission (`countDiskPools`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

POST /diskpool

Create a new diskpool. It requires backupdr.managementServers.manageStorage IAM permission (`createDiskPool`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)

Body Parameter –

Return type

[DiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientId" : "clientId",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
  }
}
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safept" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
```

```

    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],

```



```

    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /diskpool/{diskpool_id}

[Up](#)

Remove the specific diskpool. It requires backupdr.managementServers.manageStorage IAM permission ([deleteDiskPool](#))

Path parameters

diskpool_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/{diskpool_id}

[Up](#)

Get individual diskpool details. It requires backupdr.managementServers.viewStorage IAM permission ([getDiskPool](#))

Path parameters

diskpool_id (required)
Path Parameter –

Return type

[DiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
```

```
"syncdate" : 0,
"authversion" : "authversion",
"href" : "http://example.com/aeiou",
"id" : "id",
"compression" : true,
"region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
```

```

    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poolcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poolcount" : [ "poolcount", "poolcount" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/vault/listdynamicfields/{pool_type}

[Up](#)

List dynamic UI properties based on type of vault pool. It requires backupdr.managementServers.manageStorage IAM permission ([getDynamicJsonForPoolManage](#))

Path parameters

pool_type (required)

Path Parameter – The vault type for which dynamic json will be rendered

pool_type (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/vault/listtype

[Up](#)

List types of vault pool. Requires Storage Manage right. ([getVaultList](#))

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool

[Up](#)

Get a list of diskpools. It requires backupdr.managementServers.viewStorage IAM permission ([listDiskPools](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

fetchExtraInfo (optional)

Query Parameter –

Return type

[ListDiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "usage_mb" : 7,
    "grainsize" : 3,
    "cloudcredential" : {
      "serviceaccount" : "serviceaccount",
      "clientid" : "clientid",
      "secretkey" : "secretkey",
      "sources" : [ null, null ],
      "cloudtype" : "cloudtype",
      "vaultudsuid" : 6,
      "clusterid" : 5,
      "privatekey" : "privatekey",
      "endpoint" : "endpoint",
      "stale" : true,
      "credential" : "credential",
      "srcid" : 6,
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "subscriptionid" : "subscriptionid",
      "projectid" : "projectid",
      "publickey" : "publickey",
      "immutable" : true,
      "usedefaultsa" : true,
      "domain" : "domain",
      "orglist" : [ null, null ],
      "name" : "name",
      "region" : "region"
    },
    "free_mb" : 3,
    "safepct" : 1,
    "storage" : [ "storage", "storage" ],
    "type" : "type",
    "udsuid" : 1,
    "modifydate" : 7,
    "copies" : [ {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 2,
      "clusterid" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    }, {
      "stale" : true,
      "clustername" : "clustername",
      "success" : true,
      "syncdate" : 2,
      "clusterid" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "errmsg" : "errmsg"
    } ],
    "stale" : true,
    "pooltypedisplayname" : "pooltypedisplayname",
    "metadataonly" : true,
    "mdiskgrp" : "mdiskgrp",
    "nocache" : true,
    "syncdate" : 7,
    "vaultprops" : {
      "objectsize" : 6,
      "bucket" : "bucket",
      "accessid" : "accessid",
      "baseurl" : "baseurl",
      "stale" : true,
      "accesskey" : "accesskey",
      "vaulttype" : "vaulttype",
      "syncdate" : 0,
      "authversion" : "authversion",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "compression" : true,
      "region" : "region"
    },
    "state" : "state",
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
```

```

    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
}, {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",

```



```
"success" : true,
"syncdate" : 2,
"clusterid" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsized" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "pollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
```

```
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "splist" : [ "splist", "splist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
```

```
} ]  
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListDiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /diskpool/listgcpvaultpool

[Up](#)

Get a list of GCP vault pools. This operation is network costly and UI needs to cache the result. It requires backupdr.managementServers.viewStorage IAM permission ([listGcpVaultPool](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListDiskPoolRest](#)

Example data

Content-Type: application/json

```
{  
  "count" : 0,  
  "items" : [ {  
    "usage_mb" : 7,  
    "grainsize" : 3,  
    "cloudcredential" : {  
      "serviceaccount" : "serviceaccount",  
      "clientid" : "clientid",  
      "secretkey" : "secretkey",  
      "sources" : [ null, null ],  
      "cloudtype" : "cloudtype",  
      "vaultudsuid" : 6,  
      "clusterId" : 5,  
      "privatekey" : "privatekey",  
      "endpoint" : "endpoint",  
      "stale" : true,  
      "credential" : "credential",  
      "srcId" : 6,  
      "syncdate" : 6,  
      "href" : "http://example.com/aeiou",  
      "id" : "id",  
      "subscriptionid" : "subscriptionid",  
      "projectid" : "projectid",  
      "publickey" : "publickey",  
      "immutable" : true,  
      "usedefaultsa" : true,  
    },  
  ],  
}
```

```
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
```

```

"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
}, {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
```

```
"baseurl" : "baseurl",
"stale" : true,
"accesskey" : "accesskey",
"vaulttype" : "vaulttype",
"syncdate" : 0,
"authversion" : "authversion",
"href" : "http://example.com/aeiou",
"id" : "id",
"compression" : true,
"region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "splist" : [ "splist", "splist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ], {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "splist" : [ "splist", "splist" ],
```

```

    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListDiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.viewStorage IAM permission (`optionsForListDiskPool`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /diskpool/{diskpool_id}

[Up](#)

Update the specific diskpool. It requires backupdr.managementServers.manageStorage IAM permission (`updateDiskPool`)

Path parameters

`diskpool_id` (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DiskPoolRest](#) (optional)

Body Parameter –

Return type

[DiskPoolRest](#)

Example data

Content-Type: application/json

```
{
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
  }
}
```

```
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 6,
"clusterId" : 5,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
```

```
"stale" : true,
"name" : "name",
"enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
"lock" : true,
"project" : "project",
"syncdate" : 4,
"location" : "location",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}
```

```

    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DiskPoolRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DynamicProtection

HEAD /dynamicprotection

[Up](#)

Get a count of total dynamic protection entries. It requires backupdr.managementServers.getDynamicProtection IAM permission (countDynamicProtections)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:&b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /dynamicprotection

[Up](#)

Create a new dynamic protection entry. It requires backupdr.managementServers.createDynamicProtection IAM permission (`createDynamicProtection`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DynamicProtectionRest](#) (optional)

Body Parameter –

Return type

[DynamicProtectionRest](#)

Example data

Content-Type: application/json

```
{
  "appProtectedCount" : 1,
  "stale" : true,
  "dynamicprotectiontagvalue" : "dynamicprotectiontagvalue",
  "slp" : {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  },
  "createdate" : 6,
  "syncdate" : 5,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      }
    }
  ]
}
```

```
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
```

```

    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"applicationtype" : "applicationtype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DynamicProtectionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /dynamicprotection/{dynamicprotection_id}

Remove a dynamic protection entry. It requires backupdr.managementServers.deleteDynamicProtection IAM permission (`deleteDynamicProtection`)

Path parameters

`dynamicprotection_id` (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

Path Parameter `dynamicprotection_id` is invalid [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /dynamicprotection/{dynamicprotection_id}

Get individual dynamic protection entry details. It requires backupdr.managementServers.getDynamicProtection IAM permission (`getDynamicProtection`)

Path parameters

`dynamicprotection_id` (required)
Path Parameter –

Return type

[DynamicProtectionRest](#)

Example data

Content-Type: application/json

```
{
  "appProtectedCount" : 1,
  "stale" : true,
  "dynamicprotectiontagvalue" : "dynamicprotectiontagvalue",
  "slp" : {
    "dedupasyncline" : "dedupasyncline",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  },
  "createdate" : 6,
  "syncdate" : 5,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    }
  },
}
```



```
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
```

```

    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"applicationtype" : "applicationtype"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DynamicProtectionRest](#)

400

Path Parameter `dynamicprotection_id` is invalid [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /dynamicprotection/jobconfig

[Up](#)

Get dynamic protection job config. It requires `backupdr.managementServers.viewBackupPlans` IAM permission (`getDynamicProtectionJobConfig`)

Return type

[DynamicProtectionJobConfigRest](#)

Example data

Content-Type: `application/json`

```
{
  "isdryrun" : true,
  "enableMigrationToTagBasedProtection" : true,
  "stale" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- `application/json`

Responses

200

Success [DynamicProtectionJobConfigRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /dynamicprotection

[Up](#)

Get a list of dynamic protection entries. It requires `backupdr.managementServers.listDynamicProtection` IAM (`listDynamicProtections`)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append `':asc'` or `':desc'` for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon.
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: `int64`

offset (optional)

Query Parameter – Used with limit to support pagination format: `int64`

Return type

[ListRestDynamicProtectionRest](#)

Example data

Content-Type: `application/json`

```

{
  "count" : 0,
  "items" : [ {
    "appProtectedCount" : 1,
    "stale" : true,
    "dynamicprotectiontagvalue" : "dynamicprotectiontagvalue",
    "slp" : {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    },
    "createdate" : 6,
    "syncdate" : 5,
    "slt" : {
      "metadata" : {
        "backupPlan" : "backupPlan",
        "env" : "env"
      },
      "resource" : "resource",
      "option_href" : "http://example.com/aeiou",
      "policies" : [ {
        "scheduletype" : "scheduletype",
        "compliancesettings" : {
          "warn_threshold_custom" : 8,
          "stale" : true,
          "error_threshold_custom" : 7,
          "error_threshold_type" : "error_threshold_type",
          "syncdate" : 3,
          "warn_threshold_type" : "warn_threshold_type",
          "href" : "http://example.com/aeiou",
          "id" : "id"
        },
        "sourcevault" : 5,
        "iscontinuous" : true,
        "description" : "description",
        "exclusion" : "exclusion",
        "source" : [ null, null ],
        "starttime" : "starttime",
        "verifychoice" : "verifychoice",
        "stale" : true,
        "retentionm" : "retentionm",
        "managedBy" : "MS",
        "encrypt" : "encrypt",
        "reptype" : "reptype",
        "exclusioninterval" : "exclusioninterval",
        "options" : [ {
          "stale" : true,
          "managedBy" : "MS",
          "various" : true,
          "name" : "name",
          "syncdate" : 3,
          "href" : "http://example.com/aeiou",
          "id" : "id",
          "value" : "value"
        }, {
          "stale" : true,
          "managedBy" : "MS",
          "various" : true,
          "name" : "name",
          "syncdate" : 3,
          "href" : "http://example.com/aeiou",
          "id" : "id",
          "value" : "value"
        }
      ]
    }
  }
]
}

```

```

    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",

```

```
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"applicationtype" : "applicationtype"
}, {
  "appProtectedCount" : 1,
  "stale" : true,
  "dynamicprotectiontagvalue" : "dynamicprotectiontagvalue",
  "slp" : {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  },
  "createdate" : 6,
  "syncdate" : 5,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    }
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  } ],
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
```

```
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
```

```

        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"applicationtype" : "applicationtype"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRestDynamicProtectionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /dynamicprotection/job/{application_type}

[Up](#)

Runs dynamic protection job depending on the application type. It requires backupdr.managementServers.assignBackupPlans IAM permission (runDynamicProtectionJob)

Path parameters

application_type (required)
Path Parameter –

Return type

Example data

Content-Type: application/json

```
{
  "date" : "2000-01-23T04:56:07.000+00:00",
  "headers" : {
    "key" : [ { }, { } ]
  },
  "metadata" : {
    "key" : [ { }, { } ]
  },
  "statusInfo" : {
    "reasonPhrase" : "reasonPhrase",
    "family" : "INFORMATIONAL",
    "statusCode" : 6
  },
  "stringHeaders" : {
    "key" : [ "stringHeaders", "stringHeaders" ]
  },
  "length" : 5,
  "mediaType" : {
    "subtype" : "subtype",
    "type" : "type",
    "parameters" : {
      "key" : "parameters"
    },
    "wildcardSubtype" : true,
    "wildcardType" : true
  },
  "language" : {
    "unicodeLocaleKeys" : [ "unicodeLocaleKeys", "unicodeLocaleKeys" ],
    "country" : "country",
    "iso3Language" : "iso3Language",
    "displayName" : "displayName",
    "displayVariant" : "displayVariant",
    "language" : "language",
    "iso3Country" : "iso3Country",
    "displayLanguage" : "displayLanguage",
    "script" : "script",
    "unicodeLocaleAttributes" : [ "unicodeLocaleAttributes", "unicodeLocaleAttributes" ],
    "displayCountry" : "displayCountry",
    "variant" : "variant",
    "extensionKeys" : [ "extensionKeys", "extensionKeys" ],
    "displayScript" : "displayScript"
  },
  "entityTag" : {
    "value" : "value",
    "weak" : true
  },
  "cookies" : {
    "key" : {
      "path" : "path",
      "maxAge" : 5,
      "domain" : "domain",
      "name" : "name",
      "comment" : "comment",
      "expiry" : "2000-01-23T04:56:07.000+00:00",
      "httpOnly" : true,
      "secure" : true,
      "value" : "value",
      "version" : 1
    }
  },
  "links" : [ {
    "rel" : "rel",
    "params" : {
      "key" : "params"
    },
    "title" : "title",
    "type" : "type",
    "uri" : "http://example.com/aeiou",
    "uriBuilder" : { },
    "rels" : [ "rels", "rels" ]
  }, {
    "rel" : "rel",
    "params" : {
```

```
    "key" : "params"
  },
  "title" : "title",
  "type" : "type",
  "uri" : "http://example.com/aeiou",
  "uriBuilder" : { },
  "rels" : [ "rels", "rels" ]
} ],
"location" : "http://example.com/aeiou",
"lastModified" : "2000-01-23T04:56:07.000+00:00",
"allowedMethods" : [ "allowedMethods", "allowedMethods" ],
"entity" : { },
"status" : 0
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [inline response 200](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

409

Dynamic protection job is already in progress. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PATCH /dynamicprotection/jobconfig

[Up](#)

Update dynamic protection job config. It requires backupdr.managementServers.assignBackupPlans IAM permission ([setDynamicProtectionJobConfig](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [DynamicProtectionJobConfigRest](#) (optional)

Body Parameter –

Return type

[DynamicProtectionJobConfigRest](#)

Example data

Content-Type: application/json

```
{
  "isdryrun" : true,
  "enableMigrationToTagBasedProtection" : true,
  "stale" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [DynamicProtectionJobConfigRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)
403
Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)
404
Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)
500
There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Host

[Up](#)

POST /host/{host_id}/addapplication

Create a new application on the specific host. It requires backupdr.managementServers.manageApplications IAM permission (addApplication)

Path parameters

host_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AppCreationRest](#) (optional)
Body Parameter –

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 0,
      "cluster" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "connectionType" : "PSA",
        "supportstatus" : "supportstatus",
        "password" : "password",
        "protocol" : 3,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 2,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "machineType" : "machineType",
        "lastsync" : 9,
        "clusterstatus" : {
          "accessible" : true,
          "copydata" : 7,
          "localdedupcolor" : "localdedupcolor",
          "vdiskcount" : 5,
          "vdiskcolor" : "vdiskcolor",
          "localsnapshotcolor" : "localsnapshotcolor",
          "remoteprotectioncolor" : "remoteprotectioncolor",
          "vdisklimit" : 2
        },
      },
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
  } ]
}
```

```
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
```

```
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 6,
"clusterid" : 5,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcid" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
```

```

"stale" : true,
"name" : "name",
"enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
"lock" : true,
"project" : "project",
"syncdate" : 4,
"location" : "location",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}

```

```

    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,

```

```

        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
    } ],
    "exportedpath" : "exportedpath",
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",

```



```

    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],

```

```
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }
]
```

```

}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,

```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
```

```

    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,

```

```
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
```

```
"stale" : true,
"client" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
```

```
"stale" : true,
"name" : "name",
"rdmSupported" : true,
"syncdate" : 9,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
```



```
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
  } ],
  "consistencydate" : 4,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 5,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmpath" : "vmpath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targettuds" : "targettuds",
```

```
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
  "sltname" : "sltname",
  "migrate-copythreadcount" : 3,
  "restorelock" : "restorelock",
  "sourceuds" : "sourceuds",
  "mountcapacity" : 2,
  "backupname" : "backupname",
  "stale" : true,
  "sourcemountpoint" : "sourcemountpoint",
  "nvolumes" : "nvolumes",
  "dnsname" : "dnsname",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "targetstoragetype" : "targetstoragetype",
  "poolName" : "poolName",
  "flags_text" : [ "flags_text", "flags_text" ],
  "appclass" : "appclass",
  "mappedhost" : "mappedhost",
  "backupdate" : 7,
  "jobclass" : "jobclass",
  "version" : "version",
  "uniquehostname" : "uniquehostname",
  "powerfactor" : 3,
  "hosttimezone" : "hosttimezone",
  "sensitivity" : 3,
  "status" : "status",
  "originatinguds" : "originatinguds",
  "migrationstate" : "migrationstate",
  "hasmountedmap" : true,
  "hananodelist" : [ "hananodelist", "hananodelist" ],
  "flags" : "flags",
```

```
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ]
}
```

```
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",

```

```

"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],

```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",

```



```

    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",

```

```
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
```

```
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
```

```

"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {

```

```
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
```

```
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
```

```

    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
} ],

```

```
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appstate" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
}
```



```
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
```

```
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteProtectioncolor" : "remoteProtectioncolor",
        "vdisklimit" : 2
      }
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  }
}
```

```
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcmountpoint" : "sourcmountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
```

```
"stale" : true,
"credential" : "credential",
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
```

```

    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
        "err_code" : 10011,
        "err_message" : "err_message"
    }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,

```

```

    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ]
} ]

```

```

}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,

```



```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",

```

```
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
```

```

    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",

```

```
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxymhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
```

```

    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",

```

```
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
```

```
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
```

```
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
```



```
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
```

```
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteprotectioncolor" : "remoteprotectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
```

```
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
```

```
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  },
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
```

```

    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,

```

```
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
}, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
} ]
}, {
"exportedname" : "exportedname",
"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
}, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
} ],

```

```
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
```



```
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
```

```
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
```

```
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
```

```

"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,

```

```
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ], {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
```

```

    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",

```

```

    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",

```

```
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkkip" : "networkkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
```



```
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
```

```

    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {

```

```

    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/{host_id}/appdiscovery

[Up](#)

Discover applications on the specific host. It requires backupdr.managementServers.manageApplications IAM permission ([appDiscovery](#))

Path parameters

host_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AppDiscoveryRest](#) (optional)

Body Parameter –

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {

```

```
"jobclasscode" : 0,
"cluster" : {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
  "protocol" : 3,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 2,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "machineType" : "machineType",
  "lastsync" : 9,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
}
```

```
"endlsn" : "endlsn",
"thread" : "thread",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
```

```
"syncdate" : 2,
"clusterid" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  }
}
```

```

    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  }, {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
      "lglist" : [ "lglist", "lglist" ],
      "slplistcount" : 5,
      "stale" : true,
      "sltlist" : [ "sltlist", "sltlist" ],
      "userlistcount" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cloudcredentiallistcount" : 6,
      "lglistcount" : 9,
      "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,

```

```

"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,

```



```

    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
} ], {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",

```

```
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
```

```
"client" : [ {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscustomerhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
```

```
"name" : "name",
"rdmSupported" : true,
"syncdate" : 9,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
```

```

"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,

```

```
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,

```



```

    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,

```

```
"systemdb" : true,
"appstate_text" : [ "appstate_text", "appstate_text" ],
"skippeddb" : "skippeddb",
"type" : "type",
"pathname" : "pathname",
"backedupdb" : "backedupdb",
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
"jobclasscode" : 0,
"cluster" : {
  "serviceaccount" : "serviceaccount",
  "ipaddress" : "ipaddress",
  "pkiBootstrapped" : true,
  "timezone" : "timezone",
  "shared_secret" : "shared_secret",
  "description" : "description",
  "publicip" : "publicip",
  "type" : "type",
  "connectionType" : "PSA",
  "supportstatus" : "supportstatus",
  "password" : "password",
  "protocol" : 3,
  "stale" : true,
  "zone" : "zone",
  "clusterlist" : [ null, null ],
  "syncdate" : 2,
  "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "projectid" : "projectid",
  "machineType" : "machineType",
  "lastsync" : 9,
  "clusterstatus" : {
    "accessible" : true,
    "copydata" : 7,
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
```

```
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
```

```
"cloudtype" : "cloudtype",
"vaultudsuid" : 6,
"clusterId" : 5,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safepect" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsized" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
```

```

"enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
"lock" : true,
"project" : "project",
"syncdate" : 4,
"location" : "location",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"error" : {
  "err_code" : 10011,
  "err_message" : "err_message"
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],

```

```

    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",

```

```

        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
}, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    }, {
        "exportprop" : [ null, null ],
        "stale" : true,
        "host" : "host",
        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
    } ],
} ],

```

```

"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],

```



```

"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",

```

```
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
```

```

    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",

```

```

    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",

```

```

    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {

```

```

    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",

```

```
"rdmSupported" : true,
"syncdate" : 9,
"freespace" : "freespace",
"href" : "http://example.com/aeiou",
"id" : "id",
"type" : "type",
"capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
```

```
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
  } ],
  "consistencydate" : 4,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 5,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmpath" : "vmpath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
```



```
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
```

```

"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
```

```
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
  "accessible" : true,
  "copydata" : 7,
  "localdedupcolor" : "localdedupcolor",
  "vdiskcount" : 5,
  "vdiskcolor" : "vdiskcolor",
  "localsnapshotcolor" : "localsnapshotcolor",
  "remoteProtectioncolor" : "remoteProtectioncolor",
  "vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
```

```
"syncdate" : 1,
"endlsn" : "endlsn",
"thread" : "thread",
"hhref" : "http://example.com/aeiou",
"id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "hhref" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "hhref" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "hhref" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
```

```
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
```

```

"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"ancestorlist" : [ null, null ],
"version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exporthrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```

    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ]

```



```

    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",

```

```

    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",

```

```

    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",

```

```

    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",

```

```

"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasynccode" : "dedupasynccode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",

```

```

        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
    "server" : [ null, null ],
    "stale" : true,
    "client" : [ {
        "constant" : "constant",
        "select" : true,
        "description" : "description",
        "type" : "type",
        "editableonmount" : true,
        "default" : "default",
        "stale" : true,
        "selection" : [ {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }, {
            "stale" : true,
            "syncdate" : 1,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "value" : "value",
            "desc" : "desc"
        }
    ] ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
}, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
        "stale" : true,
        "syncdate" : 1,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value",
        "desc" : "desc"
    }, {
        "stale" : true,
        "syncdate" : 1,

```

```
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscsihost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
```



```

    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",

```

```
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "sltname" : "sltname",
```

```
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourcecuds" : "sourcecuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterId" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
```

```
"srcId" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safept" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errormsg" : "errormsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "error" : {
        "err_code" : 10011,
        "err_message" : "err_message"
    }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
  } ],
  "name" : "name",
  "location" : "location",
  "properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  }, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",

```

```

"stale" : true,
"exporttype" : "exporttype",
"client" : [ {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
"stale" : true,
"exportrule" : [ {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",

```



```
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
```

```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }

```

```
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],

```

```
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
```

```
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}
```

```

}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,

```

```
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmopath" : "vmopath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targettuds" : "targettuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"isvm" : true,
```



```
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ], {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",

```

```

        "retention" : "retention",
        "repeatinterval" : "repeatinterval",
        "verification" : true,
        "truncatelog" : "truncatelog",
        "op" : "op",
        "exclusiontype" : "exclusiontype",
        "rpom" : "rpom",
        "endtime" : "endtime",
        "priority" : "priority",
        "rpo" : "rpo",
        "selection" : "selection",
        "policyType" : "policyType",
        "name" : "name",
        "remoteretention" : 5,
        "targetvault" : 0
    } ],
    "description" : "description",
    "managedbyagm" : true,
    "sourcename" : "sourcename",
    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 5,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

HEAD /host

Get a count of total hosts matching the filters. It requires backupdr.managementServers.access IAM permission (**countHosts**)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

POST /host

Create a new host. It requires backupdr.managementServers.manageHosts IAM permission (**createHost**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [HostRest](#) (optional)

Body Parameter –

Return type

[HostRest](#)

Example data

Content-Type: application/json

```
{
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynccode" : "dedupasynccode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
```

```
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
```

```
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
```

```
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
```

```
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [HostRest](#)

206

Partial Success [HostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /host/{host_id}

[Up](#)

Delete a host completely or remove the host from selective appliances. It requires backupdr.managementServers.manageHosts IAM permission (`deleteHost`)

Path parameters

`host_id` (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/enableconnectorupgrade

[Up](#)

(`enableConnectorUpgrade`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [HostRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /host/{host_id}

[Up](#)

Get individual host details. It requires backupdr.managementServers.access IAM permission ([getHost](#))

Path parameters

host_id (required)
Path Parameter –

Query parameters

fetchExtraInfo (optional)
Query Parameter –

fetchConnectorConnectionStatus (optional)
Query Parameter –

Return type

[HostRest](#)

Example data

Content-Type: application/json

```
{
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
```

```
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
```

```
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
```

```
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismv" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
```

```
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [HostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /host

[Up](#)

Get a list of host. It requires backupdr.managementServers.access IAM permission ([listHosts](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListHostRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,

```

```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,

```

```
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
```

```
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "nodeList" : [ null, null ],
  "hostclusterid" : 7,
  "connectorversion" : "connectorversion",
  "isclusterhost" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "guestvmiscsi" : true,
  "osversion" : "osversion",
  "iogrp_count" : "iogrp_count",
  "status" : "status",
  "ipaddress" : "ipaddress",
  "datastorelist" : [ {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  }, {
    "stale" : true,
    "name" : "name",
    "rdmSupported" : true,
    "syncdate" : 9,
    "freespace" : "freespace",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "type" : "type",
    "capacity" : "capacity"
  } ],
  "iscsi_name" : [ "iscsi_name", "iscsi_name" ],
  "pki_state" : "pki_state",
  "sources" : [ null, null ],
  "vcenterhostid" : "vcenterhostid",
  "cert_revoked" : true,
  "hosttype" : "hosttype",
  "friendlypath" : "friendlypath",
  "esxlist" : [ null, null ],
  "description" : "description",
  "isvcenterhost" : true,
  "isvm" : true,
  "hasagent" : true,
  "modifydate" : 6,
  "dbauthentication" : true,
  "reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
  "isproxyhost" : true,
  "udsagent" : {
    "shared_secret" : "shared_secret",
    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
  }
}
```



```

    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,

```

```
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
"server" : [ null, null ],
"stale" : true,
"client" : [ {
"constant" : "constant",
"select" : true,
"description" : "description",
"type" : "type",
"editableonmount" : true,
"default" : "default",
"stale" : true,
"selection" : [ {
"stale" : true,
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
"stale" : true,
"syncdate" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ]
} ],
"name" : "name",
"alias" : "alias",
```

```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",

```

```

"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatkey" : "alternatkey",
  "hasalternatkey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataaip" : "dataaip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListHostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /host

[Up](#)

Describes the fields available for filtering and sorting. It requires `backupdr.managementServers.access` IAM permission (`optionsForListHost`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /host/revokeCertificate

[Up](#)

Revokes existing certificates of passed in host and blocks them from creating any new certificates. It requires `backupdr.managementServers.manageHosts` IAM permission (`revokeCertificate`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [string](#) (optional)
Body Parameter –

Return type

[CertificateRevocationRest](#)

Example data

Content-Type: application/json

```
{
  "errorMessage" : "errorMessage",
  "hostId" : "hostId",
  "certRevoked" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [CertificateRevocationRest](#)

206

Partial Success [CertificateRevocationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/{hostid}/testconnectorconnection

[Up](#)

(testConnectorConnection)

Path parameters

hostid (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /host/{host_id}

[Up](#)

Update a host. It requires backupdr.managementServers.manageHosts IAM permission ([updateHost](#))

Path parameters

host_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [HostRest](#) (optional)
Body Parameter –

Query parameters

clone (optional)
Query Parameter –

Return type

[HostRest](#)

Example data

Content-Type: application/json

```

{
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,

```

```

    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }

```



```
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxycache" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,

```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [HostRest](#)

206

Partial Success [HostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /host/{host_id}/host/{cluster_name}/addvms

[Up](#)

Add discovered VMs to appliances asynchronously. It requires backupdr.managementServers.manageHosts IAM permission ([vmAddNew](#))

Path parameters

host_id (required)

Path Parameter –

cluster_name (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [VmDiscoveryRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /host/{host_id}/discovervm

[Up](#)

Discover VMS on the specific host. It requires backupdr.managementServers.manageHosts IAM permission ([vmDiscoveryWithoutCluster](#))

Path parameters

host_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Job

HEAD /jobstatus

[Up](#)

Get a count of total jobs (including running jobs and finished jobs) matching the filters. It requires backupdr.managementServers.access IAM permission ([countCombinedJob](#))

Query parameters

filter (optional)
Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon.
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /jobstatus

[Up](#)

Get a list of jobs (including running jobs and finished jobs). It requires backupdr.managementServers.access IAM permission (`listCombinedJobs`)

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields. Then append ':asc' or ':desc' for ascending or descending sort. Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:=b	bitwise and

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[List.JobRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "jobcount" : 6,
    "jobclasscode" : 6,
    "backup" : {
      "jobclasscode" : 0,
      "cluster" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "connectionType" : "PSA",
        "supportstatus" : "supportstatus",
        "password" : "password",
        "protocol" : 3,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 2,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "machineType" : "machineType",
        "lastsync" : 9,
        "clusterstatus" : {
          "accessible" : true,
          "copydata" : 7,
          "localdedupcolor" : "localdedupcolor",
          "vdiskcount" : 5,

```

```
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteProtectioncolor" : "remoteProtectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
```

```
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errormsg" : "errormsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
```

```
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
```

```

        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ],
        "syncdate" : 8,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "user" : [ {
            "haspassword" : true,
            "stale" : true,
            "syncdate" : 4,
            "href" : "http://example.com/aeiou",

```



```

    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ]
  } ]
} ]

```

```

}, {
  "exportprop" : [ null, null ],
  "stale" : true,
  "host" : "host",
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "nas-mount-prop" : [ null, null ]
} ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",
"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  } ],
  "syncdate" : 9,
  "yaml" : "yaml",
  "provisioningoptions" : [ null, null ],
  "catalogstate" : "catalogstate",
  "racodelist" : [ "racodelist", "racodelist" ],
  "immutabilitydate" : 5,
  "application_allocated_size" : 8,
  "backuplock" : "backuplock",
  "name" : "name",
  "volgroupname" : "volgroupname",
  "expiration" : 6,
  "policyname" : "policyname",
  "mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      } ],
      "clusterid" : "clusterid"
    }, {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",

```

```

    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ] ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",

```

```
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
```

```
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypass" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncline" : "dedupasyncline",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,

```

```
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
```



```
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
```

```
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
```

```
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"exxhost" : "exxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
},
"retrycount" : 4,
"slnname" : "slnname",
"hostid" : 7,
"pid" : 1,
"startdate" : 4,
"sourceuds" : 9,
"jobtag" : "jobtag",
"hostname" : "hostname",
"stale" : true,
"appname" : "appname",
"isexpired" : true,
"syncdate" : 3,
"relativesize" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"logsmarttype" : "logsmarttype",
"jobname" : "jobname",
"yaml" : "yaml",
"flags_text" : [ "flags_text", "flags_text" ],
"diskpools" : [ null, null ],
"jobclass" : "jobclass",
"priority" : "priority",
"immutabilitydate" : 1,
"task" : { },
"enddate" : 7,
"targethost" : "targethost",
"expiration" : 6,
"policyname" : "policyname",
"consistencydate" : 1,
"consistency-mode" : "consistency-mode",
"status" : "status",
"originatinguds" : 3,
"changerequesttext" : "changerequesttext",
"flags" : 5,
"description" : "description",
"sourcediskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
```

```
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
```

```

    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"parentid" : "parentid",
"extrainfo" : "extrainfo",
"duration" : 5,
"event" : {
  "errormessage" : "errormessage",
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteprotectioncolor" : "remoteprotectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "eventid" : 6,
  "apptype" : "apptype",
  "sourceeventdate" : "sourceeventdate",
  "sequenceid" : 8,
  "eventdate" : 9,
  "notification" : { },
  "component" : { },
  "stale" : true,
  "appname" : "appname",
  "srcid" : "srcid",
  "messagetext" : "messagetext",
  "requiresclearing" : true,
  "syncdate" : 9,
  "eventstatus" : "eventstatus",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errorcode" : "errorcode",
  "jobname" : "jobname",
  "errormessages" : [ "errormessages", "errormessages" ],
  "object" : { }
},
"errorcode" : "errorcode",
"sourceid" : "sourceid",

```

```

"changerequest" : 7,
"queuedate" : 5,
"apptype" : "apptype",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"expirationdate" : 9,
"message" : "message",
"targetuds" : 2,
"isscheduled" : true,
"srcid" : "srcid",
"id2" : "id2",
"appid" : "appid",
"progress" : 2,
"virtualseize" : 1
}, {
"jobcount" : 6,
"jobclasscode" : 6,
"backup" : {
"jobclasscode" : 0,
"cluster" : {
"serviceaccount" : "serviceaccount",
"ipaddress" : "ipaddress",
"pkiBootstrapped" : true,
"timezone" : "timezone",
"shared_secret" : "shared_secret",
"description" : "description",
"publicip" : "publicip",
"type" : "type",
"connectionType" : "PSA",
"supportstatus" : "supportstatus",
"password" : "password",
"protocol" : 3,
"stale" : true,
"zone" : "zone",
"clusterlist" : [ null, null ],
"syncdate" : 2,
"rmipaddress" : [ "rmipaddress", "rmipaddress" ],
"href" : "http://example.com/aeiou",
"id" : "id",
"projectid" : "projectid",
"machineType" : "machineType",
"lastsync" : 9,
"clusterstatus" : {
"accessible" : true,
"copydata" : 7,
"localdedupcolor" : "localdedupcolor",
"vdiskcount" : 5,
"vdiskcolor" : "vdiskcolor",
"localsnapshotcolor" : "localsnapshotcolor",
"remoteprotectioncolor" : "remoteprotectioncolor",
"vdisklimit" : 2
},
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],

```

```
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualseize" : "virtualseize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
}
```



```
"free_mb" : 3,
"safepct" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,

```

```

    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancesterlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ], {

```

```

    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
  } ],
  "status" : "status",
  "pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",

```

```

        "syncdate" : 6,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
    "stale" : true,
    "exportrule" : [ {
        "exportedname" : "exportedname",
        "stale" : true,
        "exporttype" : "exporttype",
        "client" : [ {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        }, {
            "exportprop" : [ null, null ],
            "stale" : true,
            "host" : "host",
            "syncdate" : 6,
            "href" : "http://example.com/aeiou",
            "id" : "id",
            "nas-mount-prop" : [ null, null ]
        } ] ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    }, {
        "haspassword" : true,
        "stale" : true,
        "syncdate" : 4,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "accessmode" : [ "accessmode", "accessmode" ],
        "username" : "username",
        "group" : "group"
    } ]
} ],

```

```

    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  } ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",

```

```

    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ], {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",

```

```
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
```

```
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
```



```

"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,

```

```

    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}

```

```

    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],

```

```
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsize" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
```

```
"fullpath" : "fullpath",
"volumeinfo" : [ {
  "uniqueid" : "uniqueid"
}, {
  "uniqueid" : "uniqueid"
} ],
"fileinfo" : [ {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
}, {
  "filename" : "filename",
  "filepath" : "filepath",
  "isrecursive" : true
} ],
"name" : "name",
"faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
},
"retrycount" : 4,
"sltname" : "sltname",
"hostid" : 7,
"pid" : 1,
"startdate" : 4,
"sourceuds" : 9,
"jobtag" : "jobtag",
"hostname" : "hostname",
"stale" : true,
"appname" : "appname",
"isexpired" : true,
"syncdate" : 3,
"relativesize" : 1,
"href" : "http://example.com/aeiou",
"id" : "id",
"logsmarttype" : "logsmarttype",
"jobname" : "jobname",
"yaml" : "yaml",
"flags_text" : [ "flags_text", "flags_text" ],
```

```
"diskpools" : [ null, null ],
"jobclass" : "jobclass",
"priority" : "priority",
"immutabilitydate" : 1,
"task" : { },
"enddate" : 7,
"targethost" : "targethost",
"expiration" : 6,
"policyname" : "policyname",
"consistencydate" : 1,
"consistency-mode" : "consistency-mode",
"status" : "status",
"originatinguds" : 3,
"changerequesttext" : "changerequesttext",
"flags" : 5,
"description" : "description",
"sourcediskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcId" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsized" : 6,
```

```
"bucket" : "bucket",
"accessid" : "accessid",
"baseurl" : "baseurl",
"stale" : true,
"accesskey" : "accesskey",
"vaulttype" : "vaulttype",
"syncdate" : 0,
"authversion" : "authversion",
"href" : "http://example.com/aeiou",
"id" : "id",
"compression" : true,
"region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}
}, {
  "resourcecollection" : {
```

```
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"parentid" : "parentid",
"extrainfo" : "extrainfo",
"duration" : 5,
"event" : {
  "errorMessage" : "errorMessage",
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
```



```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 2
    },
    "systemversion" : "systemversion",
    "resource" : "resource",
    "importstatus" : "importstatus",
    "clusterid" : "clusterid",
    "version" : "version",
    "batype" : "batype",
    "name" : "name",
    "region" : "region",
    "username" : "username"
  },
  "eventid" : 6,
  "apptype" : "apptype",
  "sourceeventdate" : "sourceeventdate",
  "sequenceid" : 8,
  "eventdate" : 9,
  "notification" : { },
  "component" : { },
  "stale" : true,
  "appname" : "appname",
  "srcid" : "srcid",
  "messagetext" : "messagetext",
  "requiresclearing" : true,
  "syncdate" : 9,
  "eventstatus" : "eventstatus",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errorcode" : "errorcode",
  "jobname" : "jobname",
  "errormessages" : [ "errormessages", "errormessages" ],
  "object" : { }
},
"errorcode" : "errorcode",
"sourceid" : "sourceid",
"changerequest" : 7,
"queuedate" : 5,
"apptype" : "apptype",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"expirationdate" : 9,
"message" : "message",
"targetuds" : 2,
"isscheduled" : true,
"srcid" : "srcid",
"id2" : "id2",
"appid" : "appid",
"progress" : 2,
"virtualsize" : 1
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListJobRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

OPTIONS /jobstatus

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission (`optionsForListCombinedJob`)

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
    "pageable" : true,
    "sortable" : true,
    "sortablefields" : [ "sortablefields", "sortablefields" ]
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

LogicalGroup

[Up](#)

HEAD /logicalgroup

Get a count of total logical groups matching the filters. It requires backupdr.managementServers.access IAM permission (`countLogicalGroups`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

Operator	Meaning
:==	equals
: =	contains (case-insensitive)
:>=	greater than or equal to
:<=	less than or equal to
:&b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /logicalgroup

[Up](#)

Create a new logical group. It requires backupdr.managementServers.manageApplications IAM permission ([createLogicalGroup](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [LogicalGroupRest](#) (optional)

Body Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /logicalgroup/{group_id}/sla

[Up](#)

Protect a logical group. It creates individual SLAs for all members. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createLogicalGroupSLA](#))

Path parameters

group_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)
Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /logicalgroup/{group_id}

[Up](#)

Remove a logical group. It requires backupdr.managementServers.manageApplications IAM permission ([deleteLogicalGroup](#))

Path parameters

group_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /logicalgroup/{group_id}/sla

[Up](#)

Unprotect a logical group. It removes SLAs for all members. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteLogicalGroupSla](#))

Path parameters

group_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /logicalgroup/{group_id}

[Up](#)

Get individual logical group details. It requires backupdr.managementServers.access IAM permission ([getLogicalGroup](#))

Path parameters

group_id (required)

Path Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /logicalgroup

[Up](#)

Get a list of logical groups. It requires backupdr.managementServers.access IAM permission ([listLogicalGroup](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append 'asc' or 'desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListLogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListLogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /logicalgroup/{group_id}/member

[Up](#)

Get logical group's members. It requires backupdr.managementServers.access IAM permission ([listLogicalGroupMembers](#))

Path parameters

group_id (required)

Path Parameter –

Return type

[ListApplicationRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "uniquename" : "uniquename",
    "backup" : [ {
      "jobclasscode" : 0,
      "cluster" : {
        "serviceaccount" : "serviceaccount",
        "ipaddress" : "ipaddress",
        "pkiBootstrapped" : true,
        "timezone" : "timezone",
        "shared_secret" : "shared_secret",
        "description" : "description",
        "publicip" : "publicip",
        "type" : "type",
        "connectionType" : "PSA",
        "supportstatus" : "supportstatus",
        "password" : "password",
        "protocol" : 3,
        "stale" : true,
        "zone" : "zone",
        "clusterlist" : [ null, null ],
        "syncdate" : 2,
        "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "projectid" : "projectid",
        "machineType" : "machineType",
        "lastsync" : 9,
        "clusterstatus" : {
          "accessible" : true,
          "copydata" : 7,
          "localdedupcolor" : "localdedupcolor",
          "vdiskcount" : 5,
          "vdiskcolor" : "vdiskcolor",
          "localsnapshotcolor" : "localsnapshotcolor",
          "remoteprotectioncolor" : "remoteprotectioncolor",
          "vdisklimit" : 2
        },
        "systemversion" : "systemversion",
        "resource" : "resource",
        "importstatus" : "importstatus",
        "clusterid" : "clusterid",
        "version" : "version",
        "batype" : "batype",
        "name" : "name",
        "region" : "region",
        "username" : "username"
      },
      "sltname" : "sltname",
      "migrate-copythreadcount" : 3,
      "restorelock" : "restorelock",
      "sourceuds" : "sourceuds",
      "mountcapacity" : 2,
      "backupname" : "backupname",
      "stale" : true,
      "sourcemountpoint" : "sourcemountpoint",
      "nvolumes" : "nvolumes",
      "dnsname" : "dnsname",
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "targetstoragetype" : "targetstoragetype",
      "poolName" : "poolName",
      "flags_text" : [ "flags_text", "flags_text" ],
      "appclass" : "appclass",
      "mappedhost" : "mappedhost",
      "backupdate" : 7,
      "jobclass" : "jobclass",
      "version" : "version",
      "uniquehostname" : "uniquehostname",
      "powerfactor" : 3,
      "hosttimezone" : "hosttimezone",
```

```
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
```



```
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "warnpct" : 1,
  "pct" : 7.058770351582356,
  "ext" : 4,
  "capacity_mb" : 0,
  "bvinfo" : {
    "environment" : "environment",
    "stale" : true,
    "name" : "name",
    "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
    "lock" : true,
    "project" : "project",
    "syncdate" : 4,
    "location" : "location",
    "state" : "state",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "error" : {
      "err_code" : 10011,
      "err_message" : "err_message"
    }
  }
},
  "immutable" : true,
  "usedefaultsa" : true,
  "srcid" : "srcid",
  "orglist" : [ {
    "resourcecollection" : {
      "userlist" : [ "userlist", "userlist" ],
      "slplist" : [ "slplist", "slplist" ],
      "arraylistcount" : 8,
      "hostlist" : [ "hostlist", "hostlist" ],
      "sltlistcount" : 1,
      "applist" : [ "applist", "applist" ],
      "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
      "poollistcount" : 9,
      "arraylist" : [ "arraylist", "arraylist" ],
      "hostlistcount" : 4,
      "applistcount" : 6,
```

```

    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",

```

```

"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }
  ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }
]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }
],
"syncdate" : 8,
"href" : "http://example.com/aeiou",
"id" : "id",

```

```

"user" : [ {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
}, {
  "haspassword" : true,
  "stale" : true,
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "accessmode" : [ "accessmode", "accessmode" ],
  "username" : "username",
  "group" : "group"
} ]
}, {
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,

```

```
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
```

```
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
```

```
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypoint" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
}
```



```

"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",

```

```
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
} ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
```

```

}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"iscclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,

```

```
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxypass" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migraemapping" : "migraemapping",
"restorableobjects" : [ {
  "appstate" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
```

```

    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  } ], {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ], {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkibootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,

```

```
    "localdedupcolor" : "localdedupcolor",
    "vdiskcount" : 5,
    "vdiskcolor" : "vdiskcolor",
    "localsnapshotcolor" : "localsnapshotcolor",
    "remoteprotectioncolor" : "remoteprotectioncolor",
    "vdisklimit" : 2
  },
  "systemversion" : "systemversion",
  "resource" : "resource",
  "importstatus" : "importstatus",
  "clusterid" : "clusterid",
  "version" : "version",
  "batype" : "batype",
  "name" : "name",
  "region" : "region",
  "username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
```

```
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  }, {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ],
  "stale" : true,
  "pooltypedisplayname" : "pooltypedisplayname",
  "metadataonly" : true,
  "mdiskgrp" : "mdiskgrp",
  "nocache" : true,
  "syncdate" : 7,
  "vaultprops" : {
    "objectsize" : 6,
    "bucket" : "bucket",
    "accessid" : "accessid",
    "baseurl" : "baseurl",
    "stale" : true,
    "accesskey" : "accesskey",
    "vaulttype" : "vaulttype",
    "syncdate" : 0,
    "authversion" : "authversion",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "compression" : true,
    "region" : "region"
  },
}
```

```
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
```



```

    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,

```

```

    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",

```

```

    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "objecttype" : "objecttype",
    "objectid" : "objectid"
  } ],
  "syncdate" : 9,
  "yaml" : "yaml",
  "provisioningoptions" : [ null, null ],
  "catalogstate" : "catalogstate",
  "racodelist" : [ "racodelist", "racodelist" ],
  "immutabilitydate" : 5,
  "application_allocated_size" : 8,
  "backuplock" : "backuplock",
  "name" : "name",
  "volgroupname" : "volgroupname",
  "expiration" : 6,
  "policyname" : "policyname",
  "mountedhost" : [ {
    "node_logged_in_count" : "node_logged_in_count",
    "uniquename" : "uniquename",
    "svcname" : "svcname",
    "iogrp" : "iogrp",
    "chappassword" : "chappassword",
    "source" : [ {
      "srcid" : "srcid",
      "slps" : [ {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }, {
        "dedupasyncnode" : "dedupasyncnode",
        "profiletype" : "profiletype",
        "description" : "description",
        "createdate" : 4,
        "clusterid" : "clusterid",
        "primarystorage" : "primarystorage",
        "modifydate" : 3,
        "stale" : true,
        "remotenode" : "remotenode",
        "srcid" : "srcid",
        "performancepool" : "performancepool",
        "localnode" : "localnode",
        "orglist" : [ null, null ],
        "name" : "name",
        "syncdate" : 0,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cid" : "cid"
      }
    ]
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",

```

```

    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",

```

```

    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],

```

```
"description" : "description",
"svcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasynccode" : "dedupasynccode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",

```



```
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
```

```
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
```

```

"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmppath" : "vmppath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
}, {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
  "name" : "name",
  "faileddb" : "faileddb"
} ],
"vaultowner" : true,
"yamlavailable" : true,
"originalbackupid" : "originalbackupid",

```

```
"migrate-configured" : true,
"multiregion" : "multiregion",
"label" : "label",
"clusterid" : "clusterid",
"transport" : "transport",
"isasm" : true,
"esxhost" : "esxhost",
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  }
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  }
},
"resource" : "resource",
"option_href" : "http://example.com/aeiou",
"policies" : [ {
  "schedulingtype" : "schedulingtype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
},
"sourcevault" : 5,
```

```
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
```

```
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
```

```
"username" : "username"
}, {
  "uniquename" : "uniquename",
  "backup" : [ {
    "jobclasscode" : 0,
    "cluster" : {
      "serviceaccount" : "serviceaccount",
      "ipaddress" : "ipaddress",
      "pkiBootstrapped" : true,
      "timezone" : "timezone",
      "shared_secret" : "shared_secret",
      "description" : "description",
      "publicip" : "publicip",
      "type" : "type",
      "connectionType" : "PSA",
      "supportstatus" : "supportstatus",
      "password" : "password",
      "protocol" : 3,
      "stale" : true,
      "zone" : "zone",
      "clusterlist" : [ null, null ],
      "syncdate" : 2,
      "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "projectid" : "projectid",
      "machineType" : "machineType",
      "lastsync" : 9,
      "clusterstatus" : {
        "accessible" : true,
        "copydata" : 7,
        "localdedupcolor" : "localdedupcolor",
        "vdiskcount" : 5,
        "vdiskcolor" : "vdiskcolor",
        "localsnapshotcolor" : "localsnapshotcolor",
        "remoteprotectioncolor" : "remoteprotectioncolor",
        "vdisklimit" : 2
      },
      "systemversion" : "systemversion",
      "resource" : "resource",
      "importstatus" : "importstatus",
      "clusterid" : "clusterid",
      "version" : "version",
      "batype" : "batype",
      "name" : "name",
      "region" : "region",
      "username" : "username"
    },
    "sltname" : "sltname",
    "migrate-copythreadcount" : 3,
    "restorelock" : "restorelock",
    "sourceuds" : "sourceuds",
    "mountcapacity" : 2,
    "backupname" : "backupname",
    "stale" : true,
    "sourcemountpoint" : "sourcemountpoint",
    "nvolumes" : "nvolumes",
    "dnsname" : "dnsname",
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "targetstoragetype" : "targetstoragetype",
    "poolName" : "poolName",
    "flags_text" : [ "flags_text", "flags_text" ],
    "appclass" : "appclass",
    "mappedhost" : "mappedhost",
    "backupdate" : 7,
    "jobclass" : "jobclass",
    "version" : "version",
    "uniquehostname" : "uniquehostname",
    "powerfactor" : 3,
    "hosttimezone" : "hosttimezone",
    "sensitivity" : 3,
    "status" : "status",
    "originatinguds" : "originatinguds",
    "migrationstate" : "migrationstate",
    "hasmountedmap" : true,
    "hananodelist" : [ "hananodelist", "hananodelist" ],
    "flags" : "flags",
```

```
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
    "serviceaccount" : "serviceaccount",
    "clientid" : "clientid",
    "secretkey" : "secretkey",
    "sources" : [ null, null ],
    "cloudtype" : "cloudtype",
    "vaultudsuid" : 6,
    "clusterid" : 5,
    "privatekey" : "privatekey",
    "endpoint" : "endpoint",
    "stale" : true,
    "credential" : "credential",
    "srcid" : 6,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "subscriptionid" : "subscriptionid",
    "projectid" : "projectid",
    "publickey" : "publickey",
    "immutable" : true,
    "usedefaultsa" : true,
    "domain" : "domain",
    "orglist" : [ null, null ],
    "name" : "name",
    "region" : "region"
  },
  "free_mb" : 3,
  "safepct" : 1,
  "storage" : [ "storage", "storage" ],
  "type" : "type",
  "udsuid" : 1,
  "modifydate" : 7,
  "copies" : [ {
    "stale" : true,
    "clustername" : "clustername",
    "success" : true,
    "syncdate" : 2,
    "clusterid" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "errmsg" : "errmsg"
  } ]
}
```



```
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsize" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
}
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
```

```

        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
}, {
    "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "cloudcredentiallistcount" : 6,
        "lglistcount" : 9,
        "poollist" : [ "poollist", "poollist" ]
    },
    "memberlist" : [ null, null ],
    "modifydate" : 6,
    "stale" : true,
    "name" : "name",
    "description" : "description",
    "createdate" : 7,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "ancestorlist" : [ null, null ],
    "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
}, {
    "stale" : true,
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",

```

```
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
```

```

    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    } ]
  }, {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],

```

```

    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
} ],
"syncdate" : 9,
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",

```

```
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
```

```
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
```

```
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
```



```

"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
"node_logged_in_count" : "node_logged_in_count",
"uniquename" : "uniquename",
"svcname" : "svcname",
"iogrp" : "iogrp",
"chappassword" : "chappassword",
"source" : [ {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ],
"clusterid" : "clusterid"
}, {
"srcid" : "srcid",
"slps" : [ {
"dedupasyncnode" : "dedupasyncnode",
"profiletype" : "profiletype",
"description" : "description",
"createdate" : 4,
"clusterid" : "clusterid",
"primarystorage" : "primarystorage",
"modifydate" : 3,
"stale" : true,
"remotenode" : "remotenode",
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}, {

```

```

    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",

```

```
"stale" : true,
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ism" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
```

```

    "agent_version" : "agent_version",
    "haspassword" : true,
    "password" : "password",
    "stale" : true,
    "agenttype" : "agenttype",
    "port" : 9,
    "alternatekey" : "alternatekey",
    "hasalternatekey" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
} ],
"consistencydate" : 4,
"modifiedbytes" : "modifiedbytes",
"consumedsized" : 5,
"consistencymode" : "consistencymode",
"expirytries" : "expirytries",
"vmvpath" : "vmvpath",
"hasdependency" : true,
"allowedips" : [ "allowedips", "allowedips" ],
"migratemapping" : "migratemapping",
"restorableobjects" : [ {
  "appState" : 4,
  "systemdb" : true,
  "appstate_text" : [ "appstate_text", "appstate_text" ],
  "skippeddb" : "skippeddb",
  "type" : "type",
  "pathname" : "pathname",
  "backedupdb" : "backedupdb",
  "fullpath" : "fullpath",
  "volumeinfo" : [ {
    "uniqueid" : "uniqueid"
  }, {
    "uniqueid" : "uniqueid"
  } ],
  "fileinfo" : [ {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  }, {
    "filename" : "filename",
    "filepath" : "filepath",
    "isrecursive" : true
  } ],
} ],

```

```

    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",
  "clonemigrateeligible" : true,
  "targetuds" : "targetuds",
  "datafilemovestarted" : true,
  "releaselogs" : true,
  "migrate-frequency" : 1
}, {
  "jobclasscode" : 0,
  "cluster" : {
    "serviceaccount" : "serviceaccount",
    "ipaddress" : "ipaddress",
    "pkiBootstrapped" : true,
    "timezone" : "timezone",
    "shared_secret" : "shared_secret",
    "description" : "description",
    "publicip" : "publicip",
    "type" : "type",
    "connectionType" : "PSA",
    "supportstatus" : "supportstatus",
    "password" : "password",
    "protocol" : 3,
    "stale" : true,
    "zone" : "zone",
    "clusterlist" : [ null, null ],
    "syncdate" : 2,
    "rmipaddress" : [ "rmipaddress", "rmipaddress" ],
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "projectid" : "projectid",
    "machineType" : "machineType",
    "lastsync" : 9,
    "clusterstatus" : {
      "accessible" : true,
      "copydata" : 7,
      "localdedupcolor" : "localdedupcolor",
      "vdiskcount" : 5,
      "vdiskcolor" : "vdiskcolor",
      "localsnapshotcolor" : "localsnapshotcolor",
      "remoteProtectioncolor" : "remoteProtectioncolor",
      "vdisklimit" : 2
    }
  }
},

```

```
"systemversion" : "systemversion",
"resource" : "resource",
"importstatus" : "importstatus",
"clusterid" : "clusterid",
"version" : "version",
"batype" : "batype",
"name" : "name",
"region" : "region",
"username" : "username"
},
"sltname" : "sltname",
"migrate-copythreadcount" : 3,
"restorelock" : "restorelock",
"sourceuds" : "sourceuds",
"mountcapacity" : 2,
"backupname" : "backupname",
"stale" : true,
"sourcemountpoint" : "sourcemountpoint",
"nvolumes" : "nvolumes",
"dnsname" : "dnsname",
"href" : "http://example.com/aeiou",
"id" : "id",
"targetstoragetype" : "targetstoragetype",
"poolName" : "poolName",
"flags_text" : [ "flags_text", "flags_text" ],
"appclass" : "appclass",
"mappedhost" : "mappedhost",
"backupdate" : 7,
"jobclass" : "jobclass",
"version" : "version",
"uniquehostname" : "uniquehostname",
"powerfactor" : 3,
"hosttimezone" : "hosttimezone",
"sensitivity" : 3,
"status" : "status",
"originatinguds" : "originatinguds",
"migrationstate" : "migrationstate",
"hasmountedmap" : true,
"hananodelist" : [ "hananodelist", "hananodelist" ],
"flags" : "flags",
"logsequences" : [ {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
}, {
  "stale" : true,
  "beginlsn" : "beginlsn",
  "syncdate" : 1,
  "endlsn" : "endlsn",
  "thread" : "thread",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ],
"isSourceAppFromMountMigrateRestore" : true,
"vmname" : "vmname",
"characteristic" : "characteristic",
"retainlogs" : true,
"modifydate" : 1,
"slpname" : "slpname",
"apptype" : "apptype",
"mountedvdisk" : "mountedvdisk",
"snapshotlocation" : "snapshotlocation",
"srcid" : "srcid",
"snapshottype" : "snapshottype",
"endpit" : 6,
"hostisdst" : true,
"incarnation" : "incarnation",
"asmswitchcapable" : true,
"mountmigrateflag" : true,
"virtualsize" : "virtualsize",
"diskpool" : {
  "usage_mb" : 7,
  "grainsize" : 3,
  "cloudcredential" : {
```

```
"serviceaccount" : "serviceaccount",
"clientid" : "clientid",
"secretkey" : "secretkey",
"sources" : [ null, null ],
"cloudtype" : "cloudtype",
"vaultudsuid" : 6,
"clusterid" : 5,
"privatekey" : "privatekey",
"endpoint" : "endpoint",
"stale" : true,
"credential" : "credential",
"srcid" : 6,
"syncdate" : 6,
"href" : "http://example.com/aeiou",
"id" : "id",
"subscriptionid" : "subscriptionid",
"projectid" : "projectid",
"publickey" : "publickey",
"immutable" : true,
"usedefaultsa" : true,
"domain" : "domain",
"orglist" : [ null, null ],
"name" : "name",
"region" : "region"
},
"free_mb" : 3,
"safept" : 1,
"storage" : [ "storage", "storage" ],
"type" : "type",
"udsuid" : 1,
"modifydate" : 7,
"copies" : [ {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
}, {
  "stale" : true,
  "clustername" : "clustername",
  "success" : true,
  "syncdate" : 2,
  "clusterid" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "errmsg" : "errmsg"
} ],
"stale" : true,
"pooltypedisplayname" : "pooltypedisplayname",
"metadataonly" : true,
"mdiskgrp" : "mdiskgrp",
"nocache" : true,
"syncdate" : 7,
"vaultprops" : {
  "objectsized" : 6,
  "bucket" : "bucket",
  "accessid" : "accessid",
  "baseurl" : "baseurl",
  "stale" : true,
  "accesskey" : "accesskey",
  "vaulttype" : "vaulttype",
  "syncdate" : 0,
  "authversion" : "authversion",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "compression" : true,
  "region" : "region"
},
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"warnpct" : 1,
"pct" : 7.058770351582356,
"ext" : 4,
"capacity_mb" : 0,
```

```

"bvinfo" : {
  "environment" : "environment",
  "stale" : true,
  "name" : "name",
  "enforcedRetentionDurationSeconds" : "enforcedRetentionDurationSeconds",
  "lock" : true,
  "project" : "project",
  "syncdate" : 4,
  "location" : "location",
  "state" : "state",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "error" : {
    "err_code" : 10011,
    "err_message" : "err_message"
  }
},
"immutable" : true,
"usedefaultsa" : true,
"srcid" : "srcid",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,

```



```

    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"name" : "name",
"location" : "location",
"properties" : [ {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
}, {
  "stale" : true,
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "key" : "key"
} ],
"status" : "status",
"pooltype" : "pooltype"
},
"mountedmountpoint" : "mountedmountpoint",
"backedupdbnames" : "backedupdbnames",
"eligiblestoragetypes" : "eligiblestoragetypes",
"copies" : [ null, null ],
"appname" : "appname",
"zone" : "zone",
"beginpit" : 8,
"exportvolume" : [ {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    } ],
    "syncdate" : 8,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "user" : [ {
      "haspassword" : true,
      "stale" : true,
      "syncdate" : 4,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "accessmode" : [ "accessmode", "accessmode" ],
      "username" : "username",
      "group" : "group"
    }, {

```

```

    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
"exportedpath" : "exportedpath",
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"objecttype" : "objecttype",
"objectid" : "objectid"
}, {
  "stale" : true,
  "exportrule" : [ {
    "exportedname" : "exportedname",
    "stale" : true,
    "exporttype" : "exporttype",
    "client" : [ {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "nas-mount-prop" : [ null, null ]
    }, {
      "exportprop" : [ null, null ],
      "stale" : true,
      "host" : "host",
      "syncdate" : 6,

```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
}, {
  "exportedname" : "exportedname",
  "stale" : true,
  "exporttype" : "exporttype",
  "client" : [ {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  }, {
    "exportprop" : [ null, null ],
    "stale" : true,
    "host" : "host",
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "nas-mount-prop" : [ null, null ]
  } ],
  "syncdate" : 8,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "user" : [ {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  }, {
    "haspassword" : true,
    "stale" : true,
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "accessmode" : [ "accessmode", "accessmode" ],
    "username" : "username",
    "group" : "group"
  } ]
} ],
  "exportedpath" : "exportedpath",
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "objecttype" : "objecttype",
  "objectid" : "objectid"
} ],
"syncdate" : 9,

```

```
"yaml" : "yaml",
"provisioningoptions" : [ null, null ],
"catalogstate" : "catalogstate",
"racodelist" : [ "racodelist", "racodelist" ],
"immutabilitydate" : 5,
"application_allocated_size" : 8,
"backuplock" : "backuplock",
"name" : "name",
"volgroupname" : "volgroupname",
"expiration" : 6,
"policyname" : "policyname",
"mountedhost" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
```

```

    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",

```

```
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
```

```
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }
  ]
}, {
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
```

```

    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,

```



```

"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",

```

```
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"exlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"isvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
```

```

    "srcid" : "srcid",
    "WWPN" : [ "WWPN", "WWPN" ],
    "osrelease" : "osrelease",
    "diskpref" : "diskpref",
    "port_count" : "port_count",
    "originalhostid" : "originalhostid",
    "properties" : "properties"
  } ],
  "consistencydate" : 4,
  "modifiedbytes" : "modifiedbytes",
  "consumedsize" : 5,
  "consistencymode" : "consistencymode",
  "expirytries" : "expirytries",
  "vmpath" : "vmpath",
  "hasdependency" : true,
  "allowedips" : [ "allowedips", "allowedips" ],
  "migratemapping" : "migratemapping",
  "restorableobjects" : [ {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  }, {
    "appState" : 4,
    "systemdb" : true,
    "appstate_text" : [ "appstate_text", "appstate_text" ],
    "skippeddb" : "skippeddb",
    "type" : "type",
    "pathname" : "pathname",
    "backedupdb" : "backedupdb",
    "fullpath" : "fullpath",
    "volumeinfo" : [ {
      "uniqueid" : "uniqueid"
    }, {
      "uniqueid" : "uniqueid"
    } ],
    "fileinfo" : [ {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    }, {
      "filename" : "filename",
      "filepath" : "filepath",
      "isrecursive" : true
    } ],
    "name" : "name",
    "faileddb" : "faileddb"
  } ],
  "vaultowner" : true,
  "yamlavailable" : true,
  "originalbackupid" : "originalbackupid",
  "migrate-configured" : true,
  "multiregion" : "multiregion",
  "label" : "label",
  "clusterid" : "clusterid",
  "transport" : "transport",
  "isasm" : true,
  "esxhost" : "esxhost",

```

```
"clonemigrateeligible" : true,
"targetuds" : "targetuds",
"datafilemovestarted" : true,
"releaselogs" : true,
"migrate-frequency" : 1
} ],
"sources" : [ null, null ],
"scheduleoff" : true,
"friendlypath" : "friendlypath",
"description" : "description",
"ismv" : true,
"stale" : true,
"appname" : "appname",
"managedBy" : "MS",
"managed" : true,
"networkname" : "networkname",
"ignore" : true,
"syncdate" : 8,
"sourcecluster" : "sourcecluster",
"href" : "http://example.com/aeiou",
"id" : "id",
"auxinfo" : "auxinfo",
"isorphan" : true,
"originalappid" : "originalappid",
"sourceapp" : "sourceapp",
"diskpools" : [ "diskpools", "diskpools" ],
"protectable" : "protectable",
"networkip" : "networkip",
"isclustered" : true,
"mountedhosts" : [ null, null ],
"apptype" : "apptype",
"appclass" : "Oracle",
"appstate_text" : [ "appstate_text", "appstate_text" ],
"volumes" : [ "volumes", "volumes" ],
"available_slp" : [ null, null ],
"sla" : {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
```

```
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "stale" : true,
```

```

        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusionstype" : "exclusionstype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
}
},
"appversion" : "appversion",
"isrestoring" : true,
"pathname" : "pathname",
"failoverstate" : "failoverstate",
"srcid" : "srcid",
"orglist" : [ null, null ],
"name" : "name",
"sensitivity" : 3,
"frommount" : true,
"friendlytype" : "friendlytype",
"username" : "username"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListApplicationRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /logicalgroup/{group_id}/member

[Up](#)

Incrementally add/delete logical group members. It requires backupdr.managementServers.manageApplications IAM permission ([modifyLogicalGroupMembers](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [MembershipChangeRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /logicalgroup

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListLogicalGroup](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```
{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
```

```
    "type" : "type"
  } ],
  "pageable" : true,
  "sortable" : true,
  "sortablefields" : [ "sortablefields", "sortablefields" ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /logicalgroup/{group_id}

[Up](#)

Update a logical group. It requires backupdr.managementServers.manageApplications IAM permission ([updateLogicalGroup](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [LogicalGroupRest](#) (optional)

Body Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /logicalgroup/{group_id}/sla

[Up](#)

Update the current SLAs for a logical group. It updates individual SLAs for all members. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateLogicalGroupSla](#))

Path parameters

group_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)

Body Parameter –

Return type

[LogicalGroupRest](#)

Example data

Content-Type: application/json

```
{
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [LogicalGroupRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

ManageACL

POST /manageacl/migration/getdbdumpuploadurls

[Up](#)

([getDbDumpUploadUrls](#))

Query parameters

rmExists (optional)
Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /manageacl/migration/rmmigrationstatus

[Up](#)

(getRMMigrationStatus)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /manageacl/migration/isinmigrationmode

[Up](#)

(isInMigrationMode)

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /manageacl/promoteUser

[Up](#)

To promote the IAP Manage Acl users to Administrator role (**promoteUser**)

If the caller identity has IAM ManageInternalACL permission, this call will grant the current user session temporary (up to 5 minutes) AGM Administrator role (which can be granted explicitly alternatively) and temporary full privileges with AGM access control management (such as assigning users to organizations/roles and modifying role/right definitions). If the caller identity doesn't have the IAM ManageInternalACL permission, this call fails with 403 not authorized

Return type

[SessionRest](#)

Example data

Content-Type: application/json

```
{
  "authconfig" : {
    "stale" : true,
    "method" : "DATABASE",
    "available_method" : [ "DATABASE", "LDAP" ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "stale" : true,
  "userpref" : "userpref",
  "timezone" : "America/New_York",
  "rights" : [ null, null ],
  "session_id" : "c7a5c64e-05a6-4671-b2e3-4b0f34e16888",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "region" : "us-central1",
  "user" : {
    "localonly" : true,
    "firstname" : "firstname",
    "dataaccesslevel" : 1,
    "comments" : "comments",
    "userpref" : "userpref",
    "timezone" : "timezone",
    "createdate" : 5,
    "version" : 0,
    "lastname" : "lastname",
    "password" : "password",
    "lastpasswordchangedate" : 5,
    "modifydate" : 6,
    "rolelist" : [ {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "version" : "version",
      "rightList" : [ null, null ]
    }, {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "version" : "version",
      "rightList" : [ null, null ]
    } ],
    "stale" : true,
    "name" : "name",
    "orglist" : [ {
      "resourcecollection" : {
        "userlist" : [ "userlist", "userlist" ],
        "slplist" : [ "slplist", "slplist" ],
        "arraylistcount" : 8,
        "hostlist" : [ "hostlist", "hostlist" ],
        "sltlistcount" : 1,
        "applist" : [ "applist", "applist" ],
        "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
        "poollistcount" : 9,
        "arraylist" : [ "arraylist", "arraylist" ],
        "hostlistcount" : 4,
        "applistcount" : 6,
        "lglist" : [ "lglist", "lglist" ],
        "slplistcount" : 5,
        "stale" : true,
        "sltlist" : [ "sltlist", "sltlist" ],
        "userlistcount" : 9,
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
```

```

    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "slplist" : [ "slplist", "slplist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "slplistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
},
"username" : "john_smith"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SessionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not authorized for the caller identity without IAM ManageInternalACL permission [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /manageacl/migration/savesecret

[Up](#)

(storeSecretKeys)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [ListNameValueRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

SLA

HEAD /sla

[Up](#)

Get a count of total SLAs matching the filters. It requires backupdr.managementServers.viewBackupPlans IAM permission (countSlas)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

<th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>: = </td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>
--

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /sla/{sla_id}/settableoption

[Up](#)

Create an overridden option on the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createOptionForSla](#))

Path parameters

sla_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /sla

[Up](#)

Create a new SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([createSla](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)

Return type[SlaRest](#)**Example data**

Content-Type: application/json

```

{
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      } ],
      "syncdate" : 9,
      "href" : "http://example.com/aeiou",
      "id" : "id",

```

```

"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 8,
  "stale" : true,
  "error_threshold_custom" : 7,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],

```



```

    "description" : "description",
    "managedbyagm" : true,
    "sourcename" : "sourcename",
    "source" : [ null, null ],
    "stale" : true,
    "managedby" : "MS",
    "policy_href" : "http://example.com/aeiou",
    "options" : [ null, null ],
    "orglist" : [ null, null ],
    "name" : "name",
    "usedbycloudapp" : true,
    "syncdate" : 5,
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /sla/preflight

[Up](#)

Preflight on creating a new SLA. It requires SLA Assign right. ([createSlaPreflight](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaPreflightRest](#) (optional)

Body Parameter –

Return type

[SlaErrorWarningsRest](#)

Example data

Content-Type: application/json

```

{
  "stale" : true,
  "errorList" : [ {

```

```

    "stale" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "syncdate" : 6,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "syncdate" : 1,
  "warningList" : [ {
    "stale" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }, {
    "stale" : true,
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  } ],
  "href" : "http://example.com/aeiou",
  "id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaErrorWarningsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /sla/{sla_id}/settableoption/{option_id}

[Up](#)

Delete a specific overridden option on the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteOptionForSla](#))

Path parameters

sla_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /sla/{sla_id}

[Up](#)

Remove the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([deleteSla](#))

Path parameters

sla_id (required)
Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla/{sla_id}/settableoption/{option_id}

[Up](#)

Get the details of a specific overridden option on the specific SLA. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getOptionForSla](#))

Path parameters

sla_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla/{sla_id}

Get individual SLA details. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getSla](#))

Path parameters

sla_id (required)
Path Parameter –

Return type

[SlaRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "schedulingtype" : "schedulingtype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }, {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
```

```
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
```

```

    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SLA Rest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla/{sla_id}/settableoption

[Up](#)

List all overridden options already set on the specific SLA. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listOptionForSla](#))

Path parameters

sla_id (required)
Path Parameter –

Return type

[ListAdvancedOptionRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /sla

[Up](#)

Get a list of SLAs. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listSlas](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListSlaRest](#)

Example data

Content-Type: application/json

```

{
  "count" : 0,
  "items" : [ {
    "dedupasyncoff" : "dedupasyncoff",
    "metadata" : {
      "name" : "name",

```

```
"env" : "env"
},
"protectionType" : "protectionType",
"scheduleoff" : "scheduleoff",
"dynamicProtectionTagValue" : "dynamicProtectionTagValue",
"description" : "description",
"modifydate" : 8,
"stale" : true,
"logexpirationoff" : true,
"managedBy" : "MS",
"options" : [ null, null ],
"syncdate" : 2,
"slt" : {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
```



```
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
```

```
    "override" : "override",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "expirationoff" : "expirationoff",
  "group" : {
    "membercount" : 0,
    "scheduleoff" : true,
    "description" : "description",
    "modifydate" : 7,
    "stale" : true,
    "srcid" : "srcid",
    "managed" : true,
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  }
}, {
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduleset" : "scheduleset",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
      "managedBy" : "MS",
      "encrypt" : "encrypt",
      "reptype" : "reptype",
      "exclusioninterval" : "exclusioninterval",
      "options" : [ {
        "stale" : true,
        "managedBy" : "MS",
        "various" : true,
        "name" : "name",
        "syncdate" : 3,
        "href" : "http://example.com/aeiou",
        "id" : "id",
        "value" : "value"
      }
    ]
  }
}
```

```

    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  }, {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,

```

```

    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListSlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /sla/{sla_id}/settableoption

[Up](#)

List all overridable option metadata for the specific SLA. It requires backupdr.managementServers.viewBackupPlans IAM permission ([settableOptionMetadataForSla](#))

Path parameters

sla_id (required)
Path Parameter –

Return type

[JSONArray](#)

Example data

Content-Type: application/json

```
{
  "empty" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [JSONArray](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /sla/{sla_id}/settableoption/{option_id}

[Up](#)

Update a specific overridden option on the specific SLA. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateOptionForSla](#))

Path parameters

sla_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [AdvancedOptionRest](#) (optional)

Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /sla/{sla_id}

[Up](#)

Update the specific slp. It requires backupdr.managementServers.assignBackupPlans IAM permission ([updateSla](#))

Path parameters

sla_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlaRest](#) (optional)
Body Parameter –

Return type

[SlaRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncoff" : "dedupasyncoff",
  "metadata" : {
    "name" : "name",
    "env" : "env"
  },
  "protectionType" : "protectionType",
  "scheduleoff" : "scheduleoff",
  "dynamicProtectionTagValue" : "dynamicProtectionTagValue",
  "description" : "description",
  "modifydate" : 8,
  "stale" : true,
  "logexpirationoff" : true,
  "managedBy" : "MS",
  "options" : [ null, null ],
  "syncdate" : 2,
  "slt" : {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
```

```
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {

```

```

    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
},
"href" : "http://example.com/aeiou",
"id" : "id",
"expirationoff" : "expirationoff",
"group" : {
  "membercount" : 0,
  "scheduleoff" : true,
  "description" : "description",
  "modifydate" : 7,
  "stale" : true,
  "srcid" : "srcid",
  "managed" : true,
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id"
}
}
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlaRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

SLAProfile

[Up](#)

HEAD /slp

Get a count of total slps matching the filters. It requires backupdr.managementServers.viewBackupPlans IAM permission (`countSlps`)

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr>

<th>Operator</th><th>Meaning</th></tr><tr><td>==</td><td>>equals</td></tr><tr><td>=</td><td>contains (case-insensitive)</td></tr><tr><td>>=</td><td>greater than or equal to</td></tr><tr><td><=</td><td>less than or equal to</td></tr><tr><td>=b</td><td>bitwise and</td></tr></table>

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

POST /slp

Create a new slp. It requires backupdr.managementServers.manageBackupPlans IAM permission (`createSlp`)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlpRest](#) (optional)

Body Parameter –

Return type

[SlpRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasynccode" : "dedupasynccode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlpRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slp/{slp_id}

[Up](#)

Remove the specific slp. It requires backupdr.managementServers.manageBackupPlans IAM permission (`deleteSlp`)

Path parameters

`slp_id` (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slp/{slp_id}/projects

[Up](#)

(`getGCPPProjectsByProfile`)

Path parameters

`slp_id` (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

GET /slp/{slp_id}

Get individual slp details. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getSlp](#))

Path parameters

slp_id (required)
Path Parameter –

Return type

[SlpRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncnode" : "dedupasyncnode",
  "profiletype" : "profiletype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "cid" : "cid"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SlpRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

[Up](#)

GET /slp/{slp_id}/vcenters

Get a list of vcenters for the specific slpid. It requires backupdr.managementServers.access IAM permission ([getVCentersByProfile](#))

Path parameters

slp_id (required)
Path Parameter –

Return type

[ListRestHostRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
}
```

```
"items" : [ {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    } ],
    "clusterid" : "clusterid"
  }, {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
```

```
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
    "selection" : [ {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    }
  ]
}, {
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }
```

```

    }, {
      "stale" : true,
      "syncdate" : 1,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value",
      "desc" : "desc"
    } ],
    "name" : "name",
    "alias" : "alias",
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,

```

```

    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "username" : "username"
  },
  "projectid" : "projectid",
  "mask" : "mask",
  "isesxhost" : true,
  "dataip" : "dataip",
  "maxjobs" : 4,
  "vmtype" : "vmtype",
  "multiregion" : "multiregion",
  "alternateip" : [ "alternateip", "alternateip" ],
  "clearchap" : true,
  "connectorConnectionStatus" : {
    "connectionstatus" : "connectionstatus",
    "stale" : true,
    "pkistate" : "pkistate",
    "syncdate" : 5,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "clusterid" : "clusterid",
  "transport" : "transport",
  "ostype" : "ostype",
  "systemdetail" : "systemdetail",
  "agents" : [ null, null ],
  "managedby" : "MS",
  "connect2actip" : "connect2actip",
  "isClusterNode" : true,
  "srcid" : "srcid",
  "WWPN" : [ "WWPN", "WWPN" ],
  "osrelease" : "osrelease",
  "diskpref" : "diskpref",
  "port_count" : "port_count",
  "originalhostid" : "originalhostid",
  "properties" : "properties"
}, {
  "node_logged_in_count" : "node_logged_in_count",
  "uniquename" : "uniquename",
  "svcname" : "svcname",
  "iogrp" : "iogrp",
  "chappassword" : "chappassword",
  "source" : [ {
    "srcid" : "srcid",
    "slps" : [ {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],
      "name" : "name",
      "syncdate" : 0,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "cid" : "cid"
    }, {
      "dedupasyncnode" : "dedupasyncnode",
      "profiletype" : "profiletype",
      "description" : "description",
      "createdate" : 4,
      "clusterid" : "clusterid",
      "primarystorage" : "primarystorage",
      "modifydate" : 3,
      "stale" : true,
      "remotenode" : "remotenode",
      "srcid" : "srcid",
      "performancepool" : "performancepool",
      "localnode" : "localnode",
      "orglist" : [ null, null ],

```

```
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
}, {
  "srcid" : "srcid",
  "slps" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  } ],
  "clusterid" : "clusterid"
} ],
"machinetype" : "machinetype",
"ostype_special" : "ostype_special",
"hostname" : "hostname",
"stale" : true,
"zone" : "zone",
"autoupgrade" : "DISABLED",
"syncdate" : 0,
"sourcecluster" : "sourcecluster",
"state" : "state",
"href" : "http://example.com/aeiou",
"id" : "id",
"maxlogjobs" : 3,
"pki_errors" : [ "pki_errors", "pki_errors" ],
"reconciliation_needed" : true,
"isShadowHost" : true,
"chapusername" : "chapusername",
"is_auto_discovery_enabled" : true,
"nfsoption" : {
  "server" : [ null, null ],
  "stale" : true,
  "client" : [ {
    "constant" : "constant",
    "select" : true,
    "description" : "description",
    "type" : "type",
    "editableonmount" : true,
    "default" : "default",
    "stale" : true,
```



```
"selection" : [ {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
}, {
  "stale" : true,
  "syncdate" : 1,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"name" : "name",
"alias" : "alias",
"syncdate" : 4,
"href" : "http://example.com/aeiou",
"id" : "id",
"value" : "value",
"desc" : "desc"
}, {
  "constant" : "constant",
  "select" : true,
  "description" : "description",
  "type" : "type",
  "editableonmount" : true,
  "default" : "default",
  "stale" : true,
  "selection" : [ {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  }, {
    "stale" : true,
    "syncdate" : 1,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value",
    "desc" : "desc"
  } ],
  "name" : "name",
  "alias" : "alias",
  "syncdate" : 4,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value",
  "desc" : "desc"
} ],
"syncdate" : 7,
"href" : "http://example.com/aeiou",
"id" : "id"
},
"nodeList" : [ null, null ],
"hostclusterid" : 7,
"connectorversion" : "connectorversion",
"isclusterhost" : true,
"orglist" : [ null, null ],
"name" : "name",
"guestvmiscsi" : true,
"osversion" : "osversion",
"iogrp_count" : "iogrp_count",
"status" : "status",
"ipaddress" : "ipaddress",
"datastorelist" : [ {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
```

```

}, {
  "stale" : true,
  "name" : "name",
  "rdmSupported" : true,
  "syncdate" : 9,
  "freespace" : "freespace",
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "type" : "type",
  "capacity" : "capacity"
} ],
"iscsi_name" : [ "iscsi_name", "iscsi_name" ],
"pki_state" : "pki_state",
"sources" : [ null, null ],
"vcenterhostid" : "vcenterhostid",
"cert_revoked" : true,
"hosttype" : "hosttype",
"friendlypath" : "friendlypath",
"esxlist" : [ null, null ],
"description" : "description",
"isvcenterhost" : true,
"ismvm" : true,
"hasagent" : true,
"modifydate" : 6,
"dbauthentication" : true,
"reconciliation_fields" : [ "reconciliation_fields", "reconciliation_fields" ],
"isproxyhost" : true,
"udsagent" : {
  "shared_secret" : "shared_secret",
  "agent_version" : "agent_version",
  "haspassword" : true,
  "password" : "password",
  "stale" : true,
  "agenttype" : "agenttype",
  "port" : 9,
  "alternatekey" : "alternatekey",
  "hasalternatekey" : true,
  "syncdate" : 0,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "username" : "username"
},
"projectid" : "projectid",
"mask" : "mask",
"isesxhost" : true,
"dataip" : "dataip",
"maxjobs" : 4,
"vmtype" : "vmtype",
"multiregion" : "multiregion",
"alternateip" : [ "alternateip", "alternateip" ],
"clearchap" : true,
"connectorConnectionStatus" : {
  "connectionstatus" : "connectionstatus",
  "stale" : true,
  "pkistate" : "pkistate",
  "syncdate" : 5,
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"clusterid" : "clusterid",
"transport" : "transport",
"ostype" : "ostype",
"systemdetail" : "systemdetail",
"agents" : [ null, null ],
"managedby" : "MS",
"connect2actip" : "connect2actip",
"isClusterNode" : true,
"srcid" : "srcid",
"WWPN" : [ "WWPN", "WWPN" ],
"osrelease" : "osrelease",
"diskpref" : "diskpref",
"port_count" : "port_count",
"originalhostid" : "originalhostid",
"properties" : "properties"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListRestHostRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slp

[Up](#)

Get a list of slps. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listSlps](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:|=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListSlpRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
    "srcid" : "srcid",
    "performancepool" : "performancepool",
    "localnode" : "localnode",
    "orglist" : [ null, null ],
    "name" : "name",
    "syncdate" : 0,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cid" : "cid"
  }, {
    "dedupasyncnode" : "dedupasyncnode",
    "profiletype" : "profiletype",
    "description" : "description",
    "createdate" : 4,
    "clusterid" : "clusterid",
    "primarystorage" : "primarystorage",
    "modifydate" : 3,
    "stale" : true,
    "remotenode" : "remotenode",
```

```
"srcid" : "srcid",
"performancepool" : "performancepool",
"localnode" : "localnode",
"orglist" : [ null, null ],
"name" : "name",
"syncdate" : 0,
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
} ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListSlpRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slp/{slp_id}

[Up](#)

Update the specific slp. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updateSlp](#))

Path parameters

slp_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlpRest](#) (optional)

Body Parameter –

Query parameters

validate_only (optional)

Query Parameter –

Return type

[SlpRest](#)

Example data

Content-Type: application/json

```
{
  "dedupasyncnode" : "dedupasyncnode",
  "profieltype" : "profieltype",
  "description" : "description",
  "createdate" : 4,
  "clusterid" : "clusterid",
  "primarystorage" : "primarystorage",
  "modifydate" : 3,
  "stale" : true,
  "remotenode" : "remotenode",
  "srcid" : "srcid",
  "performancepool" : "performancepool",
  "localnode" : "localnode",
  "orglist" : [ null, null ],
  "name" : "name",
  "syncdate" : 0,
}
```

```
"href" : "http://example.com/aeiou",
"id" : "id",
"cid" : "cid"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

SLATemplate

POST /slt/{slt_id}/clone

[Up](#)

Clone a specific slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([cloneTemplates](#))

Path parameters

slt_id (required)

Path Parameter – format: int64

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SltRest](#) (optional)

Body Parameter –

Return type

[SltRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
```

```
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {

```

```

    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

HEAD /slt

[Up](#)

Get a count of total slts matching the filters. It requires backupdr.managementServers.viewBackupPlans IAM permission ([countSlts](#))

Query parameters

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields. Then append an operator and value. Operators always begin with a colon and include:

Operator	Meaning
==	equals
=	contains (case-insensitive)
>=	greater than or equal to
<=	less than or equal to
=b	bitwise and

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slt/{slt_id}/policy/{policy_id}/settableoption

[Up](#)

Create a new settable option for the specific policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createOptionForPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [AdvancedOptionRest](#) (optional)
Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slt/{slt_id}/policy

Create a new policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [PolicyRest](#) (optional)
Body Parameter –

Return type

[PolicyRest](#)

Example data

Content-Type: application/json

```
{
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
```

```
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [PolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /slt

[Up](#)

Create a new slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([createSlT](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlTRest](#) (optional)

Body Parameter –

Return type

[SlTRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
  }
]
```

```
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
```

```

    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id} [Up](#)

Remove a settable option for the specific policy. It requires backupdr.managementServers.manageBackupPlans IAM permission (deleteOptionForPolicy)

Path parameters

slt_id (required)

Path Parameter –

policy_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slt/{slt_id}/policy/{policy_id}

[Up](#)

Remove a policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([deletePolicy](#))

Path parameters

slt_id (required)

Path Parameter –

policy_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /slt/{slt_id}

[Up](#)

Remove a slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([deleteSlit](#))

Path parameters

slt_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

204

Success without additional info in the response

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}

[Up](#)

Get a specific settable option of the specific policy. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getOptionForPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

option_id (required)
Path Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy/{policy_id}

[Up](#)

Get individual policy. It requires backupdr.managementServers.viewBackupPlans IAM permission ([getPolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Return type

[PolicyRest](#)

Example data

Content-Type: application/json

```
{
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
  }
}
```

```

    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [PolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}

Get individual slt details. It requires backupdr.managementServers.viewBackupPlans IAM permission (`getSlit`)

Path parameters

`slt_id` (required)
Path Parameter –

Return type

[SlitRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
```



```
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 8,
  "stale" : true,
  "error_threshold_custom" : 7,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
```

```
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy/{policy_id}/settableoption

[Up](#)

List all existing settable options of the specific policy. It requires backupdr.managementServers.viewBackupPlans IAM permission (listOptionForPolicy)

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Return type

[ListAdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListAdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt/{slt_id}/policy

[Up](#)

Get policy list from the specific slt. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listPolicies](#))

Path parameters

slt_id (required)

Path Parameter – format: int64

Return type

[ListPolicyRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    }, {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "value" : "value"
    } ],
    "syncdate" : 9,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "retention" : "retention",
```

```

"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
"scheduletype" : "scheduletype",
"compliancesettings" : {
  "warn_threshold_custom" : 8,
  "stale" : true,
  "error_threshold_custom" : 7,
  "error_threshold_type" : "error_threshold_type",
  "syncdate" : 3,
  "warn_threshold_type" : "warn_threshold_type",
  "href" : "http://example.com/aeiou",
  "id" : "id"
},
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListPolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /slt

[Up](#)

Get a list of slts. It requires backupdr.managementServers.viewBackupPlans IAM permission ([listSlts](#))

Query parameters

sort (optional)

Query Parameter – Sort field. Use OPTIONS method to get possible sort fields.
Then append ':asc' or ':desc' for ascending or descending sort.
Sorting is case-sensitive.

filter (optional)

Query Parameter – Filter field. Use OPTIONS method to get possible filter fields.
Then append an operator and value. Operators always begin with a colon and include:
<table><tr><th>Operator</th><th>Meaning</th></tr><tr><td>:==</td><td>equals</td></tr><tr><td>:=|</td><td>contains (case-insensitive)</td></tr><tr><td>:>=</td><td>greater than or equal to</td></tr><tr><td>:<=</td><td>less than or equal to</td></tr><tr><td>:=b</td><td>bitwise and</td></tr></table>

limit (optional)

Query Parameter – Limit on the number of results to return format: int64

offset (optional)

Query Parameter – Used with limit to support pagination format: int64

Return type

[ListSltRest](#)

Example data

Content-Type: application/json

```
{
  "count" : 0,
  "items" : [ {
    "metadata" : {
      "backupPlan" : "backupPlan",
      "env" : "env"
    },
    "resource" : "resource",
    "option_href" : "http://example.com/aeiou",
    "policies" : [ {
      "scheduletype" : "scheduletype",
      "compliancesettings" : {
        "warn_threshold_custom" : 8,
        "stale" : true,
        "error_threshold_custom" : 7,
        "error_threshold_type" : "error_threshold_type",
        "syncdate" : 3,
        "warn_threshold_type" : "warn_threshold_type",
        "href" : "http://example.com/aeiou",
        "id" : "id"
      },
      "sourcevault" : 5,
      "iscontinuous" : true,
      "description" : "description",
      "exclusion" : "exclusion",
      "source" : [ null, null ],
      "starttime" : "starttime",
      "verifychoice" : "verifychoice",
      "stale" : true,
      "retentionm" : "retentionm",
```

```
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
```

```
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}, {
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    },
    "sourcevault" : 5,
    "iscontinuous" : true,
    "description" : "description",
    "exclusion" : "exclusion",
    "source" : [ null, null ],
    "starttime" : "starttime",
    "verifychoice" : "verifychoice",
    "stale" : true,
    "retentionm" : "retentionm",
    "managedBy" : "MS",
    "encrypt" : "encrypt",
    "reptype" : "reptype",
    "exclusioninterval" : "exclusioninterval",
    "options" : [ {
      "stale" : true,
      "managedBy" : "MS",
      "various" : true,
      "name" : "name",
```

```
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
}, {
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
```



```

    "id" : "id",
    "retention" : "retention",
    "repeatinterval" : "repeatinterval",
    "verification" : true,
    "truncatelog" : "truncatelog",
    "op" : "op",
    "exclusiontype" : "exclusiontype",
    "rpom" : "rpom",
    "endtime" : "endtime",
    "priority" : "priority",
    "rpo" : "rpo",
    "selection" : "selection",
    "policyType" : "policyType",
    "name" : "name",
    "remoteretention" : 5,
    "targetvault" : 0
  } ],
  "description" : "description",
  "managedbyagm" : true,
  "sourcename" : "sourcename",
  "source" : [ null, null ],
  "stale" : true,
  "managedby" : "MS",
  "policy_href" : "http://example.com/aeiou",
  "options" : [ null, null ],
  "orglist" : [ null, null ],
  "name" : "name",
  "usedbycloudapp" : true,
  "syncdate" : 5,
  "override" : "override",
  "href" : "http://example.com/aeiou",
  "id" : "id"
} ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ListSltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /slt

[Up](#)

Describes the fields available for filtering and sorting. It requires backupdr.managementServers.access IAM permission ([optionsForListSlt](#))

Return type

[OptionsRest](#)

Example data

Content-Type: application/json

```

{
  "GET(list)" : {
    "filterable" : true,
    "filterablefields" : [ {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    }, {
      "field" : "field",
      "values" : [ "values", "values" ],
      "type" : "type"
    } ],
  }
}

```

```
"pageable" : true,
"sortable" : true,
"sortablefields" : [ "sortablefields", "sortablefields" ]
}
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [OptionsRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /slt/{slt_id}/policy/{policy_id}/settableoption

[Up](#)

Get settable option metadata for the specific policy. It requires backupdr.managementServers.access IAM permission (settableOptionMetadataForPolicy)

Path parameters

slt_id (required)

Path Parameter –

policy_id (required)

Path Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

OPTIONS /slt/settableoption/{policytype}

[Up](#)

Get settable option metadata for the specific policy type. It requires backupdr.managementServers.access IAM permission (settableOptionMetadataForPolicyType)

Path parameters

policytype (required)

Path Parameter –

Query parameters

apptype (optional)

Query Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slt/{slt_id}/policy/{policy_id}/settableoption/{option_id}

[Up](#)

Update a settable option for the specific policy. It requires backupdr.managementServers.manageBackupPlans IAM permission (updateOptionForPolicy)

Path parameters

slt_id (required)

Path Parameter –

policy_id (required)

Path Parameter –

option_id (required)

Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- */*

Request body

body [AdvancedOptionRest](#) (optional)

Body Parameter –

Return type

[AdvancedOptionRest](#)

Example data

Content-Type: application/json

```
{
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [AdvancedOptionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slt/{slt_id}/policy/{policy_id}

Update a policy. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updatePolicy](#))

Path parameters

slt_id (required)
Path Parameter –

policy_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [PolicyRest](#) (optional)
Body Parameter –

Return type

[PolicyRest](#)

Example data

Content-Type: application/json

```
{
  "scheduletype" : "scheduletype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
}
```

```
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [PolicyRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /slt/{slt_id}

[Up](#)

Update a slt. It requires backupdr.managementServers.manageBackupPlans IAM permission ([updateSlc](#))

Path parameters

slt_id (required)
Path Parameter –

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SlcRest](#) (optional)
Body Parameter –

Return type

[SlcRest](#)

Example data

Content-Type: application/json

```
{
  "metadata" : {
    "backupPlan" : "backupPlan",
    "env" : "env"
  },
  "resource" : "resource",
  "option_href" : "http://example.com/aeiou",
  "policies" : [ {
    "scheduletype" : "scheduletype",
    "compliancesettings" : {
      "warn_threshold_custom" : 8,
      "stale" : true,
      "error_threshold_custom" : 7,
      "error_threshold_type" : "error_threshold_type",
      "syncdate" : 3,
      "warn_threshold_type" : "warn_threshold_type",
      "href" : "http://example.com/aeiou",
      "id" : "id"
    }
  },
```

```
"sourcevault" : 5,
"iscontinuous" : true,
"description" : "description",
"exclusion" : "exclusion",
"source" : [ null, null ],
"starttime" : "starttime",
"verifychoice" : "verifychoice",
"stale" : true,
"retentionm" : "retentionm",
"managedBy" : "MS",
"encrypt" : "encrypt",
"reptype" : "reptype",
"exclusioninterval" : "exclusioninterval",
"options" : [ {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
}, {
  "stale" : true,
  "managedBy" : "MS",
  "various" : true,
  "name" : "name",
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "value" : "value"
} ],
"syncdate" : 9,
"href" : "http://example.com/aeiou",
"id" : "id",
"retention" : "retention",
"repeatinterval" : "repeatinterval",
"verification" : true,
"truncatelog" : "truncatelog",
"op" : "op",
"exclusiontype" : "exclusiontype",
"rpom" : "rpom",
"endtime" : "endtime",
"priority" : "priority",
"rpo" : "rpo",
"selection" : "selection",
"policyType" : "policyType",
"name" : "name",
"remoteretention" : 5,
"targetvault" : 0
}, {
  "schedulertype" : "schedulertype",
  "compliancesettings" : {
    "warn_threshold_custom" : 8,
    "stale" : true,
    "error_threshold_custom" : 7,
    "error_threshold_type" : "error_threshold_type",
    "syncdate" : 3,
    "warn_threshold_type" : "warn_threshold_type",
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "sourcevault" : 5,
  "iscontinuous" : true,
  "description" : "description",
  "exclusion" : "exclusion",
  "source" : [ null, null ],
  "starttime" : "starttime",
  "verifychoice" : "verifychoice",
  "stale" : true,
  "retentionm" : "retentionm",
  "managedBy" : "MS",
  "encrypt" : "encrypt",
  "reptype" : "reptype",
  "exclusioninterval" : "exclusioninterval",
  "options" : [ {
    "stale" : true,
    "managedBy" : "MS",
```

```

    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  }, {
    "stale" : true,
    "managedBy" : "MS",
    "various" : true,
    "name" : "name",
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "value" : "value"
  } ],
  "syncdate" : 9,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "retention" : "retention",
  "repeatinterval" : "repeatinterval",
  "verification" : true,
  "truncatelog" : "truncatelog",
  "op" : "op",
  "exclusiontype" : "exclusiontype",
  "rpom" : "rpom",
  "endtime" : "endtime",
  "priority" : "priority",
  "rpo" : "rpo",
  "selection" : "selection",
  "policyType" : "policyType",
  "name" : "name",
  "remoteretention" : 5,
  "targetvault" : 0
} ],
"description" : "description",
"managedbyagm" : true,
"sourcename" : "sourcename",
"source" : [ null, null ],
"stale" : true,
"managedby" : "MS",
"policy_href" : "http://example.com/aeiou",
"options" : [ null, null ],
"orglist" : [ null, null ],
"name" : "name",
"usedbycloudapp" : true,
"syncdate" : 5,
"override" : "override",
"href" : "http://example.com/aeiou",
"id" : "id"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SltRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

UserSession

GET /session/permissions

Get IAM permissions for the user ([getPermissions](#))

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

GET /session/current

[Up](#)

Get session information, including user preferences. It requires backupdr.managementServers.access IAM permission ([getSessionInfo](#))

Return type

[SessionRest](#)

Example data

Content-Type: application/json

```
{
  "authconfig" : {
    "stale" : true,
    "method" : "DATABASE",
    "available_method" : [ "DATABASE", "LDAP" ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "stale" : true,
  "userpref" : "userpref",
  "timezone" : "America/New_York",
  "rights" : [ null, null ],
  "session_id" : "c7a5c64e-05a6-4671-b2e3-4b0f34e16888",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "region" : "us-central1",
  "user" : {
    "localonly" : true,
    "firstname" : "firstname",
    "dataaccesslevel" : 1,
    "comments" : "comments",
    "userpref" : "userpref",
    "timezone" : "timezone",
    "createdate" : 5,
    "version" : 0,
    "lastname" : "lastname",
    "password" : "password",
    "lastpasswordchangedate" : 5,
    "modifydate" : 6,
    "rolelist" : [ {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "version" : "version",
      "rightList" : [ null, null ]
    } ], {
      "modifydate" : 7,
      "stale" : true,
      "name" : "name",
      "createdate" : 9,
      "syncdate" : 3,
      "href" : "http://example.com/aeiou",
      "id" : "id",
      "version" : "version",
```



```
"rightList" : [ null, null ]
} ],
"stale" : true,
"name" : "name",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"syncdate" : 2,
```

```

    "href" : "http://example.com/aeiou",
    "id" : "id",
    "email" : "email",
    "rightlist" : [ {
      "stale" : true,
      "children" : [ null, null ],
      "name" : "name",
      "syncdate" : 2,
      "id" : "id",
      "href" : "http://example.com/aeiou",
      "parents" : [ null, null ]
    }, {
      "stale" : true,
      "children" : [ null, null ],
      "name" : "name",
      "syncdate" : 2,
      "id" : "id",
      "href" : "http://example.com/aeiou",
      "parents" : [ null, null ]
    } ]
  },
  "username" : "john_smith"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SessionRest](#)

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

POST /session

[Up](#)

Register an user session (**login**)

This API will generate a session id that will be your API key for other calls.

Return type

[SessionRest](#)

Example data

Content-Type: application/json

```

{
  "authconfig" : {
    "stale" : true,
    "method" : "DATABASE",
    "available_method" : [ "DATABASE", "LDAP" ],
    "syncdate" : 4,
    "href" : "http://example.com/aeiou",
    "id" : "id"
  },
  "stale" : true,
  "userpref" : "userpref",
  "timezone" : "America/New_York",
  "rights" : [ null, null ],
  "session_id" : "c7a5c64e-05a6-4671-b2e3-4b0f34e16888",
  "syncdate" : 7,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "region" : "us-central1",
  "user" : {
    "localonly" : true,
    "firstname" : "firstname",
    "dataaccesslevel" : 1,
    "comments" : "comments",

```

```
"userpref" : "userpref",
"timezone" : "timezone",
"createdate" : 5,
"version" : 0,
"lastname" : "lastname",
"password" : "password",
"lastpasswordchangedate" : 5,
"modifydate" : 6,
"rolelist" : [ {
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
}, {
  "modifydate" : 7,
  "stale" : true,
  "name" : "name",
  "createdate" : 9,
  "syncdate" : 3,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "version" : "version",
  "rightList" : [ null, null ]
} ],
"stale" : true,
"name" : "name",
"orglist" : [ {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "spllistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
}, {
  "resourcecollection" : {
    "userlist" : [ "userlist", "userlist" ],
    "spllist" : [ "spllist", "spllist" ],
    "arraylistcount" : 8,
    "hostlist" : [ "hostlist", "hostlist" ],
    "sltlistcount" : 1,
    "applist" : [ "applist", "applist" ],
    "cloudcredentiallist" : [ "cloudcredentiallist", "cloudcredentiallist" ],
    "poollistcount" : 9,
    "arraylist" : [ "arraylist", "arraylist" ],
```

```

    "hostlistcount" : 4,
    "applistcount" : 6,
    "lglist" : [ "lglist", "lglist" ],
    "splistcount" : 5,
    "stale" : true,
    "sltlist" : [ "sltlist", "sltlist" ],
    "userlistcount" : 9,
    "syncdate" : 3,
    "href" : "http://example.com/aeiou",
    "id" : "id",
    "cloudcredentiallistcount" : 6,
    "lglistcount" : 9,
    "poollist" : [ "poollist", "poollist" ]
  },
  "memberlist" : [ null, null ],
  "modifydate" : 6,
  "stale" : true,
  "name" : "name",
  "description" : "description",
  "createdate" : 7,
  "syncdate" : 6,
  "href" : "http://example.com/aeiou",
  "id" : "id",
  "ancestorlist" : [ null, null ],
  "version" : "version"
} ],
"syncdate" : 2,
"href" : "http://example.com/aeiou",
"id" : "id",
"email" : "email",
"rightlist" : [ {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
}, {
  "stale" : true,
  "children" : [ null, null ],
  "name" : "name",
  "syncdate" : 2,
  "id" : "id",
  "href" : "http://example.com/aeiou",
  "parents" : [ null, null ]
} ]
},
"username" : "john_smith"
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [SessionRest](#)

400

The request is invalid. [Error](#)

401

Never occurs as this API doesn't require authentication.

403

Never occurs as this API doesn't require authorization.

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

DELETE /session/current

Deregister the current user session (**logout**)

Deregister the current user session

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

PUT /session/current

[Up](#)

Update user preferences (putUserpref)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [SessionRest](#) (optional)

Body Parameter –

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

400

The request is invalid. [Error](#)

401

Not authenticated. Make sure you specified a valid session id in the Authorization header with Actifio as the scheme. [Error](#)

403

Not Authorized. Make sure your assigned roles contain sufficient rights to perform the operation. [Error](#)

404

Object not found. Make sure the id/names that are used to identify the objects are valid. [Error](#)

500

There are issues with the back-end. The API request cannot be fulfilled. [Error](#)

Models

[[Jump to Methods](#)]

Table of Contents

1. [AdvancedOptionRest](#)
2. [AgentRest](#)
3. [AppClassRest](#)
4. [AppCreationRest](#)
5. [AppDiscoveryRest](#)
6. [ApplianceUpdateInstallationJobRest](#)
7. [ApplianceUpdateLogsRest](#)
8. [ApplianceUpdateNotificationRest](#)
9. [ApplianceUpdateReadmeRest](#)
10. [ApplianceUpdateRest](#)
11. [ApplicationRest](#)
12. [AuditRest](#)
13. [AuthConfigRest](#)
14. [BackupNowRest](#)
15. [BackupPlanMetadata](#)
16. [BackupRest](#)
17. [BackupVaultRest](#)
18. [CertificateRevocationRest](#)
19. [ChoiceMetaRest](#)
20. [ChoiceValueRest](#)
21. [ClientInfoRest](#)
22. [CloneRest](#)
23. [CloudCredentialRest](#)

24. [CloudFilterRest](#)
25. [CloudVmDiscoveryRest](#)
26. [CloudVmMountRest](#)
27. [ClusterRest](#)
28. [ClusterStatusRest](#)
29. [CollectionRest](#)
30. [ComplianceSettingsRest](#)
31. [ComponentDetailRest](#)
32. [ComponentRest](#)
33. [ConnectorConnectionRest](#)
34. [ConsistencyGroupRest](#)
35. [ConsolidatedApplianceUpdatesRest](#)
36. [DataStoreRest](#)
37. [DbDumpUploadUrlRest](#)
38. [DescValueRest](#)
39. [DiskMappingRest](#)
40. [DiskPoolCopiesRest](#)
41. [DiskPoolRest](#)
42. [DiskRest](#)
43. [DynamicProtectionJobConfigRest](#)
44. [DynamicProtectionRest](#)
45. [EntityRestPersistable](#)
46. [Error](#)
47. [ErrorRest](#)
48. [EventRest](#)
49. [ExpireBackupRest](#)
50. [ExportRuleInfoRest](#)
51. [ExportVolumeInfoRest](#)
52. [FileinfoRest](#)
53. [FilterFieldClassMapping](#)
54. [FormDataContentDisposition](#)
55. [FormFieldRest](#)
56. [GetListRest](#)
57. [HostRest](#)
58. [IAMPermissionsRest](#)
59. [JSONArray](#)
60. [JobRest](#)
61. [KeyValueRest](#)
62. [ListAdvancedOptionRest](#)
63. [ListApplianceUpdateLogsRest](#)
64. [ListApplicationRest](#)
65. [ListAuditRest](#)
66. [ListBackupRest](#)
67. [ListClusterRest](#)
68. [ListConsistencyGroupRest](#)
69. [ListConsolidatedApplianceUpdatesRest](#)
70. [ListDiskPoolRest](#)
71. [ListHostRest](#)
72. [ListJobRest](#)
73. [ListLogicalGroupRest](#)
74. [ListNameValueRest](#)
75. [ListPolicyRest](#)
76. [ListRest](#)
77. [ListRestAdvancedOptionRest](#)
78. [ListRestAppClassRest](#)
79. [ListRestApplianceUpdateInstallationJobRest](#)
80. [ListRestApplianceUpdateLogsRest](#)
81. [ListRestApplianceUpdateNotificationRest](#)
82. [ListRestApplicationRest](#)
83. [ListRestAuditRest](#)
84. [ListRestBackupRest](#)
85. [ListRestCloudCredentialRest](#)
86. [ListRestClusterRest](#)
87. [ListRestConsistencyGroupRest](#)
88. [ListRestConsolidatedApplianceUpdatesRest](#)
89. [ListRestDbDumpUploadUrlRest](#)
90. [ListRestDiskPoolRest](#)
91. [ListRestDynamicProtectionRest](#)
92. [ListRestHostRest](#)
93. [ListRestJobRest](#)
94. [ListRestLogicalGroupRest](#)
95. [ListRestPolicyRest](#)
96. [ListRestSlaRest](#)
97. [ListRestSlpRest](#)
98. [ListRestSltRest](#)
99. [ListRestWorkflowRest](#)
100. [ListSlaRest](#)
101. [ListSlpRest](#)

102. [ListSltRest](#)
103. [ListStringRest](#)
104. [ListWorkflowRest](#)
105. [LiveCloneRest](#)
106. [LocationMappingItemRest](#)
107. [LogSequenceRest](#)
108. [LogicalGroupRest](#)
109. [MembershipChangeRest](#)
110. [MissingPermissionsRest](#)
111. [MountRest](#)
112. [NameValueRest](#)
113. [NfsOptionsRest](#)
114. [NotificationRest](#)
115. [ObjectRest](#)
116. [OptionsRest](#)
117. [OrganizationRest](#)
118. [PolicyRest](#)
119. [PreflightRest](#)
120. [PreflightRestoreOptionsRest](#)
121. [PrepmountRest](#)
122. [ProjectPermissionsRest](#)
123. [ProvisioningOptionMetaRest](#)
124. [ProvisioningOptionRest](#)
125. [RMMigrationStatusRest](#)
126. [RefreshRest](#)
127. [RestorableRest](#)
128. [RestoreLocationRest](#)
129. [RestoreMigrateRest](#)
130. [RestoreObjectMappingRest](#)
131. [RestoreOptionRest](#)
132. [RestorePreflightRest](#)
133. [RestoreRest](#)
134. [RightRest](#)
135. [RoleRest](#)
136. [ScriptFileRest](#)
137. [ScriptRest](#)
138. [SelectedObjectRest](#)
139. [SessionRest](#)
140. [SlaErrorWarningsRest](#)
141. [SlaMetadata](#)
142. [SlaPreflightRest](#)
143. [SlaRest](#)
144. [SlpRest](#)
145. [SltRest](#)
146. [SourceRest](#)
147. [SystemStateOptionRest](#)
148. [TestCredentialErrorRest](#)
149. [TestCredentialResultRest](#)
150. [TestCredentialSuccessRest](#)
151. [TestRest](#)
152. [UnmountRest](#)
153. [UpdateInformationRest](#)
154. [UpdateListRest](#)
155. [UserInfoRest](#)
156. [UserRest](#)
157. [VaultPropsRest](#)
158. [VersionDetailRest](#)
159. [VersionRest](#)
160. [VmDiscoveryRest](#)
161. [VolumeSelectionRowRest](#)
162. [VolumeinfoRest](#)
163. [WarningRest](#)
164. [WorkScheduleRest](#)
165. [WorkflowItemRest](#)
166. [WorkflowRest](#)
167. [WorkflowStatusDetailsRest](#)
168. [WorkflowStatusRest](#)
169. [cluster_uploadupdate_body](#)
170. [inline_response_200](#)
171. [inline_response_200_cookies](#)
172. [inline_response_200_entityTag](#)
173. [inline_response_200_language](#)
174. [inline_response_200_links](#)
175. [inline_response_200_mediaType](#)
176. [inline_response_200_statusInfo](#)

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

policy (optional)

[PolicyRest](#)

slt (optional)

[SltRest](#)

sla (optional)

[SlaRest](#)

app (optional)

[ApplicationRest](#)

various (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AgentRest

[Up](#)

shared_secret (optional)

[String](#) Secret key generated at the host and used by managing backup appliance to authenticate itself to host while bootstrapping PKI on the host.

password (optional)

[String](#)

username (optional)

[String](#)

agent_version (optional)

[String](#)

agenttype (optional)

[String](#)

haspassword (optional)

[Boolean](#)

alternatekey (optional)

[String](#)

hasalternatekey (optional)

[Boolean](#)

port (optional)

[Integer](#) format: int32

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AppClassRest

[Up](#)

description (optional)

[String](#)

provisioningOptions (optional)
[array\[ProvisioningOptionMetaRest\]](#)

friendlyName (optional)
[String](#)

scriptFile (optional)
[ScriptFileRest](#)

name (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

AppCreationRest

[Up](#)

cluster (optional)
[ClusterRest](#)

applications (optional)
[array\[ApplicationRest\]](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

AppDiscoveryRest

[Up](#)

apptypes (optional)
[array\[String\]](#)

listonly (optional)
[Boolean](#)

password (optional)
[String](#)

ipaddress (optional)
[String](#)

cluster (optional)
[String](#)

username (optional)
[String](#)

org (optional)
[String](#)

versiononly (optional)
[Boolean](#)

type (optional)
[String](#)

port (optional)
[Integer](#) format: int32

host (optional)
[HostRest](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplianceUpdateInstallationJobRest

[Up](#)

startTime (optional)

[Long](#) format: int64

endTime (optional)

[Long](#) format: int64

clusterid (optional)

[Long](#) format: int64

details (optional)

[String](#)

applianceName (optional)

[String](#)

updateInformation (optional)

[UpdateInformationRest](#)

updateStatus (optional)

[String](#)

installDuration (optional)

[Long](#) format: int64

logLink (optional)

[String](#)

updateProgress (optional)

[Integer](#) format: int32

rebootRequired (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncDate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplianceUpdateLogsRest

[Up](#)

logs (optional)

[array\[String\]](#)

logFilename (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncDate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplianceUpdateNotificationRest

[Up](#)

severity (optional)

[String](#)

ids (optional)

[array\[Long\]](#) format: int64

notificationtype (optional)

[String](#)

scheduletime (optional)

[Long](#) format: int64

updateid (optional)

[String](#)

applianceid (optional)

[array\[String\]](#)

isAcknowledgable (optional)

[Boolean](#)

dayslapsed (optional)

[Integer](#) format: int32

applianceid (optional)

[array\[Long\]](#) format: int64

appliancesupportstatus (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplianceUpdateReadmeRest

[Up](#)

readmecontent (optional)

[array\[String\]](#)

ApplianceUpdateRest

[Up](#)

appliancestatus (optional)

[String](#)

clusterid (optional)

[Long](#) format: int64

applianceid (optional)

[String](#)

updateinformation (optional)

[UpdateInformationRest](#)

updatestatus (optional)

[String](#)

rebootrequired (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ApplicationRest

[Up](#)

Application Rest Object

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

sourceapp (optional)

[String](#)

description (optional)

[String](#)

sources (optional)

[array\[ApplicationRest\]](#) List of entries representing the consolidated application on particular appliances.

uniquename (optional)

[String](#)

appname (optional)

[String](#) Application name.

isvm (optional)

[Boolean](#) If the application is a VM

srcid (optional)

[String](#) Application's id on the appliance.

managed (optional)

[Boolean](#) If the application is protected.

scheduleoff (optional)

[Boolean](#) If the backup schedule is turned off

apptype (optional)

[String](#) Application type.

originalappid (optional)

[String](#) If this application is a shadow, the value of this attribute will be the id of the original application on original appliance.

pathname (optional)

[String](#)

backup (optional)

[array\[BackupRest\]](#) List of backups, if available.

isorphan (optional)

[Boolean](#) Indicates if the application is orphan, which still has backups but the original application was unprotected and removed on purpose.

appclass (optional)

[String](#) Application Class. It's similar to application type. It is useful in app-aware mount

example: Oracle

sla (optional)

[SlaRest](#)

cluster (optional)

[ClusterRest](#)

friendlypath (optional)

[String](#)

sourcecluster (optional)

[String](#) Application's original appliance's clusterid.

friendlytype (optional)

[String](#)

volumes (optional)

[array\[String\]](#)

protectable (optional)

[String](#) If the application can be protected.

failoverstate (optional)

[String](#)

auxinfo (optional)

[String](#)

appversion (optional)

[String](#) Application version.

networkname (optional)

[String](#) Network name.

networkip (optional)

[String](#) Network IP address.

username (optional)

[String](#)

ignore (optional)

[Boolean](#) If the application is marked as to be ignored.

isclustered (optional)

[Boolean](#) If the application is clustered.

frommount (optional)

[Boolean](#) Indicate if this application is a child-app from app-aware mount.

sensitivity (optional)

[Integer](#) Sensitivity level. format: int32

orglist (optional)

[array\[OrganizationRest\]](#) List of organizations that the application belongs to.

mountedhosts (optional)

[array\[HostRest\]](#)

available_slp (optional)

[array\[SlpRest\]](#) Available SLP (profiles) that this application can potentially use for protection.

diskpools (optional)

[array\[String\]](#)

isrestoring (optional)

[Boolean](#) If the application is being restore replaced.

consistencygroup (optional)

[ApplicationRest](#)

logicalgroup (optional)

[LogicalGroupRest](#)

appstate_text (optional)

[array\[String\]](#) Application's states.

name (optional)

[String](#) Application's name. It may not be the same as appname.

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AuditRest

[Up](#)

status (optional)

[Integer](#) format: int32

component (optional)

[String](#)

ipaddress (optional)

[String](#)

jobname (optional)

[String](#)

command (optional)

[String](#)

username (optional)

[String](#)

issuedate (optional)

[Long](#) format: int64

proxy (optional)

[String](#)

privileged (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

AuthConfigRest

[Up](#)

Configured authentication method.

available_method (optional)

[array\[String\]](#) Available authentication methods

example: ["DATABASE", "LDAP"]

method (optional)

[String](#) Authentication method currently configured

example: DATABASE

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

BackupNowRest

[Up](#)

script (optional)

[String](#)

label (optional)

[String](#)

policy (optional)

[PolicyRest](#)

options (optional)

[String](#)

backuptype (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

BackupPlanMetadata

[Up](#)

backupPlan (optional)

[String](#)

env (optional)

[String](#)

BackupRest

[Up](#)

Backup Rest Object

mountmigrateflag (optional)

[Boolean](#)

eligiblestoragetypes (optional)

[String](#)

targetstoragetype (optional)

[String](#)

migrationstate (optional)

[String](#)

datafilemovestarted (optional)

[Boolean](#)

migratemapping (optional)

[String](#) source to target storage mapping

isSourceAppFromMountMigrateRestore (optional)

[Boolean](#)

backedupdbnames (optional)

[String](#)

poolName (optional)

[String](#)

version (optional)

[String](#)

expiration (optional)

[Long](#) format: int64

label (optional)

[String](#)

zone (optional)

[String](#)

flags (optional)

[String](#)

status (optional)

[String](#)

clusterid (optional)

[String](#)

appname (optional)

[String](#)

srcid (optional)

[String](#)

application (optional)

[ApplicationRest](#)

modifydate (optional)

[Long](#) format: int64

isasm (optional)

[Boolean](#)

apptype (optional)

[String](#)

snapshottype (optional)

[String](#)

jobclass (optional)

[String](#)

consumedsize (optional)

[Long](#) format: int64

backupname (optional)

[String](#)

sourceuds (optional)

[String](#)

originatinguds (optional)

[String](#)

targetuds (optional)

[String](#)

appclass (optional)

[String](#)

cluster (optional)

[ClusterRest](#)

diskpool (optional)

[DiskPoolRest](#)

transport (optional)

[String](#)

multiregion (optional)

[String](#)

sensitivity (optional)

[Integer](#) format: int32

vaultowner (optional)

[Boolean](#)

mountedhost (optional)

[array\[HostRest\]](#)

originalbackupid (optional)

[String](#)

backupdate (optional)

[Long](#) format: int64
immutabilitydate (optional)
[Long](#) format: int64
consistencydate (optional)
[Long](#) format: int64
mappedhost (optional)
[String](#)
virtualsize (optional)
[String](#)
slpname (optional)
[String](#)
sltname (optional)
[String](#)
policyname (optional)
[String](#)
characteristic (optional)
[String](#)
catalogstate (optional)
[String](#)
sourceimage (optional)
[BackupRest](#)
snapshotlocation (optional)
[String](#)
endpit (optional)
[Long](#) format: int64
beginpit (optional)
[Long](#) format: int64
uniquehostname (optional)
[String](#)
modifiedbytes (optional)
[String](#)
hasdependency (optional)
[Boolean](#)
releaselogs (optional)
[Boolean](#)
retainlogs (optional)
[Boolean](#)
racodelist (optional)
[array\[String\]](#)
restorableobjects (optional)
[array\[RestorableRest\]](#)
powerfactor (optional)
[Integer](#) format: int32
provisioningoptions (optional)
[array\[KeyValueRest\]](#)
vmname (optional)
[String](#)
copies (optional)
[array\[BackupRest\]](#)
cloudcredential (optional)
[CloudCredentialRest](#)
jobclasscode (optional)
[Integer](#) format: int32
hasmountedmap (optional)
[Boolean](#)
childapp (optional)
[ApplicationRest](#)
restorelock (optional)
[String](#)
mountcapacity (optional)
[Long](#) format: int64
nvolumes (optional)
[String](#)
originalbackup (optional)

[BackupRest](#)

dnsname (optional)

[String](#)

vmpath (optional)

[String](#)

esxhost (optional)

[String](#)

backuplock (optional)

[String](#)

mountedmountpoint (optional)

[String](#)

consistencymode (optional)

[String](#)

mountedvdisk (optional)

[String](#)

sourcemountpoint (optional)

[String](#)

flags_text (optional)

[array\[String\]](#)

expirytries (optional)

[String](#)

logsequences (optional)

[array\[LogSequenceRest\]](#)

hosttimezone (optional)

[String](#)

hostisdst (optional)

[Boolean](#)

asmswitchcapable (optional)

[Boolean](#)

incarnation (optional)

[String](#)

hananodelist (optional)

[array\[String\]](#)

application_allocated_size (optional)

[Long](#) format: int64

exportvolume (optional)

[array\[ExportVolumeInfoRest\]](#)

sourcediskpool (optional)

[DiskPoolRest](#)

clonemigrateeligible (optional)

[Boolean](#)

migrate-frequency (optional)

[Integer](#) format: int32

migrate-copythreadcount (optional)

[Integer](#) format: int32

migrate-configured (optional)

[Boolean](#)

yaml (optional)

[String](#)

yamlavailable (optional)

[Boolean](#)

allowedips (optional)

[array\[String\]](#)

volgroupname (optional)

[String](#)

name (optional)

[String](#)

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

BackupVaultRest

[Up](#)

name (optional)

[String](#)

lock (optional)

[Boolean](#)

state (optional)

[String](#)

project (optional)

[String](#)

location (optional)

[String](#)

environment (optional)

[String](#)

error (optional)

[Error](#)

enforcedRetentionDurationSeconds (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

CertificateRevocationRest

[Up](#)

hostId (optional)

[String](#)

errorMessage (optional)

[String](#)

certRevoked (optional)

[Boolean](#)

ChoiceMetaRest

[Up](#)

isvm (optional)

[Boolean](#)

pathname (optional)

[String](#)

isclustered (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ChoiceValueRest

[Up](#)

displayName (optional)

[String](#)

disabled (optional)

[Boolean](#)

selected (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[String](#)

key (optional)

[String](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ClientInfoRest

[Up](#)

exportprop (optional)

[array\[NameValueRest\]](#)

nas-mount-prop (optional)

[array\[NameValueRest\]](#)

host (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

CloneRest

[Up](#)

label (optional)

[String](#)

hostname (optional)

[String](#)

diskpool (optional)

[DiskPoolRest](#)

vcenter (optional)

[HostRest](#)

datastore (optional)

[String](#)

recoverytime (optional)

[Long](#) format: int64

poweronvm (optional)

[Boolean](#)

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#)

restoreoptions (optional)

[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#)

selectedobjects (optional)

[array\[SelectedObjectRest\]](#)

nfsoptions (optional)

[NfsOptionsRest](#)

instantmount (optional)

[Boolean](#)

restorelocation (optional)

[RestoreLocationRest](#)

mgmtserver (optional)

[HostRest](#)

hypervisor (optional)

[HostRest](#)

vmname (optional)

[String](#)

esxhost (optional)

[HostRest](#)

path (optional)

[String](#)

host (optional)

[HostRest](#)

container (optional)

[Boolean](#)

allowedips (optional)

[array\[String\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

CloudCredentialRest

[Up](#)

usedefaultsa (optional)

[Boolean](#)

immutable (optional)

[Boolean](#)

serviceaccount (optional)

[String](#)

domain (optional)

[String](#)

region (optional)

[String](#)

secretkey (optional)

[String](#)

projectid (optional)

[String](#)

sources (optional)

[array\[CloudCredentialRest\]](#)

vaultpool (optional)

[DiskPoolRest](#)

srclid (optional)

[Long](#) format: int64

vaultudsuid (optional)

[Integer](#) format: int32

clusterid (optional)

[Long](#) format: int64

orglist (optional)
[array\[OrganizationRest\]](#)

endpoint (optional)
[String](#)

credential (optional)
[String](#)

cloudtype (optional)
[String](#)

appliance (optional)
[ClusterRest](#)

subscriptionid (optional)
[String](#)

clientid (optional)
[String](#)

privatekey (optional)
[String](#)

name (optional)
[String](#)

publickey (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

CloudFilterRest

[Up](#)

cloudFilters (optional)
[array\[NameValueRest\]](#)

op (optional)
[String](#)
Enum:
AND
OR

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

CloudVmDiscoveryRest

[Up](#)

filter (optional)
[CloudFilterRest](#)

region (optional)
[String](#)

limit (optional)
[Integer](#) format: int32

projectId (optional)
[String](#)

cluster (optional)
[ClusterRest](#)

vmids (optional)
[array\[String\]](#)

actifioroles (optional)

[array\[String\]](#)

sorter (optional)

[NameValueRest](#)

offset (optional)

[Integer](#) format: int32

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

CloudVmMountRest

[Up](#)

missingPermissions (optional)

[MissingPermissionsRest](#)

version (optional)

[Integer](#) format: int32

cloudtype (optional)

[String](#)

transaction (optional)

[Integer](#) format: int32

getformtype (optional)

[String](#)

image (optional)

[String](#)

jobstatus (optional)

[String](#)

name (optional)

[String](#)

fields (optional)

[array\[FormFieldRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ClusterRest

[Up](#)

Appliance where the application resides.

shared_secret (optional)

[String](#)

serviceaccount (optional)

[String](#)

zone (optional)

[String](#)

region (optional)

[String](#)

projectid (optional)

[String](#)

resource (optional)

[String](#)

description (optional)

[String](#)

version (optional)
[String](#)

password (optional)
[String](#)

clusterstatus (optional)
[ClusterStatusRest](#)

clusterid (optional)
[String](#)

ipaddress (optional)
[String](#)

importstatus (optional)
[String](#)

timezone (optional)
[String](#)

lastsync (optional)
[Long](#) format: int64

systemversion (optional)
[String](#)

publicip (optional)
[String](#)

pkiBootstrapped (optional)
[Boolean](#)

batype (optional)
[String](#)

username (optional)
[String](#)

clusterlist (optional)
[array\[ClusterRest\]](#)

rmipaddress (optional)
[array\[String\]](#)

supportstatus (optional)
[String](#) Shows the support status of cluster

machineType (optional)
[String](#)

connectionType (optional)
[String](#)
Enum:
PSA
WS_MIGRATION_IN_PROGRESS
WEB_SOCKETS

name (optional)
[String](#)

type (optional)
[String](#)

protocol (optional)
[Integer](#) format: int32

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ClusterStatusRest

[Up](#)

accessible (optional)
[Boolean](#)

vdiskcount (optional)
[Integer](#) format: int32

vdisklimit (optional)
[Integer](#) format: int32

vdiskcolor (optional)
[String](#)

localsnapshotcolor (optional)
[String](#)

localdedupcolor (optional)
[String](#)

remoteprotectioncolor (optional)
[String](#)

copydata (optional)
[Long](#) format: int64

CollectionRest

[Up](#)

userlist (optional)
[array\[String\]](#)

sltlist (optional)
[array\[String\]](#)

splist (optional)
[array\[String\]](#)

hostlist (optional)
[array\[String\]](#)

poollist (optional)
[array\[String\]](#)

applist (optional)
[array\[String\]](#)

lglist (optional)
[array\[String\]](#)

cloudcredentiallist (optional)
[array\[String\]](#)

arraylist (optional)
[array\[String\]](#)

sltlistcount (optional)
[Long](#) format: int64

hostlistcount (optional)
[Long](#) format: int64

splistcount (optional)
[Long](#) format: int64

userlistcount (optional)
[Long](#) format: int64

poollistcount (optional)
[Long](#) format: int64

applistcount (optional)
[Long](#) format: int64

arraylistcount (optional)
[Long](#) format: int64

lglistcount (optional)
[Long](#) format: int64

cloudcredentiallistcount (optional)
[Long](#) format: int64

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ComplianceSettingsRest

[Up](#)

policy (optional)
[PolicyRest](#)

warn_threshold_type (optional)

[String](#)

warn_threshold_custom (optional)

[Integer](#) format: int32

error_threshold_type (optional)

[String](#)

error_threshold_custom (optional)

[Integer](#) format: int32

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ComponentDetailRest

[Up](#)

component (optional)

[String](#)

installed (optional)

[Long](#) Install time in UNIX Epoch time (microseconds since Jan 1, 1970) format: int64

summary (optional)

[String](#)

ComponentRest

[Up](#)

ConnectorConnectionRest

[Up](#)

pkistate (optional)

[String](#)

connectionstatus (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ConsistencyGroupRest

[Up](#)

description (optional)

[String](#)

application (optional)

[ApplicationRest](#)

cluster (optional)

[ClusterRest](#)

groupname (optional)

[String](#)

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[*String*](#) Unique ID for this object

ConsolidatedApplianceUpdatesRest

[Up](#)

updateinformation (optional)

[*UpdateInformationRest*](#)

applianceDetails (optional)

[*array\[ApplianceUpdateRest\]*](#)

allowforce (optional)

[*Boolean*](#)

href (optional)

[*String*](#) URL to access this object format: uri

syncdate (optional)

[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[*String*](#) Unique ID for this object

DataStoreRest

[Up](#)

capacity (optional)

[*String*](#)

rdmSupported (optional)

[*Boolean*](#)

freespace (optional)

[*String*](#)

name (optional)

[*String*](#)

type (optional)

[*String*](#)

href (optional)

[*String*](#) URL to access this object format: uri

syncdate (optional)

[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[*String*](#) Unique ID for this object

DbDumpUploadUrlRest

[Up](#)

dbDumpUploadUrl (optional)

[*String*](#)

dbName (optional)

[*String*](#)

success (optional)

[*Boolean*](#)

errorMsg (optional)

[*String*](#)

href (optional)

[*String*](#) URL to access this object format: uri

syncdate (optional)

[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

DescValueRest

[Up](#)

desc (optional)
[String](#)

value (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

DiskMappingRest

[Up](#)

sourceinfo (optional)
[array\[DiskRest\]](#)

targetlist (optional)
[array\[DiskRest\]](#)

asmracodelist (optional)
[array\[String\]](#)

DiskPoolCopiesRest

[Up](#)

clusterid (optional)
[Long](#) format: int64

success (optional)
[Boolean](#)

clustername (optional)
[String](#)

errmsg (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

DiskPoolRest

[Up](#)

usedefaultsa (optional)
[Boolean](#)

immutable (optional)
[Boolean](#)

metadataonly (optional)
[Boolean](#)

location (optional)
[String](#)

bvinfo (optional)
[BackupVaultRest](#)

status (optional)
[String](#)

srcid (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

cluster (optional)

[ClusterRest](#)

mdiskgrp (optional)

[String](#)

warnpct (optional)

[Integer](#) format: int32

safepect (optional)

[Integer](#) format: int32

udsuid (optional)

[Integer](#) format: int32

pooltype (optional)

[String](#)

orglist (optional)

[array\[OrganizationRest\]](#)

copies (optional)

[array\[DiskPoolCopiesRest\]](#)

cloudcredential (optional)

[CloudCredentialRest](#)

nocache (optional)

[Boolean](#)

grainsize (optional)

[Integer](#) format: int32

storage (optional)

[array\[String\]](#)

free_mb (optional)

[Long](#) format: int64

usage_mb (optional)

[Long](#) format: int64

capacity_mb (optional)

[Long](#) format: int64

pct (optional)

[Double](#) format: double

pooltypedisplayname (optional)

[String](#)

vaultprops (optional)

[VaultPropsRest](#)

ext (optional)

[Integer](#) format: int32

name (optional)

[String](#)

properties (optional)

[array\[KeyValueRest\]](#)

state (optional)

[String](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

DiskRest

name (optional)

[String](#)

eligible (optional)
[Boolean](#)

freespace (optional)
[String](#)

requiredsize (optional)
[Double](#) format: double

filetype (optional)
[String](#)

DynamicProtectionJobConfigRest

[Up](#)

isdryrun (optional)
[Boolean](#)

enableMigrationToTagBasedProtection (optional)
[Boolean](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

DynamicProtectionRest

[Up](#)

dynamicprotectiontagvalue (optional)
[String](#)

slt (optional)
[SltRest](#)

slp (optional)
[SlpRest](#)

createdate (optional)
[Long](#) format: int64

appProtectedCount (optional)
[Long](#) format: int64

applicationtype (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

EntityRestPersistable

[Up](#)

Base class for REST objects

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

Error

[Up](#)

err_code
[Integer](#) Error code format: int32
example: 10011

err_message (optional)
[String](#) Optional error message

ErrorRest

[Up](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

EventRest

[Up](#)

errorcode (optional)
[String](#)

component (optional)
[ComponentRest](#)

appname (optional)
[String](#)

srcid (optional)
[String](#)

apptype (optional)
[String](#)

cluster (optional)
[ClusterRest](#)

eventdate (optional)
[Long](#) format: int64

eventid (optional)
[Integer](#) format: int32

sourceeventdate (optional)
[String](#)

jobname (optional)
[String](#)

errormessage (optional)
[String](#)

messagetext (optional)
[String](#)

sequenceid (optional)
[Long](#) format: int64

requiresclearing (optional)
[Boolean](#)

eventstatus (optional)
[String](#)

notification (optional)
[NotificationRest](#)

errormessages (optional)
[array\[String\]](#)

object (optional)
[ObjectRest](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ExpireBackupRest

[Up](#)

backuptype (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ExportRuleInfoRest

[Up](#)

exporttype (optional)

[String](#)

exportedname (optional)

[String](#)

client (optional)

[array\[ClientInfoRest\]](#)

user (optional)

[array\[UserInfoRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ExportVolumeInfoRest

[Up](#)

exportedpath (optional)

[String](#)

exportrule (optional)

[array\[ExportRuleInfoRest\]](#)

objecttype (optional)

[String](#)

objectid (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

FileinfoRest

[Up](#)

filepath (optional)

[String](#)

isrecursive (optional)
[Boolean](#)

filename (optional)
[String](#)

FilterFieldClassMapping

[Up](#)

values (optional)
[array\[String\]](#)

field (optional)
[String](#)

type (optional)
[String](#)

FormDataContentDisposition

[Up](#)

type (optional)
[String](#)

parameters (optional)
[map\[String, String\]](#)

fileName (optional)
[String](#)

creationDate (optional)
[Date](#) format: date-time

modificationDate (optional)
[Date](#) format: date-time

readDate (optional)
[Date](#) format: date-time

size (optional)
[Long](#) format: int64

name (optional)
[String](#)

FormFieldRest

[Up](#)

warning (optional)
[String](#)

choices (optional)
[array\[ChoiceValueRest\]](#)

rows (optional)
[array\[VolumeSelectionRowRest\]](#)

values (optional)
[array\[String\]](#)

description (optional)
[String](#)

maximum (optional)
[Integer](#) format: int32

minimum (optional)
[Integer](#) format: int32

displayName (optional)
[String](#)

required (optional)
[Boolean](#)

header (optional)
[array\[ChoiceValueRest\]](#)

checked (optional)
[Boolean](#)

errorMessage (optional)
[String](#)

disabled (optional)
[Boolean](#)

validation (optional)
[String](#)

currentValue (optional)

[String](#)

tags (optional)
[array\[ChoiceValueRest\]](#)

title (optional)
[String](#)

helpId (optional)
[String](#)

optiongroup (optional)
[Boolean](#)

readonly (optional)
[Boolean](#)

modified (optional)
[Boolean](#)

dynamic (optional)
[Boolean](#)

get_getchoices (optional)
[String](#)

get_getDefault (optional)
[String](#)

get_dependent (optional)
[array\[String\]](#)

hidden (optional)
[Boolean](#)

groupBy (optional)
[Boolean](#)

groupType (optional)
[String](#)

invalid (optional)
[String](#)

invalidStr (optional)
[String](#)

get_default (optional)
[String](#)

name (optional)
[String](#)

type (optional)
[String](#)

size (optional)
[Integer](#) format: int32

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

GetListRest

[Up](#)

filterable (optional)
[Boolean](#)

sortable (optional)
[Boolean](#)

pageable (optional)
[Boolean](#)

sortablefields (optional)
[array\[String\]](#)

filterablefields (optional)
[array\[FilterFieldClassMapping\]](#)

HostRest

[Up](#)

Host where the application resides.

maxlogjobs (optional)

[Integer](#) format: int32

hostclusterid (optional)

[Long](#) format: int64

cert_revoked (optional)

[Boolean](#) Indicates if a host's CA issued certificate has been revoked or not.

pki_state (optional)

[String](#) Indicates if the host is enabled to use CA signed certificate. Valid states are TRUSTED (has valid CA issued certificate for communication), UNTRUSTED (doesn't have valid CA issued certificate for communication) and NOT_APPLICABLE (doesn't needs CA issued certificate for communication).

pki_errors (optional)

[array\[String\]](#) List of error messages while trying to bootstrap PKI on the host using managing backup appliance

autoupgrade (optional)

[String](#)

Enum:

DISABLED

ENABLED

PENDING_VERSION_UPGRADE

PENDING_PKI_INITIALIZATION

COMPLETED

NOT_APPLICABLE

managedby (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

connectorConnectionStatus (optional)

[ConnectorConnectionRest](#)

projectid (optional)

[String](#)

guestvmiscsi (optional)

[Boolean](#)

properties (optional)

[String](#)

mask (optional)

[String](#)

description (optional)

[String](#)

source (optional)

[array\[SourceRest\]](#)

zone (optional)

[String](#)

status (optional)

[String](#)

sources (optional)

[array\[HostRest\]](#)

clusterid (optional)

[String](#)

hosttype (optional)

[String](#)

hostname (optional)

[String](#)

uniquename (optional)

[String](#)

isvm (optional)

[Boolean](#)

vmtype (optional)

[String](#)

vcenterhostid (optional)

[String](#)

ipaddress (optional)

[String](#)

srcid (optional)

[String](#)

modifydate (optional)
[Long](#) format: int64

transport (optional)
[String](#)

machinetype (optional)
[String](#)

friendlypath (optional)
[String](#)

svcname (optional)
[String](#)

dataip (optional)
[String](#)

alternateip (optional)
[array\[String\]](#)

ostype (optional)
[String](#)

osversion (optional)
[String](#)

osrelease (optional)
[String](#)

sourcecluster (optional)
[String](#)

originalhostid (optional)
[String](#)

maxjobs (optional)
[Integer](#) format: int32

hasagent (optional)
[Boolean](#)

isvcenterhost (optional)
[Boolean](#)

isclusterhost (optional)
[Boolean](#)

isesxhost (optional)
[Boolean](#)

isproxyhost (optional)
[Boolean](#)

dbauthentication (optional)
[Boolean](#)

diskpref (optional)
[String](#)

nfsoption (optional)
[NfsOptionsRest](#)

multiregion (optional)
[String](#)

systemdetail (optional)
[String](#)

connect2actip (optional)
[String](#)

orglist (optional)
[array\[OrganizationRest\]](#)

chapusername (optional)
[String](#)

chappassword (optional)
[String](#)

clearchap (optional)
[Boolean](#)

udsagent (optional)
[AgentRest](#)

applicationagent (optional)
[AgentRest](#)

hypervisoragent (optional)
[AgentRest](#)

hmconnector (optional)
[AgentRest](#)

cloudcredential (optional)
[CloudCredentialRest](#)

appliance (optional)
[ClusterRest](#)

is_auto_discovery_enabled (optional)
[Boolean](#)

isShadowHost (optional)
[Boolean](#)

esxlist (optional)
[array\[HostRest\]](#)

nodeList (optional)
[array\[HostRest\]](#)

datastorelist (optional)
[array\[DataStoreRest\]](#)

ostype_special (optional)
[String](#)

port_count (optional)
[String](#)

iogrp_count (optional)
[String](#)

iscsi_name (optional)
[array\[String\]](#)

WWPN (optional)
[array\[String\]](#)

iogrp (optional)
[String](#)

node_logged_in_count (optional)
[String](#)

connectorversion (optional)
[String](#)

isClusterNode (optional)
[Boolean](#)

reconciliation_needed (optional)
[Boolean](#)

reconciliation_fields (optional)
[array\[String\]](#)

agents (optional)
[array\[AgentRest\]](#)

vcenterHost (optional)
[HostRest](#)

name (optional)
[String](#)

state (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

IAMPermissionsRest

[Up](#)

This object represents the results of IAM permission checks

permissions (optional)
[map\[String, Boolean\]](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

JSONArray

[Up](#)

empty (optional)

[Boolean](#)

JobRest

[Up](#)

description (optional)

[String](#)

task (optional)

[Object](#)

expiration (optional)

[Long](#) format: int64

pid (optional)

[Integer](#) format: int32

duration (optional)

[Long](#) format: int64

label (optional)

[String](#)

flags (optional)

[Long](#) format: int64

progress (optional)

[Long](#) format: int64

errorcode (optional)

[String](#)

status (optional)

[String](#)

clusterid (optional)

[String](#)

hostname (optional)

[String](#)

hostid (optional)

[Long](#) format: int64

appname (optional)

[String](#)

srcid (optional)

[String](#)

apptype (optional)

[String](#)

appid (optional)

[String](#)

jobclass (optional)

[String](#)

backup (optional)

[BackupRest](#)

sourceuds (optional)

[Long](#) format: int64

originatinguds (optional)

[Long](#) format: int64

targetuds (optional)

[Long](#) format: int64

parentid (optional)

[String](#)

jobname (optional)

[String](#)

startdate (optional)

[Long](#) format: int64

enddate (optional)

[Long](#) format: int64
transport (optional)
[String](#)

immutabilitydate (optional)
[Long](#) format: int64

consistencydate (optional)
[Long](#) format: int64

virtualsize (optional)
[Long](#) format: int64

sltname (optional)
[String](#)

polycyname (optional)
[String](#)

isexpired (optional)
[Boolean](#)

targethost (optional)
[String](#)

sourceid (optional)
[String](#)

jobcount (optional)
[Integer](#) format: int32

changerequest (optional)
[Integer](#) format: int32

relativesize (optional)
[Long](#) format: int64

retrycount (optional)
[Integer](#) format: int32

queuedate (optional)
[Long](#) format: int64

expirationdate (optional)
[Long](#) format: int64

isscheduled (optional)
[Boolean](#)

jobtag (optional)
[String](#)

id2 (optional)
[String](#)

event (optional)
[EventRest](#)

appliance (optional)
[ClusterRest](#)

jobclasscode (optional)
[Integer](#) format: int32

consistency-mode (optional)
[String](#)

flags_text (optional)
[array\[String\]](#)

sourcediskpool (optional)
[DiskPoolRest](#)

yaml (optional)
[String](#)

changerequesttext (optional)
[String](#)

logsmarttype (optional)
[String](#)

extrainfo (optional)
[String](#)

diskpools (optional)
[array\[DiskPoolRest\]](#)

targetdiskpool (optional)
[DiskPoolRest](#)

message (optional)
[String](#)

priority (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

KeyValueRest

[Up](#)

value (optional)

[String](#)

key (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ListAdvancedOptionRest

[Up](#)

count (optional)

[Integer](#) format: int32

items (optional)

[array\[AdvancedOptionRest\]](#)

ListApplianceUpdateLogsRest

[Up](#)

count (optional)

[Integer](#) format: int32

items (optional)

[array\[ApplianceUpdateLogsRest\]](#)

ListApplicationRest

[Up](#)

count (optional)

[Integer](#) format: int32

items (optional)

[array\[ApplicationRest\]](#)

ListAuditRest

[Up](#)

count (optional)

[Integer](#) format: int32

items (optional)

[array\[AuditRest\]](#)

ListBackupRest

[Up](#)

count (optional)

[Integer](#) format: int32

items (optional)

[array\[BackupRest\]](#)

ListClusterRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ClusterRest\]](#)

ListConsistencyGroupRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ConsistencyGroupRest\]](#)

ListConsolidatedApplianceUpdatesRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ConsolidatedApplianceUpdatesRest\]](#)

ListDiskPoolRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[DiskPoolRest\]](#)

ListHostRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[HostRest\]](#)

ListJobRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[JobRest\]](#)

ListLogicalGroupRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[LogicalGroupRest\]](#)

ListNameValueRest

[Up](#)

listNameValueRest (optional)
[array\[NameValueRest\]](#)
href (optional)
[String](#) URL to access this object format: uri
syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64
stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.
id (optional)
[String](#) Unique ID for this object

ListPolicyRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[PolicyRest\]](#)

ListRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[EntityRestPersistable\]](#)

ListRestAdvancedOptionRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[AdvancedOptionRest\]](#)

ListRestAppClassRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[AppClassRest\]](#)

ListRestApplianceUpdateInstallationJobRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ApplianceUpdateInstallationJobRest\]](#)

ListRestApplianceUpdateLogsRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ApplianceUpdateLogsRest\]](#)

ListRestApplianceUpdateNotificationRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ApplianceUpdateNotificationRest\]](#)

ListRestApplicationRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[ApplicationRest\]](#)

ListRestAuditRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[AuditRest\]](#)

ListRestBackupRest

[Up](#)

count (optional)

[Integer](#) format: int32

items (optional)
[array\[BackupRest\]](#)

ListRestCloudCredentialRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[CloudCredentialRest\]](#)

ListRestClusterRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[ClusterRest\]](#)

ListRestConsistencyGroupRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[ConsistencyGroupRest\]](#)

ListRestConsolidatedApplianceUpdatesRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[ConsolidatedApplianceUpdatesRest\]](#)

ListRestDbDumpUploadUrlRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[DbDumpUploadUrlRest\]](#)

ListRestDiskPoolRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[DiskPoolRest\]](#)

ListRestDynamicProtectionRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[DynamicProtectionRest\]](#)

ListRestHostRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[HostRest\]](#)

ListRestJobRest

[Up](#)

count (optional)
[Integer](#) format: int32

items (optional)
[array\[JobRest\]](#)

ListRestLogicalGroupRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[LogicalGroupRest\]](#)

ListRestPolicyRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[PolicyRest\]](#)

ListRestSlaRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[SlaRest\]](#)

ListRestSlpRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[SlpRest\]](#)

ListRestSltRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[SltRest\]](#)

ListRestWorkflowRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[WorkflowRest\]](#)

ListSlaRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[SlaRest\]](#)

ListSlpRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[SlpRest\]](#)

ListSltRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)

[array\[*String*\]](#)

ListStringRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[*String*\]](#)

ListWorkflowRest

[Up](#)

count (optional)
[Integer](#) format: int32
items (optional)
[array\[*WorkflowRest*\]](#)

LiveCloneRest

[Up](#)

label (optional)
[String](#)
diskpool (optional)
[DiskPoolRest](#)
href (optional)
[String](#) URL to access this object format: uri
syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64
stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.
id (optional)
[String](#) Unique ID for this object

LocationMappingItemRest

[Up](#)

source (optional)
[String](#)
name (optional)
[String](#)
target (optional)
[String](#)
href (optional)
[String](#) URL to access this object format: uri
syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64
stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.
id (optional)
[String](#) Unique ID for this object

LogSequenceRest

[Up](#)

beginlsn (optional)
[String](#)
endlsn (optional)
[String](#)
thread (optional)
[String](#)
href (optional)
[String](#) URL to access this object format: uri
syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

LogicalGroupRest

[Up](#)

The logical group that the application belongs to, if it applies.

description (optional)

[String](#)

srcid (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

managed (optional)

[Boolean](#)

scheduleoff (optional)

[Boolean](#)

sla (optional)

[SlaRest](#)

cluster (optional)

[ClusterRest](#)

membercount (optional)

[Integer](#) format: int32

orglist (optional)

[array\[OrganizationRest\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

MembershipChangeRest

[Up](#)

action (optional)

[String](#) add | remove

Enum:

add

remove

members (optional)

[array\[Long\]](#) format: int64

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

MissingPermissionsRest

[Up](#)

sourceProject (optional)

[ProjectPermissionsRest](#)

targetProject (optional)

[ProjectPermissionsRest](#)

cloudcredential (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

MountRest

[Up](#)

label (optional)

[String](#)

hostname (optional)

[String](#) Mutually exclusive with host, when mounting as a brand new host(VM)

container (optional)

[Boolean](#)

diskpool (optional)

[DiskPoolRest](#)

cloudvmoptions (optional)

[CloudVmMountRest](#)

rdmnode (optional)

[String](#)

Enum:

physical
independentvirtual
dependentvirtual
nfs

rehydrationmode (optional)

[String](#)

Enum:

Balanced
MaximumPerformance
PerformanceOptimized
StorageOptimized

appaware (optional)

[Boolean](#)

systemstateoptions (optional)

[array\[SystemStateOptionRest\]](#)

migratevm (optional)

[Boolean](#)

datastore (optional)

[String](#) Mutually exclusive with diskpool

recoverytime (optional)

[Long](#) Can be used when log backup is available. Microseconds since Epoch in UTC format: int64

poweronvm (optional)

[Boolean](#)

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#) A customized mapping from the volumes to their mount points

restoreoptions (optional)

[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#) List of provisioning options when appaware is true

selectedobjects (optional)

[array\[SelectedObjectRest\]](#) A subset of restorable objects to be mounted

nfoptions (optional)

[NfsOptionsRest](#)

instantmount (optional)

[Boolean](#)

mgmtserver (optional)

[HostRest](#)

hypervisor (optional)

[HostRest](#)

allowedips (optional)

[array\[String\]](#)

path (optional)

[String](#)

host (optional)

[HostRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

NameValueRest

[Up](#)

description (optional)

[String](#)

desc (optional)

[String](#)

selection (optional)

[array\[DescValueRest\]](#)

alias (optional)

[String](#)

constant (optional)

[String](#)

select (optional)

[Boolean](#)

editableonmount (optional)

[Boolean](#)

name (optional)

[String](#)

value (optional)

[String](#)

default (optional)

[String](#)

type (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

NfsOptionsRest

[Up](#)

client (optional)

[array\[NameValueRest\]](#)

server (optional)

[array\[NameValueRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

NotificationRest

[Up](#)

ObjectRest

[Up](#)

OptionsRest

[Up](#)

GET(list) (optional)

[GetListRest](#)

OrganizationRest

[Up](#)

description (optional)

[String](#)

version (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

createdate (optional)

[Long](#) format: int64

resourcecollection (optional)

[CollectionRest](#)

memberlist (optional)

[array\[OrganizationRest\]](#)

ancestorlist (optional)

[array\[OrganizationRest\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

PolicyRest

[Up](#)

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

description (optional)

[String](#)

source (optional)

[array\[SourceRest\]](#)

slt (optional)

[SltRest](#)

rpom (optional)

[String](#)

rpo (optional)

[String](#)

predecessor (optional)

[PolicyRest](#)

exclusiontype (optional)
[String](#)

targetvault (optional)
[Integer](#) format: int32

retention (optional)
[String](#)

retentionm (optional)
[String](#)

iscontinuous (optional)
[Boolean](#)

starttime (optional)
[String](#)

sourcevault (optional)
[Integer](#) format: int32

selection (optional)
[String](#)

schedulertype (optional)
[String](#)

exclusion (optional)
[String](#)

reptype (optional)
[String](#)

encrypt (optional)
[String](#)

repeatinterval (optional)
[String](#)

exclusioninterval (optional)
[String](#)

endtime (optional)
[String](#)

remoteretention (optional)
[Integer](#) format: int32

compliancesettings (optional)
[ComplianceSettingsRest](#)

options (optional)
[array\[AdvancedOptionRest\]](#)

policyType (optional)
[String](#)

truncatelog (optional)
[String](#)

verifychoice (optional)
[String](#)

op (optional)
[String](#)

verification (optional)
[Boolean](#)

name (optional)
[String](#)

priority (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

PreflightRest

[Up](#)

databasesid (optional)

[String](#)

username (optional)

[String](#)

orahome (optional)

[String](#)

hostid (optional)

[String](#)

restoreoptions (optional)

[PreflightRestoreOptionsRest](#)

provisioningoptions (optional)

[array\[ProvisioningOptionRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

PreflightRestoreOptionsRest

[Up](#)

ctrltarget (optional)

[String](#)

redotarget (optional)

[String](#)

targettype (optional)

[String](#)

standalone (optional)

[String](#)

migrationmapping (optional)

[String](#)

copythreadcount (optional)

[String](#)

asmracodelist (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

PrepmountRest

[Up](#)

rdmnode (optional)

[String](#)

physicalrdm (optional)

[String](#)

appaware (optional)

[Boolean](#)

recoverytime (optional)

[Long](#) format: int64

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#)

restoreoptions (optional)

[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)
[array\[ProvisioningOptionRest\]](#)

selectedobjects (optional)
[array\[SelectedObjectRest\]](#)

nfsoptions (optional)
[NfsOptionsRest](#)

instantmount (optional)
[Boolean](#)

host (optional)
[HostRest](#)

container (optional)
[Boolean](#)

allowedips (optional)
[array\[String\]](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ProjectPermissionsRest

[Up](#)

requiredpermissions (optional)
[array\[String\]](#)

name (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

ProvisioningOptionMetaRest

[Up](#)

validationRegex (optional)
[String](#)

unique (optional)
[Boolean](#)

restoreimmutable (optional)
[Boolean](#)

description (optional)
[String](#)

required (optional)
[Boolean](#)

alias (optional)
[String](#)

choice (optional)
[array\[ChoiceMetaRest\]](#)

select (optional)
[Boolean](#)

name (optional)
[String](#)

value (optional)
[array\[NameValueRest\]](#)

type (optional)

[String](#)

defaultValue (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ProvisioningOptionRest

[Up](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RMMigrationStatusRest

[Up](#)

rsrvStatus (optional)

[String](#)

jasperStatus (optional)

[String](#)

RefreshRest

[Up](#)

options (optional)

[array\[String\]](#)

Enum:

sourceimage (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RestorableRest

[Up](#)

fullpath (optional)

[String](#)

appstate_text (optional)

[array\[String\]](#)

fileinfo (optional)

[array\[FileinfoRest\]](#)

backedupdb (optional)

[String](#)

skippeddb (optional)
[String](#)

faileddb (optional)
[String](#)

application (optional)
[ApplicationRest](#)

pathname (optional)
[String](#)

systemdb (optional)
[Boolean](#)

volumeinfo (optional)
[array\[VolumeInfoRest\]](#)

appState (optional)
[Long](#) format: int64

name (optional)
[String](#)

type (optional)
[String](#)

RestoreLocationRest

[Up](#)

mapping (optional)
[array\[LocationMappingItemRest\]](#)

type (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

RestoreMigrateRest

[Up](#)

action (optional)
[String](#)

label (optional)
[String](#)

restoreoptions (optional)
[PreflightRestoreOptionsRest](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

RestoreObjectMappingRest

[Up](#)

vmdkprovisionformat (optional)
[String](#)

diskpool (optional)
[DiskPoolRest](#)

appliancemountpoint (optional)
[String](#)

datastore (optional)
[String](#)

restoreobject (optional)

[String](#)

mountdrive (optional)

[String](#)

mountpoint (optional)

[String](#)

targetvg (optional)

[String](#)

RestoreOptionRest

[Up](#)

name (optional)

[String](#)

value (optional)

[String](#)

RestorePreflightRest

[Up](#)

status (optional)

[Boolean](#)

testlist (optional)

[array\[TestRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

RestoreRest

[Up](#)

password (optional)

[String](#)

label (optional)

[String](#)

username (optional)

[String](#)

cloudvmoptions (optional)

[CloudVmMountRest](#)

rdmnode (optional)

[String](#)

physicalrdm (optional)

[String](#)

targetnode (optional)

[String](#)

replacesource (optional)

[Boolean](#)

parts (optional)

[String](#)

datastore (optional)

[String](#)

recover (optional)

[Boolean](#)

recoverytime (optional)

[Long](#) format: int64

poweronvm (optional)

[Boolean](#)

scripts (optional)

[array\[ScriptRest\]](#)

restoreobjectmappings (optional)

[array\[RestoreObjectMappingRest\]](#)

restoreoptions (optional)
[array\[RestoreOptionRest\]](#)

provisioningoptions (optional)
[array\[ProvisioningOptionRest\]](#)

selectedobjects (optional)
[array\[SelectedObjectRest\]](#)

nfsoptions (optional)
[NfsOptionsRest](#)

instantmount (optional)
[Boolean](#)

notdisableschedule (optional)
[Boolean](#)

host (optional)
[HostRest](#)

container (optional)
[Boolean](#)

allowedips (optional)
[array\[String\]](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

RightRest

[Up](#)

Effective access rights that this login session contains.

children (optional)
[array\[RightRest\]](#)

parents (optional)
[array\[RightRest\]](#)

name (optional)
[String](#) Name of access right

id (optional)
[String](#) Unique ID for this object

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

RoleRest

[Up](#)

version (optional)
[String](#)

modifydate (optional)
[Long](#) format: int64

createdate (optional)
[Long](#) format: int64

rightList (optional)
[array\[RightRest\]](#)

name (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ScriptFileRest

[Up](#)

required (optional)

[Boolean](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

ScriptRest

[Up](#)

timeout (optional)

[String](#)

args (optional)

[array\[String\]](#)

phase (optional)

[String](#)

name (optional)

[String](#)

SelectedObjectRest

[Up](#)

diskpool (optional)

[DiskPoolRest](#)

restorableobject (optional)

[String](#)

datastore (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SessionRest

[Up](#)

This object represent a valid login session

region (optional)

[String](#) region

example: us-central1

session_id (optional)

[String](#) Session id of the current login

example: c7a5c64e-05a6-4671-b2e3-4b0f34e16888

user (optional)

[UserRest](#)

timezone (optional)

[String](#) User's timezone, if set.

example: *America/New_York*

username (optional)

[String](#)

example: *john_smith*

userpref (optional)

[String](#) This object contains user preferences that client programs can utilize. The content is opaque to API service.

rights (optional)

[array\[RightRest\]](#) Effective access rights that this login session contains.

authconfig (optional)

[AuthConfigRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlaErrorWarningsRest

[Up](#)

warningList (optional)

[array\[WarningRest\]](#)

errorList (optional)

[array\[ErrorRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlaMetadata

[Up](#)

env (optional)

[String](#)

name (optional)

[String](#)

SlaPrefLightRest

[Up](#)

sltid (optional)

[Long](#) format: int64

slpid (optional)

[Long](#) format: int64

appids (optional)

[array\[Long\]](#) format: int64

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlaRest

[Up](#)

managedBy (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

metadata (optional)

[SlaMetadata](#)

protectionType (optional)

[String](#)

dynamicProtectionTagValue (optional)

[String](#)

description (optional)

[String](#)

application (optional)

[ApplicationRest](#)

modifydate (optional)

[Long](#) format: int64

scheduleoff (optional)

[String](#)

slt (optional)

[SltRest](#)

slp (optional)

[SlpRest](#)

options (optional)

[array\[AdvancedOptionRest\]](#)

logexpirationoff (optional)

[Boolean](#)

dedupasyncoff (optional)

[String](#)

expirationoff (optional)

[String](#)

group (optional)

[LogicalGroupRest](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlpRest

[Up](#)

Available SLP (profiles) that this application can potentially use for protection.

description (optional)

[String](#)

clusterid (optional)

[String](#)

srcid (optional)

[String](#)

modifydate (optional)

[Long](#) format: int64

cid (optional)

[String](#)

profiletype (optional)

[String](#)

performancepool (optional)

[String](#)

primarystorage (optional)

[String](#)

remotenode (optional)

[String](#)

dedupasyncnode (optional)

[String](#)

vaultpool (optional)

[DiskPoolRest](#)

vaultpool2 (optional)

[DiskPoolRest](#)

vaultpool3 (optional)

[DiskPoolRest](#)

vaultpool4 (optional)

[DiskPoolRest](#)

createdate (optional)

[Long](#) format: int64

localnode (optional)

[String](#)

orglist (optional)

[array\[OrganizationRest\]](#)

cloudCredential (optional)

[CloudCredentialRest](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

SlrRest

[Up](#)

managedby (optional)

[String](#)

Enum:

MS

CLH

NOT_APPLICABLE

resource (optional)

[String](#)

metadata (optional)

[BackupPlanMetadata](#)

description (optional)

[String](#)

option_href (optional)

[String](#) format: uri

source (optional)

[array\[SourceRest\]](#)

policy_href (optional)

[String](#) format: uri

override (optional)

[String](#)

sourcename (optional)

[String](#)

policies (optional)

[array\[PolicyRest\]](#)

options (optional)

[array\[AdvancedOptionRest\]](#)

orglist (optional)

[array\[OrganizationRest\]](#)

managedbyagm (optional)

[*Boolean*](#)

usedbycloudapp (optional)

[*Boolean*](#)

name (optional)

[*String*](#)

href (optional)

[*String*](#) URL to access this object format: uri

syncdate (optional)

[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[*String*](#) Unique ID for this object

SourceRest

[Up](#)

slps (optional)

[*array\[SlpRest\]*](#)

clusterid (optional)

[*String*](#)

srcid (optional)

[*String*](#)

host (optional)

[*HostRest*](#)

SystemStateOptionRest

[Up](#)

structurevalue (optional)

[*array\[SystemStateOptionRest\]*](#)

name (optional)

[*String*](#)

value (optional)

[*String*](#)

href (optional)

[*String*](#) URL to access this object format: uri

syncdate (optional)

[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[*String*](#) Unique ID for this object

TestCredentialErrorRest

[Up](#)

clusters (optional)

[*array\[ClusterRest\]*](#)

errorMsg (optional)

[*String*](#)

errorCode (optional)

[*Integer*](#) format: int32

href (optional)

[*String*](#) URL to access this object format: uri

syncdate (optional)

[*Long*](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[*Boolean*](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[*String*](#) Unique ID for this object

TestCredentialResultRest

[Up](#)

success (optional)

[TestCredentialSuccessRest](#)

errors (optional)

[array\[TestCredentialErrorRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

TestCredentialSuccessRest

[Up](#)

clusters (optional)

[array\[ClusterRest\]](#)

privileges (optional)

[array\[NameValueRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

TestRest

[Up](#)

status (optional)

[String](#)

hint (optional)

[String](#)

extrainfo (optional)

[String](#)

test (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

UnmountRest

[Up](#)

script (optional)

[String](#)

force (optional)

[Boolean](#)

delete (optional)

[Boolean](#)

preservevm (optional)

[Boolean](#)

preservecopy (optional)

[Boolean](#)

ignoreremovefailures (optional)

[Boolean](#)

scripts (optional)

[array\[ScriptRest\]](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

UpdateInformationRest

[Up](#)

updatetype (optional)

[String](#)

componentname (optional)

[String](#)

updateid (optional)

[String](#)

readmelink (optional)

[String](#)

expectedduration (optional)

[Long](#) format: int64

releasedate (optional)

[Long](#) format: int64

duedate (optional)

[Long](#) format: int64

updatename (optional)

[String](#)

UpdateListRest

[Up](#)

scheduletime (optional)

[Long](#) format: int64

force (optional)

[Boolean](#)

updateids (optional)

[array\[Long\]](#) format: int64

UserInfoRest

[Up](#)

accessmode (optional)

[array\[String\]](#)

username (optional)

[String](#)

haspassword (optional)

[Boolean](#)

group (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

version (optional)
[Integer](#) format: int32

password (optional)
[String](#)

modifydate (optional)
[Long](#) format: int64

dataaccesslevel (optional)
[Integer](#) format: int32

timezone (optional)
[String](#)

firstname (optional)
[String](#)

lastname (optional)
[String](#)

comments (optional)
[String](#)

email (optional)
[String](#)

createdate (optional)
[Long](#) format: int64

name (optional)
[String](#)

lastpasswordchangedate (optional)
[Long](#) format: int64

userpref (optional)
[String](#)

localonly (optional)
[Boolean](#)

orglist (optional)
[array\[OrganizationRest\]](#)

rightlist (optional)
[array\[RightRest\]](#)

rolelist (optional)
[array\[RoleRest\]](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

VaultPropsRest

vaulttype (optional)
[String](#)

bucket (optional)
[String](#)

compression (optional)
[Boolean](#)

objectsize (optional)
[Long](#) format: int64

accesskey (optional)
[String](#)

accessid (optional)
[String](#)

baseurl (optional)
[String](#)

authversion (optional)
[String](#)

region (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VersionDetailRest

[Up](#)

components (optional)

[array\[ComponentDetailRest\]](#)

installed (optional)

[Long](#) Install time in UNIX Epoch time (microseconds since Jan 1, 1970) format: int64

summary (optional)

[String](#)

product (optional)

[String](#)

VersionRest

[Up](#)

revision (optional)

[String](#)

major (optional)

[String](#)

minor (optional)

[String](#)

summary (optional)

[String](#)

product (optional)

[String](#)

maintenance (optional)

[String](#)

VmDiscoveryRest

[Up](#)

cluster (optional)

[String](#)

org (optional)

[String](#)

addvms (optional)

[Boolean](#)

vcenterHostId (optional)

[String](#)

esxcluster (optional)

[String](#)

addall (optional)

[Boolean](#)

vms (optional)

[array\[String\]](#)

dc (optional)

[String](#)

discoverclusters (optional)

[Boolean](#)

discovervms (optional)

[Boolean](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VolumeSelectionRowRest

[Up](#)

disktypeDisabled (optional)

[Boolean](#)

volumeid (optional)

[String](#)

devicename (optional)

[String](#)

disktype (optional)

[array\[ChoiceValueRest\]](#)

sourcemountpath (optional)

[String](#)

devicetype (optional)

[String](#)

deviceindex (optional)

[String](#)

disabled (optional)

[Boolean](#)

selected (optional)

[Boolean](#)

size (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

VolumeinfoRest

[Up](#)

uniqueid (optional)

[String](#)

WarningRest

[Up](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkScheduleRest

[Up](#)

time (optional)

[String](#)

interval (optional)

[String](#)

frequency (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowItemRest

[Up](#)

props (optional)

[array\[KeyValueRest\]](#)

name (optional)

[String](#)

value (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowRest

[Up](#)

status (optional)

[WorkflowStatusRest](#)

application (optional)

[ApplicationRest](#)

cluster (optional)

[ClusterRest](#)

disabled (optional)

[Boolean](#)

schedule (optional)

[WorkScheduleRest](#)

items (optional)

[array\[WorkflowItemRest\]](#)

props (optional)

[array\[KeyValueRest\]](#)

name (optional)

[String](#)

href (optional)

[String](#) URL to access this object format: uri

syncdate (optional)

[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)

[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)

[String](#) Unique ID for this object

WorkflowStatusDetailsRest

[Up](#)

completed (optional)

[String](#)

result (optional)
[String](#)

status (optional)
[String](#)

pending (optional)
[String](#)

startdate (optional)
[Long](#) format: int64

enddate (optional)
[Long](#) format: int64

jobtag (optional)
[String](#)

current (optional)
[String](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

WorkflowStatusRest

[Up](#)

next (optional)
[WorkflowStatusDetailsRest](#)

current (optional)
[WorkflowStatusDetailsRest](#)

prev (optional)
[WorkflowStatusDetailsRest](#)

href (optional)
[String](#) URL to access this object format: uri

syncdate (optional)
[Long](#) When this object was last synced from appliances (UNIX Epoch time in microseconds). It does not apply to local resources. format: int64

stale (optional)
[Boolean](#) Optional flag to indicate if the information is out-of-date due to communication problems with appliances. It does not apply to local resources.

id (optional)
[String](#) Unique ID for this object

cluster_uploadupdate_body

[Up](#)

file (optional)
[FormDataContentDisposition](#)

inline_response_200

[Up](#)

date (optional)
[Date](#) format: date-time

lastModified (optional)
[Date](#) format: date-time

headers (optional)
[map\[String, array\[Object\]\]](#)

status (optional)
[Integer](#) format: int32

metadata (optional)
[map\[String, array\[Object\]\]](#)

statusInfo (optional)
[inline_response_200_statusInfo](#)

entity (optional)
[Object](#)

cookies (optional)
[map\[String, inline_response_200_cookies\]](#)

allowedMethods (optional)
[array\[String\]](#)

entityTag (optional)
[inline_response_200_entityTag](#)

links (optional)
[array\[inline_response_200_links\]](#)

mediaType (optional)
[inline_response_200_mediaType](#)

stringHeaders (optional)
[map\[String, array\[String\]\]](#)

length (optional)
[Integer](#) format: int32

location (optional)
[String](#) format: uri

language (optional)
[inline_response_200_language](#)

inline_response_200_cookies

[Up](#)

name (optional)
[String](#)

value (optional)
[String](#)

version (optional)
[Integer](#) format: int32

path (optional)
[String](#)

domain (optional)
[String](#)

comment (optional)
[String](#)

maxAge (optional)
[Integer](#) format: int32

expiry (optional)
[Date](#) format: date-time

secure (optional)
[Boolean](#)

httpOnly (optional)
[Boolean](#)

inline_response_200_entityTag

[Up](#)

value (optional)
[String](#)

weak (optional)
[Boolean](#)

inline_response_200_language

[Up](#)

script (optional)
[String](#)

country (optional)
[String](#)

variant (optional)
[String](#)

extensionKeys (optional)
[array\[String\]](#)

unicodeLocaleAttributes (optional)
[array\[String\]](#)

unicodeLocaleKeys (optional)
[array\[String\]](#)

iso3Language (optional)

[String](#)

iso3Country (optional)

[String](#)

displayLanguage (optional)

[String](#)

displayScript (optional)

[String](#)

displayCountry (optional)

[String](#)

displayVariant (optional)

[String](#)

displayName (optional)

[String](#)

language (optional)

[String](#)

inline_response_200_links

[Up](#)

params (optional)

[map\[String, String\]](#)

uri (optional)

[String](#) format: uri

rel (optional)

[String](#)

title (optional)

[String](#)

uriBuilder (optional)

[Object](#)

rels (optional)

[array\[String\]](#)

type (optional)

[String](#)

inline_response_200_mediaType

[Up](#)

type (optional)

[String](#)

subtype (optional)

[String](#)

parameters (optional)

[map\[String, String\]](#)

wildcardType (optional)

[Boolean](#)

wildcardSubtype (optional)

[Boolean](#)

inline_response_200_statusInfo

[Up](#)

family (optional)

[String](#)

Enum:

INFORMATIONAL

SUCCESSFUL

REDIRECTION

CLIENT_ERROR

SERVER_ERROR

OTHER

statusCode (optional)

[Integer](#) format: int32

reasonPhrase (optional)

[String](#)